

ACE Hardware of Kenosha #53-W
4623 75th Street
Kenosha, Wisconsin 53142

Makita

IT'S ALL THE POWER YOU NEED.®



REGIONAL SALES OFFICES & DISTRIBUTION CENTERS

Makita U.S.A., Inc., has 7 Regional Sales Office/Distribution Centers, 47 Factory Service Centers, and over 140 Authorized Service Centers throughout the United States to provide complete, prompt, and efficient service. Makita tools are sold through authorized Makita distributors with experienced personnel to assist you in selecting the proper tools for your specific requirements.



CORPORATE OFFICE

14930-C Northam St.
La Mirada, CA 90638-5753
(714) 522-8088

NEW JERSEY OFFICE

251 Herrod Blvd.
South Brunswick Industrial Park
Dayton, NJ 08810-1539
(609) 655-1212

ATLANTA OFFICE

2861-G Bankers Industrial Dr.
Atlanta, GA 30360-2796
(404) 447-8192

CHICAGO OFFICE

1450 Feehanville Dr.
Mt. Prospect, IL 60056-6011
(708) 297-3100

HOUSTON OFFICE

10775 Kempwood Dr., Suite 4
Houston, TX 77043-1413
(713) 690-6800

DENVER OFFICE

11839 E. 51st Ave.
Denver, CO 80239-2709
(303) 371-2850

LOS ANGELES OFFICE

14930-C Northam St.
La Mirada, CA 90638-5753
(714) 522-8088

SAN FRANCISCO OFFICE

44388 Old Warm Springs Blvd.
Fremont, CA 94538-6148
(415) 657-9881

CONTENTS

INFORMATION

General Information	3
Safety Information	4 - 5

CORDLESS

7.2 V Built-In Battery System	7 - 8
7.2 V Removable Nicad Battery System	9 - 18
9.6 V Removable Nicad Battery System	19 - 26
Cordless	6, 27 - 28
Accessories	93 - 100

SAWS

Circular Saws	28 - 32
Hypoid Saw	32
Table Saws	33
Miter Saws	34 - 35
Band Saws	36, 49
Jig Saws	37 - 38
Recipro Saws	39 - 40
Chain Saws	40 - 41
Cut-Off Saws	44
PVC Saw	45
Accessories	100 - 111, 113

HEAT GUN

Heat Gun	36
Accessories	113, 114

GARDEN TOOLS

Hedge Trimmers	42
Accessories	109

CONCRETE PLANER

Concrete Planer	43
Accessories	110

ANGLE CUTTER

Angle Cutter	43
Accessories	110

PLANERS

Planers	45 - 49
Accessories	111, 112, 114, 115

WOODWORKING MACHINES

Planers	48 - 49
Planer-Jointer	48
Band Saw	49
Dust Collector	50
Blower	50
Vacuums	51 - 53
Sweeper	53
Accessories	108, 114 - 116

SANDERS

Finishing Sanders	54 - 56
Belt Sanders	57 - 59
Wheel Sander	59
Accessories	117 - 119

ROUTERS & TRIMMERS

Routers	60 - 62
Trimmers	62 - 63
Accessories	120 - 126

DRILLS & FASTENING TOOLS

1/4" Drill	64
3/8" Drills	64 - 66
3/8" Angle Drill	66
Uni-Drill	67
1/2" Drills	67 - 68
1/2" Angle Drills	69
Drywall Screwdrivers	70 - 71
Screwdrivers	71 - 72
Impact Wrenches	73
Accessories	127 - 129

SHEARS & NIBBLERS

Shears	74 - 75
Nibblers	76
Accessories	130

HAMMER DRILLS & ROTARY HAMMERS

Hammer Drills	77 - 78
Rotary Hammers	78 - 80
Demolition Hammers	81
Power Scraper	82
Accessories	131 - 136

SANDERS, POLISHERS & GRINDERS

Sanders	82 - 83
Polisher	83
Sander-Polishers	84
Disc Grinders	85 - 86
Angle Grinders	87 - 88
Angle Sanders	89
Bench Grinder	90
Die Grinders	90 - 91
Blade Sharpener	91
Accessories	137 - 144

GENERATORS

Generators	92
Accessories	144

GENERAL PRODUCT ACCESSORIES

Ratchet Sets	145
Tool Cases	146
General Accessories	145

SERVICE CENTERS

Authorized & Factory Service Centers	146 - 150
--	-----------


TOOL INDEX

410	50	6012HDW	20	9820-2	91
903D	26	6013BR	68	9900B	57
903DW	26	6040DW	6	9901	58
906H	91	6070DW	8	9924B	58
1100	45	6071D	11	9924DB	58
1805B	46	6071DWK	11	BO4510	54
1900BW	47	6073D	11	BO4530	54
1911B	46	6073DW	11	BO4550	55
1923B	47	6092D	20	BO4550Z	55
2012	48	6092DW	20	DA390D	23
2030N	48	6093D	21	DA390DW	23
2040	49	6093DW	21	DA3000D	12
2106K	36	6094DW	21	DA3000DW	12
2114C	49	6300LR	69	DA3000R	66
2414	44	6301LR	68	DA4511	69
2416S	44	6302	67	G2400R	92
2708W	33	6402	65	G3500R	92
2711	33	6402X	65	G3501R	92
3601B	61	6404	64	G5501R	92
3606	60	6501	64	GA7001L	88
3612B	62	6510LVR	66	GA7911	89
3612BR	61	6710DW	12	GE0600	90
3620	60	6720DW	6	GV5000	82
3700B	62	6791D	27	HG1100	36
3700D	15	6791DW	27	HK1810	82
3700DW	15	6800DBV	70	HM1211	81
3702B	63	6801DBV	70	HM1301	81
3705	63	6802BV	71	HP1030W	77
4014NV	50	6805BV	72	HP1310	77
4071D	17	6820V	71	HP2010N	78
4110B	43	6891D	22	HR1821	79
4190D	24	6891DW	22	HR2000	78
4190DW	24	6900D	25	HR2511	79
4200N	28	6900DW	25	HR3851	80
4300D	23	6901D	27	HR5000	80
4300DW	23	6901DW	27	JN1600	76
4301BV	38	6905B	73	JN3200	76
4302C	38	6906	73	JR3000V	39
4307D	14	6912D	13	JR3000WL	39
4307DW	14	6912DW	13	JR3010	40
4320	37	8400D	22	JS1600	74
4390D	25	8400DW	22	JS1660	75
4390DW	25	9000BL	89	JS1670	75
5005BA	29	9005B	87	JS3200	74
5007NB	29	9030	57	JV2000	37
5007NBA	30	9035	55	LS1011	34
5008NBA	31	9035D	15	LS1020	34
5012B	40	9035DW	15	LS1030	35
5014NB	41	9045B	56	LS1200	45
5016NB	41	9045N	56	LS1440	35
5077B	32	9207SPB	84	ML700	18
5090D	24	9207SPC	84	ML701	18
5090DW	24	9218PB	83	ML900	26
5201NA	31	9218SB	83	PC1100	43
5402A	32	9300	90	UH3000D	17
5600DW	28	9401	59	UH4510A	42
5820	30	9500D	14	UH6310A	42
6000LR	67	9501BKW	85	UM1000D	16
6002D	10	9501BZ	85	UM1200D	16
6002DWK	10	9503BHZ	86	XBV-01	53
6010D	10	9505BHZ	86	XEV-08	52
6010DL	13	9514B	85	XEV-12	52
6010DWK	10	9607BL	87	XPS-27	53
6010SDW	8	9609B	88	XSV-10	51
6012HD	20	9741	59	XSV-20	51

GENERAL INFORMATION

Makita U.S.A., Inc., reserves the right to make changes or improvements on any item without incurring any obligation and without being required to make any corresponding changes or improvements on items previously sold, and to discontinue models, or accessories at any time without notice. All specifications subject to change without notice. All illustrations and photographs displayed in this catalog are the property of Makita U.S.A., Inc., and shall not be duplicated or reproduced without the express written consent of Makita U.S.A., Inc.

Makita U.S.A., Inc., is an associated member of the following trade associations:



YELLOW PAGES



Your Makita distributor is listed in the Yellow Pages. For sales and service, look for him under "Tools — Electric".

MAKITA LIMITED WARRANTY

Every Makita tool is thoroughly inspected and tested before leaving the factory. It is warranted to be free of defects from workmanship and materials for the period of **one year** from the date of original purchase. Should any trouble develop during this one year period, return the **complete** tool, freight prepaid, to one of Makita's factory or authorized service centers. If inspection shows the trouble is caused by defective workmanship or material, Makita will repair (or at our option, replace) without charge.

This Warranty does not apply where:

- repairs have been made or attempted by others
- repairs are required because of normal wear and tear
- the tool has been abused, misused or improperly maintained
- alterations have been made to the tool

In no event shall Makita be liable for any indirect, incidental or consequential damages from the sale or use of the product. This disclaimer applies both during and after the term of this warranty.

Makita disclaims liability for any implied warranties, including implied warranties of "merchantability" and "fitness for a specific purpose", after the one year term of this warranty.

This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. Some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you.

SAFETY INFORMATION

SAFETY

Makita power tools bearing the monograms of Underwriters Laboratories, Inc., or Canadian Standards Association are listed by their testing laboratories as having complied with their standards for safety.



DOUBLE INSULATION □

Most Makita power tools require no special plug to ground your implement because a primary insulation protects the electrical components and a secondary system backs it up by shielding the outer casing. Result — the virtually shock-proof feature known as double insulation. All double insulated Makita power tools are denoted by the double square safety mark.

INSTRUCTION MANUAL

For your safety and best tool performance, be sure to read all the safety and operating procedures listed in the instruction manual before connecting your tool to a power source. An instruction manual is furnished with every Makita tool.

GENERAL SAFETY PRECAUTIONS

KEEP WORK AREA CLEAN. Cluttered areas and benches invite injuries.

CONSIDER WORK AREA ENVIRONMENT. Don't use power tools in damp or wet locations. Keep work area well lit. Don't expose power tools to rain. Don't use tool in presence of flammable liquids or gases.

KEEP CHILDREN AWAY. All visitors should be kept away from work area.

STORE IDLE TOOLS. When not in use, tools should be stored high or locked up—out of reach of children.

USE THE RIGHT TOOL. Don't force a small tool or attachment to do the job of a heavy duty tool. Don't use tool for purpose not intended.

DRESS PROPERLY. Don't wear loose clothing or jewelry. They can be caught in moving parts. Wear protective hair covering to contain long hair.

WEAR EYE PROTECTION. Also use face or dust mask if operation is dusty.

DON'T ABUSE CORD. Never carry tool by cord or yank it to disconnect from receptacle.

SECURE WORK. Use clamps or a vise to hold work. It's safer and it frees both hands to operate tool.

MAINTAIN TOOLS WITH CARE. Keep tools sharp and clean for best and safest performance. Follow instructions for lubrication and changing accessories.

DISCONNECT TOOLS. When not in use, before servicing, and when changing accessories.

REMOVE ADJUSTING KEYS AND WRENCHES. Form habit of checking to see that keys and adjusting wrenches are removed from tool before turning it on.

AVOID UNINTENTIONAL STARTING. Don't carry plugged-in tool with finger on switch. Be sure switch is OFF when plugging in.

OUTDOOR USE EXTENSION CORDS. When tool is used outdoors, use only extension cords intended for use outdoors and so marked.

CHECK DAMAGED PARTS. Before further use of the tool, a guard or other part that may be damaged should be carefully checked to determine that it will operate properly and perform its intended function. A guard or other part that is damaged should be properly repaired or replaced at an authorized service center.

KEEP GUARDS IN PLACE AND IN WORKING ORDER.

USE RECOMMENDED ACCESSORIES ONLY. Do not exceed maximum safe speeds.

GUARD AGAINST ELECTRIC SHOCK. Prevent body contact with grounded surfaces. For example: pipes, radiators, ranges, refrigerator enclosures.

REPLACEMENT PARTS. When servicing, use only genuine Makita replacement parts.

NEVER LEAVE TOOL RUNNING UNATTENDED. TURN POWER OFF. Don't leave tool until it comes to a complete stop.

EXTENSION CORD CHART

Use the right extension cord. An extension cord should have a suitable wire size for the overall cord length and tool amperage rating. This is to prevent a serious voltage drop, power loss and possible motor damage. Generally, heavier gauge wire is required as cord length increases. Use the recommendations in this table.

Extension Cord Length	Amperage Rating of Tool					
	0 - 2	2.1 - 3.4	3.5 - 5	5.1 - 7	7.1 - 12	12.1 - 16
	Recommended Wire Size (Gauge)					
25 feet	18	18	18	18	16	14
50 feet	18	18	18	16	14	12
75 feet	18	18	16	14	12	10
100 feet	18	16	14	12	10	8
150 feet	16	14	12	10	8	8
200 feet	16	14	12	10	8	6
300 feet	14	12	10	8	6	4
400 feet	12	10	8	6	4	4
500 feet	12	10	8	6	4	2
600 feet	10	8	6	4	2	2
800 feet	10	8	6	4	2	1

 Not normally available as flexible extension cord

PLEASE NOTE:

Every effort has been made to include in this catalog, the most up-to-date listing of Makita U.S.A., Inc. tools and accessories. As of this printing there may be tools and accessories that have been discontinued or added. We apologize for any inconvenience this may cause. Makita U.S.A., Inc. reserves the right to make any changes or corrections at any time without prior notification.

ABBREVIATED TERMS:

The following abbreviations are used throughout this catalog.

- BPM** — blows per minute
- CFM** — cubic feet per minute
- IPM** — impacts per minute
- OPM** — orbits per minute
- RPM** — revolutions per minute

- SFPM** — surface feet per minute
- SPM** — strokes per minute
- VAC** — volts alternating current
- VDC** — volts direct current

CORDLESS

Model 6720DW **Cordless Screwdriver,** **Reversible**

- Built-in power pack recharges in 3 hours
- Compact and lightweight (0.9 lbs.)
- Hi-torque motor (150 RPM) for driving a wide range of screw sizes
- Comfortable hand grip area with an easy to operate slide on/off switch for increased one handed control
- Electric brake stops driver bit fast
- Automatic locking for use as a manual driver
- Functional in-line styling
- Conveniently located reversing switch

STANDARD EQUIPMENT

1 Ea. Double-ended combination bit
(784214-0A, 784010-0A),
Charger (150030-2)

Model 6040DW **3/8" Cordless Drill,** **Reversible**

- Super light, weights only 1.8 lbs
- Downsized but with plenty of drilling power
- Well balanced design with a non-slip grip for easy handling
- Built-in power pack recharges in 3 hours
- Drills up to 3/8" in wood and steel or drives #9 x 3/4" wood screws
- Reversible for removing screws
- Overload protector safeguards against possible motor burnout

STANDARD EQUIPMENT

Charger (150087-3),
Drill chuck and Key set (763054-5-A)



6720DW

Accessories:
Pages 93 – 95



6040DW

Accessories:
Pages 93 – 95

CORDLESS TOOL SYSTEMS

Makita manufactures three distinct and separate Cordless Power Tool Systems. These three systems are briefly explained as follows:

Three Hour Charge System (7.2 volt) see pages 7 — 8

All tools in this system come with the battery permanently built-in the body of the tool. A separate plug-in three hour charger is supplied with every tool.

We recommend this system for the occasional user where the longer three hour charging time is not important.

The 7.2 Volt One Hour Fast Charger System see pages 9 — 18

This system is our most popular with a wide selection of tools available. These tools are suitable for general usage by the home handyman, craftsman, and professionals. All tools in this system use the same removable battery together with the one, one hour fast charger.

Purchase a starter kit which includes the tool plus one battery and charger and there is no need for you to purchase extra chargers or batteries as you add to your collection of tools.

The 9.6 Volt One Hour Fast Charge System see pages 19 — 26

All tools in the 9.6 volt system are packed with extra power and torque. They are designed to handle the most demanding of jobs. As with the 7.2 volt system all tools in this system use the same 9.6 volt battery and charger.

7.2V BUILT-IN BATTERY SYSTEM



3 Hour Charger

115 VAC to 7.2 VDC
Part #155721-0



Automotive Charger
12 VDC to 7.2 VDC
Part #155722-0



Model 6010SDW
3/8" Cordless Drill



Model 6070DW
3/8" Cordless
Driver-Drill

Model 6010SDW **3/8" Cordless Drill,** **Reversible**

- Built-in 7.2VDC power pack recharges in 3 hours
- Compact and super lightweight (2.1 lbs.) for increased maneuverability
- Well balanced design with non-slip grip for easy handling
- Reversing switch is conveniently located for removing screws or stuck bits
- Overload protector safeguards against motor burnout
- Chuck key is securely retained in housing to prevent loss

STANDARD EQUIPMENT

Charger (155721-0),
Drill chuck and Key set (763054-5-A)



6010SDW

Accessories:
Pages 93 – 95

Model 6070DW **3/8" Cordless Driver-Drill,** **Variable Speed, Reversible**

- Built-in power pack recharges in 3 hours
- Compact and super lightweight (2.2 lbs.)
- Variable speed 0 — 600 RPM for pinpoint hole positioning
- Well balanced design with non-slip grip
- Drills up to 3/8" in wood and steel or drives wood screws up to #9 x 3/4"
- Electric brake for fast stopping of chuck
- Built in bubble level for accurate horizontal drilling

STANDARD EQUIPMENT

Charger (155721-0),
Double-ended phillips bit (784202-3),
Drill chuck and Key set (763054-5-A)



6070DW

Accessories:
Pages 93 – 95

7.2V REMOVABLE NICAD BATTERY SYSTEM

All 17 tools in the 7.2 volt system use the same battery and chargers for added convenience and versatility.



1 Hour Fast Charger
115 VAC to 7.2 VDC
Part #113086-6



1 Hour Fast
Automotive Charger
12 VDC to 7.2 VDC
Part #113026-4



Rechargeable
7.2 VDC Nicad Battery
Part #632002-4



Model 6010D / DWK
3/8" Cordless Drill



Model 6002D / DWK
3/8" Cordless Drill



Model 6071D / DWK
3/8" Cordless Driver-Drill



Model DA3000D / DW
3/8" Cordless Angle Drill



Model 6710DW
Cordless Screwdriver



Model 9035D / DW
Cordless Finishing Sander



Model 3700D / DW
1/4" Cordless Trimmer



Model 4307D / DW
Cordless Jig Saw



Model 9500D
Cordless Grinder



Model 4071D
Cordless Vacuum



Model UH3000D
Cordless Hedge Trimmer



Model UM1000D
Cordless Grass Shear



Model UM1200D
Cordless Grass Trimmer



Model ML700
Incandescent Flashlight



Model ML701
Fluorescent Light



Model 6073D / DW
3/8" Cordless Driver-Drill



Model 6912D / DW
Cordless Ratchet Wrench

All models with a "D" only after the model number are sold without a battery and charger. Models with "DW" and "DWK" include a battery and charger.

Model 6010D/DWK*

3/8" Cordless Drill, Reversible

- Powerful motor and ideal gear reduction to handle even the tough jobs
- Overload protector safeguards against motor burnout
- Compact and lightweight (2.4 lbs.)
- Well balanced for easy handling
- Drills up to 3/8" in wood and steel or drives wood screws up to #9 x 3/4"
- Part of the 7.2V Cordless system
- Built in chuck key holder for operator convenience

STANDARD EQUIPMENT

Phillips bit (784202-3),
Drill chuck and Key set (763054-5-A)

STANDARD EQUIPMENT*

Battery (632002-4), Charger (113086-6),
Phillips bit (784202-3),
Drill chuck and Key set (763054-5-A),
Plastic tool case (181372-3)



6010D / DWK

Accessories:
Pages 93 – 95, 100

Model 6002D/DWK*

3/8" Cordless Drill, 2-Speed, Reversible

- 2-Speed gear selection; 250 RPM or 600 RPM for diverse drilling or driving applications
- Powerful motor and ideal gear reduction to handle even the tough jobs
- Compact and lightweight (2.6 lbs.)
- Well balanced for easy handling
- Drills up to 3/8" in steel and 5/8" in wood or drives wood screws up to #9 x 1-3/8"
- Part of the 7.2V Cordless system
- Handy chuck key holder for operator convenience

STANDARD EQUIPMENT

Phillips bit (784202-3),
Drill chuck and Key set (763054-5-A)

STANDARD EQUIPMENT*

Battery (632002-4), Charger (113086-6),
Phillips bit (784202-3), Drill chuck and Key set
(763054-5-A), Tool case (181495-7)



6002D / DWK

Accessories:
Pages 93 – 95, 100

*MY NUMBER
6010-D*

7.2VDC REMOVABLE BATTERY SYSTEM

Model 6071D/DWK*

3/8" Cordless Driver-Drill, Variable Speed, Reversible

- Part of the 7.2V cordless system
- Compact and lightweight (2.5 lbs.)
- Variable speed 0-600 RPM for pinpoint hole positioning
- Well balanced design with non-slip grip
- Drills up to 3/8" holes in wood and steel or drives wood screws up to #9 x 3/4"
- Electric brake for fast stopping of chuck
- Built-in bubble level for horizontal drilling

STANDARD EQUIPMENT

Phillips bit (784202-3),
Drill chuck and Key set (763054-5-A)

STANDARD EQUIPMENT*

Battery (632002-4), Charger (113086-6),
Phillips bit (784202-3), Drill chuck and Key set
(763054-5-A), Tool case (823087-3)

Model 6073D/DW*

Cordless Driver-Drill, 2-Speed, Var. Speed, Rev.

- 2-speed gear change for ideal fastening/drilling speeds
- Variable speed with reverse for easy starting screws
- Electric brake for fast stopping chuck
- Overload protector safeguard against motor burnout
- Drills 3/8" in steel and 5/8" in wood
- Conveniently located reversing switch
- Part of the 7.2V Cordless system
- 11 position torque clutch for different screw sizes

STANDARD EQUIPMENT

Phillips bit (784202-3),
Chuck and Key set (763054-5-A)

STANDARD EQUIPMENT*

Battery (632002-4), Charger (113086-6),
Phillips bit (784202-3), Chuck and Key set
(763054-5-A), Steel tool case (823087-3)



6071D/DWK

Accessories:

Pages 93 – 95, 100



6073D/DW

Accessories:

Pages 93 – 95, 100

7.2VDC REMOVABLE BATTERY SYSTEM

Model DA3000D/DW*

3/8" Cordless Angle Drill, Reversible

- Ideal for close quarter drilling and fastening
- Ideal speed for both drilling and fastening
- Drills up to 3/8" in wood and steel or drives wood screws up to #9 x 3/4"
- Lightweight (2.6 lbs.) for easy handling
- Built-in overload protector reduces motor burnout and gear problems
- Part of the 7.2V cordless system

STANDARD EQUIPMENT

Chuck key (763415-9),
Drill chuck (763082-0)

STANDARD EQUIPMENT*

Battery (632002-4),
Charger (113086-6),
Steel tool case (181715-9),
Chuck key (763415-9),
Drill chuck (763082-0)

Model 6710DW

Cordless Screwdriver Kit, Reversible

- Adjustable clutch for installing different sizes of fasteners
- 1/4" hex bit retainer takes standard screwdriver bits
- Well balanced with a comfortable non-slip grip for easy handling and better control
- Quick and easy external torque setting
- Optional drill chuck attachment converts this screwdriver into a drill
- Part of the 7.2V cordless system

STANDARD EQUIPMENT

Tool case (181428-2),
Battery (632002-4),
Charger (113086-6)



DA3000D / DW

Accessories:
Pages 93 – 95, 100



6710DW

Accessories:
Pages 93 – 95, 100

Model 6010DL

3/8" Cordless Drill Kit - Deluxe

- Same tool as model 6010DWK plus incandescent flashlight model ML700
- Drill and flashlight use the same rechargeable battery as all the tools in the removable 7.2VDC battery system
- Part of the 7.2V Cordless system



6010DL

Accessories:
Pages 93 - 95, 100

STANDARD EQUIPMENT

Plastic tool case (181563-6),
Phillips bit (784202-3),
Drill chuck and Key set (763054-5-A),
Charger (113086-6),
Battery (632002-4)

Model 6912D/DW*

Cordless Ratchet Wrench

- Delivers 400 RPM and 2.7 ft/lbs. of torque when running for fast and convenient tightening and loosening of nuts and bolts
- Quick reversing by flipping tool over
- Slim line design for use in awkward or hard to reach places
- Compact and lightweight (1.9 lbs.) for easy handling
- Torque limiter for longer tool life
- Part of the 7.2V cordless system
- Can be used as a hand ratchet for final tightening or loosening fastener



6912D/DW

Accessories:
Pages 93, 94, 99

STANDARD EQUIPMENT

Socket adaptor (785404-4)

STANDARD EQUIPMENT*

Battery (632002-4),
Charger (113024-8),
Socket adaptor (785404-4)

7.2VDC REMOVABLE BATTERY SYSTEM

Model 9500D

4" Cordless Grinder

- For light deburring, rust and paint removal, metal cleaning and sharpening
- Delivers up to 10 minutes of continuous use (under normal operating conditions) from a single one hour charge
- Compact and lightweight (2.2 lbs.) for easy one handed operation
- On/off button locks on for continuous operation
- Battery and charger sold separately
- Part of 7.2V cordless system
- Shaft lock for easy wheel removal
- Wrench retainer for operator convenience

STANDARD EQUIPMENT

1 Ea. Grinding wheel (741438-7P),
Hex wrench (783202-0)



9500D

Accessories:
Pages 93 – 95, 99

Model 4307D/DW*

Cordless Jig Saw

- 2,200 SPM for fast and smooth cutting
- Compact and lightweight (3.1 lbs.) for easy handling
- Plunge cutting capability for fast and easy cutouts
- Adjustable, sturdy steel base for bevel cutting up to 45° right or left with stable support
- Lock-off switch helps prevent accidental starts
- Cut up to 36ft of 1/2" wood from 1 hr charge
- Part of 7.2V Cordless system

STANDARD EQUIPMENT

1 Ea. Blade (792221-5, 792222-3),
Hex wrench (783201-2)

STANDARD EQUIPMENT*

Battery (632002-4),
Charger (113086-6),
1 Ea. Blade (792221-5, 792222-3),
Hex wrench (783201-2)



4307D/DW

Accessories:
Pages 93 – 96, 98

7.2VDC REMOVABLE BATTERY SYSTEM

Model 9035D/DW*

Cordless Finishing Sander

- For wood finishing and rust removal with cordless convenience and versatility
- Compact and lightweight (2.9 lbs.)
- Up to 15 minutes of continuous use under normal operating conditions from a single charge
- 3-5/8" x 7-1/4" pad design accepts 1/3 sheet of standard sandpaper
- Lever paper clamps for quick and easy sandpaper replacement
- Part of the 7.2V cordless system

STANDARD EQUIPMENT

2 Ea. Abrasive paper (#60; 742506-9, #100; 742507-7, #150; 742508-5)

STANDARD EQUIPMENT*

Battery (632002-4), Charger (113086-6),
2 Ea. Abrasive paper (#60; 742506-9, #100; 742507-7, #150; 742508-5)

Model 3700D/DW*

1/4" Cordless Trimmer

- Compact and extremely light (2.2 lbs.) for easy handling
- Easy to use depth adjustment screw for accurate depth setting
- See-thru tilting base for odd angle cuts and trimming in corners
- Safety switch mechanism helps prevent accidental starts when inserting battery
- Part of 7.2V Cordless system

STANDARD EQUIPMENT

Straight bit (793333-7),
Guide base (122315-6),
Wrench #10 (781003-0),
Wrench #17 (781008-0)

STANDARD EQUIPMENT*

Straight bit (793333-7),
Guide base (122315-6),
Wrench #10 (781003-0),
Wrench #17 (781008-0),
Battery (632002-4),
Charger (113086-6)



9035D/DW

Accessories:
Pages 93, 94, 97



3700D/DW

Accessories:
Pages 93, 94, 96, 97

Model UM1000D

4" Cordless Grass Shear

- Ideal for trimming grass around garden and flower beds
- Up to 45 minutes of continuous operation from a single one hour charge
- Hardened steel blades cut up to 4" wide at 1,000 SPM for fast and efficient operation
- Compact and lightweight (2.2 lbs.) for easy handling and maneuverability
- Automatic lock-off switch helps prevent accidental starts
- Battery and charger sold separately
- Part of the 7.2V cordless system

STANDARD EQUIPMENT

Shear blade assembly (122292-2),
Blade cover (410540-4)



UM1000D

Accessories:
Pages 93, 94, 98

Model UM1200D

4-3/4" Cordless Grass Trimmer

- For trimming around trees, flower beds or anywhere your mower missed
- Up to 35 minutes of continuous use from a single one hour charge
- Nylon blade makes 26,000 cuts per minutes (13,000 RPM) for fast and efficient operation
- Well balanced and lightweight (2.2 lbs.) for reduced operator fatigue
- Automatic lock-off switch helps prevent accidental starts
- Comes with 10 disposable nylon blades
- Battery and charger sold separately

STANDARD EQUIPMENT

10 Ea. Blade (792374-0)



UM1200D

Accessories:
Pages 93, 94, 98

7.2VDC REMOVABLE BATTERY SYSTEM

Model UH3000D

11-3/4" Cordless Hedge Trimmer

- For easy trimming of hedges, light shrubbery and brush
- Up to 40 minutes of continuous operations from a single charge
- A 11-3/4" cutting length and 950 SPM for fast and efficient operations
- Automatic lock-off switch helps prevent accidental starts
- Compact and lightweight (3.5 lbs.) for easy handling and reduced operator fatigue
- Battery and charger sold separately
- Part of the 7.2V cordless system

STANDARD EQUIPMENT

Side handle (273406-7),
Shear blade assembly (122285-9),
Blade cover (410471-7)



UH3000D

Accessories:
Pages 93, 94, 98

Model 4071D

Cordless Vacuum

- Provides strong suction for fast and efficient cleaning
- Ideal for use on a boat, in a car or around the house
- 8-10 minutes of continuous use from a single one hour charge
- Easy empty vacuum bag has a 1.3 pint capacity
- Weighs only 1.3 lbs. for easy handling
- Battery and charger sold separately
- Part of the 7.2V Cordless system

STANDARD EQUIPMENT

Nozzle (122234-6),
Crevice nozzle (411891-8),
Extension pipe (412040-0),
Paper filter (443060-3)



4071D

Accessories:
Pages 93, 94, 98

7.2VDC REMOVABLE BATTERY SYSTEM

Model ML700

Incandescent Flashlight

- Provides up to 110 minutes of continuous illumination from a single charge
- Part of the 7.2VDC cordless tool system
- Compact and lightweight (1.5 lbs.) for easy storage and handling
- Three position adjustable head for lighting at a variety of angles
- Easy to operate rocker type switch
- Comes with red lens cap for emergency signalling
- Battery and charger sold separately

STANDARD EQUIPMENT

Carrying strap (191514-1),
Red lens cap (191515-9),
Bulb (678034-7)



ML700

Accessories:
Pages 93, 94

Model ML701

Fluorescent Light

- Ideal for use where a wide illumination is required
- Provides more light and coverage than a conventional flashlight
- Provides up to 120 minutes of continuous operation from a single charge
- Can be used free standing or with the carrying strap provided
- Compact and lightweight (1.3 lbs.)
- Battery and charger sold separately
- Part of the 7.2V cordless system

STANDARD EQUIPMENT

Carrying strap (181746-8)



ML701

Accessories:
Pages 93, 94

9.6V REMOVABLE NICAD BATTERY SYSTEM

All 14 tools in the 9.6 volt system use the same battery and chargers for added convenience and versatility.



1 Hour Fast Charger
115 VAC to 9.6 VDC
Part #113087-4



1 Hour Fast
Automotive Charger
12 VDC to 9.6 VDC
Part #113076-9



Rechargeable
9.6 VDC Nicad Battery
Part #632007-4



Model 6012HD / HDW
Cordless Driver-Drill



Model 6092D / DW
Cordless Driver-Drill



Model 6093D / DW
Cordless Driver-Drill



Model DA390D / DW
3/8" Cordless Angle Drill



Model 8400D / DW
3/8" Cordless Hammer Drill



Model 4300D / DW
Cordless Jig Saw



Model 5090D / DW
3-3/8" Cordless Saw



Model 4190D / DW
3-3/8" Cordless Cutter



Model 4390D / DW
Cordless Recipro Saw



Model 6900D / DW
Cordless Impact Wrench



Model 6891D / DW
Cordless Drywall Screwdriver



Model ML900
Incandescent Flashlight



Model 6094DW
Cordless Screwdriver



Model 903D / DW
Cordless Blade Sharpener

All models with a "D" only after the model number are sold without a battery and charger. Models with "DW" include a battery and charger.

Model 6012HD/HDW* **Cordless Driver-Drill** **2-Speed, Reversible**

- 2-Speed gear selection, 400 RPM or 1,100 RPM for a variety of driving or drilling applications
- Quick and easy adjustment of 10 stage torque settings for various size of fasteners
- Drills 1/4" in steel and 5/8" in wood
- Well balanced for easy handling
- Part of the 9.6V Cordless system

STANDARD EQUIPMENT

Phillips bit (784203-1),
Drill chuck and Key set (763054-5-A)

STANDARD EQUIPMENT*

Phillips bit (784203-1),
Battery (632007-4),
Charger (113087-4),
Steel tool case (823085-7),
Drill chuck and Key set (763054-5-A)

Model 6092D/DW* **Cordless Driver-Drill,** **2-Speed, Var. Speed, Rev.**

- 2-speed gear change for ideal fastening/drilling speeds
- Variable speed with reversing for easy starting of screws
- Drills 3/8" in steel and 11/16" in wood
- Conveniently located reversing switch
- Well balanced for easy handling
- Part of the 9.6V Cordless system
- Built in overload protection to reduce motor and gear replacement

STANDARD EQUIPMENT

Drill chuck and Key set (763054-5-A),
Phillips bit (784203-1)

STANDARD EQUIPMENT*

Battery (632007-4),
Charger (113087-4),
Drill chuck and Key set (763054-5-A),
Phillips bit (784203-1),
Steel tool case (823085-7)



6012HD/HDW

Accessories:
Pages 93 – 95, 100



6092D/DW

Accessories:
Pages 93 – 95, 100

9.6VDC REMOVABLE BATTERY SYSTEM

Model 6093D/DW*

Cordless Driver-Drill, 2-Speed, Var. Speed, Rev.

- 2-speed gear change for ideal fastening/drilling speeds
- Variable speed with reversing for easy starting of screws
- Electric brake for fast stopping chuck
- Overload protector safeguard against motor burnout
- Drills 3/8" in steel and 11/16" in wood
- Conveniently located reversing switch
- Part of the 9.6V Cordless system
- 11 position torque clutch for different screw sizes

STANDARD EQUIPMENT

Drill chuck and Key set (763054-5-A),
Phillips bit (784203-1)

STANDARD EQUIPMENT*

Battery (632007-4), Charger (113087-4),
Drill chuck and Key set (763054-5-A),
Phillips bit (784203-1),
Steel tool case (823085-7)

Model 6094DW

Cordless Screwdriver, 2-Speed, Var. Speed, Rev.

- 2-Speed gear selection with variable speed in either range for a variety of fastening applications
- Low speed 0-400 RPM or high speed 0-1,100 RPM for diverse driving applications
- 5 pre-selected torque settings or full clutch lock-up in each speed range
- Conveniently located reversing switch
- Electric brake for fast stopping of driver bit
- Overload protector safeguards against motor burnout
- Part of the 9.6V cordless system

STANDARD EQUIPMENT

Battery (632007-4), Charger (113087-4),
Phillips bit (784214-0A),
Steel tool case (823085-7)



6093D/DW

Accessories:
Pages 93 – 95, 100



6094DW

Accessories:
Pages 93 – 95, 100

9.6VDC REMOVABLE BATTERY SYSTEM

Model 8400D/DW*

3/8" Cordless Hammer Drill, Reversible

- Dual action, drilling or hammer-drilling at the flick of a lever
- Compact and lightweight (3.7 lbs.)
- Well balanced for better control and easy handling
- Drills 3/8" in steel, 1/2" in wood and hammers 3/8" in concrete
- Part of the 9.6V cordless system
- Drills up to 350, 3/8" holes in 1" thick board from a single 1 hr charge

STANDARD EQUIPMENT

Chuck key (763415-9), Drill chuck (763067-6)

STANDARD EQUIPMENT*

Battery (632007-4), Charger (113087-4), Steel tool case (823085-7), Chuck key (763415-9), Drill chuck (763067-6)

Model 6891D/DW*

Cordless Drywall Screwdriver, Variable Speed, Reversible

- For a variety of fastening applications including applying drywall
- Variable speed (0-1400 RPM) for increased control when starting screws
- Conveniently located reversing switch
- Easily adjustable depth locator assembly for consistent screw depth settings
- Part of the 9.6V cordless system

STANDARD EQUIPMENT

1 Ea. #2 Phillips insert bit (784211-2A), Magnetic bit holder (784807-9), Locator (410908-4)

STANDARD EQUIPMENT*

1 Ea. #2 Phillips insert bit (784211-2A), Locator (410908-4), Magnetic bit holder (784807-9), Battery (632007-4), Charger (113087-4), Steel tool case (181965-6)



8400D/DW

Accessories:

Pages 93 – 95, 100



6891D/DW

Accessories:

Pages 93 – 95, 100

9.6VDC REMOVABLE BATTERY SYSTEM

Model DA390D/DW* **3/8" Cordless Angle Drill, With Keyless Chuck**

- Keyless chuck for easy bit holding
- Ideal for close quarter drilling and fastening
- Ideal speed for drilling and driving fasteners
- Built-in overload protects motor and gears
- Reversing switch for removing fasteners
- Part of the 9.6V cordless system

STANDARD EQUIPMENT

Keyless chuck (763083-8)

STANDARD EQUIPMENT*

Battery (632007-4),
Charger (113087-4),
Keyless chuck (763083-8),
Steel tool case (182217-8)

Model 4300D/DW* **Cordless Jig Saw**

- 2,700 SPM for fast and smooth cutting
- Compact and lightweight (3.3 lbs.) for easy handling
- Plunge cutting capability for fast and easy cutouts
- Adjustable, sturdy steel base for bevel cutting up to 45° right or left with stable support
- Lock-off switch helps prevent accidental starts
- Cut up to 39ft of 1/2" wood from 1 hr charge
- Part of the 9.6V Cordless system

STANDARD EQUIPMENT

1 Ea. Blade (792221-5, 792222-3),
Hex wrench (783201-2)

STANDARD EQUIPMENT*

1 Ea. Blade (792221-5, 792222-3),
Battery (632007-4),
Charger (113087-4),
Hex wrench (783201-2)



DA390D/DW

Accessories:
Pages 93 – 95, 100



4300D/DW

Accessories:
Pages 93 – 96, 98

9.6VDC REMOVABLE BATTERY SYSTEM

Model 5090D/DW*

3-3/8" Cordless Saw

- Adjustable base for bevel cutting up to 45°
- Compact and lightweight (4.0 lbs.) for easy handling
- Adjustable cutting depth to 55/64" at 90°, 45/64" at 45°
- Tile and glass cutting with optional diamond wheels and water supply kit
- Blade lock for easy blade replacements
- Comfortable non-slip grip for better control
- Part of the 9.6V Cordless system

STANDARD EQUIPMENT

Combination blade (721003-8),
Hex wrench (783202-0)

STANDARD EQUIPMENT*

Battery (632007-4),
Charger (113087-4),
Combination blade (721003-8),
Hex wrench (783202-0)

Model 4190D/DW*

3-3/8" Cordless Cutter

- Designed for fast and easy glass cutting
- Adjustable base for bevel cutting up to 45°
- Compact and lightweight (4.1 lbs.) for easy handling
- Blade lock for easy blade replacement
- Refillable water coolant bottle
- Ceramic tile and soft stone cutting with optional general purpose blade
- Part of the 9.6V Cordless system

STANDARD EQUIPMENT

Diamond blade (724950-8B),
Hex wrench (783202-0),
Water supply (122387-1)

STANDARD EQUIPMENT*

Battery (632007-4),
Charger (113087-4),
Diamond blade (724950-8B),
Hex wrench (783202-0),
Water supply (122387-1)



5090D/DW

Accessories:
Pages 93 – 95, 97



4190D/DW

Accessories:
Pages 93 – 95, 97

9.6VDC REMOVABLE BATTERY SYSTEM

Model 4390D/DW*

Cordless Recipro Saw

- Cuts wood, mild steel and more
- 2,700 SPM and 9/16" stroke length for fast, smooth and efficient cutting
- Front grip for positive control
- Compact and lightweight (3.1 lbs.) for easy handling
- Lock-off switch helps prevent accidental starts
- Part of the 9.6V Cordless system

STANDARD EQUIPMENT

1 Ea. Blade (792540-9, 792541-7),
Hex wrench (783201-2)

STANDARD EQUIPMENT*

Battery (632007-4),
Charger (113087-4),
1 Ea. Blade (792540-9, 792541-7),
Hex wrench (783201-2)



4390D/DW

Accessories:
Pages 93 – 95, 99

Model 6900D/DW*

Cordless Impact Wrench, 1/2" Square Drive, 2-Sp., Rev.

- 2-Speed (1500 and 1300 RPM) delivers 2000 or 1500 IPM for fast tightening or loosening of bolts
- Maximum torque value of 72 ft/lbs. at high speed, 29 ft/lbs. at low
- Well balanced and lightweight (3.7 lbs.) for easy handling
- Conveniently located reversing switch
- Part of the 9.6V cordless system
- Tightens up to 250, 9/16" standard bolts from a single 1 hr charge

STANDARD EQUIPMENT

Comes with tool only

STANDARD EQUIPMENT*

Battery (632007-4),
Charger (113087-4),
Plastic tool case (824310-9)



6900D/DW

Accessories:
Pages 93, 94, 99, 100

9.6VDC REMOVABLE BATTERY SYSTEM

Model 903D/DW* Cordless Blade Sharpener

- Part of the 9.6VDC cordless tool system
- Sharpens chain saw blades quickly and effectively
- Shaft lock for easy installation and removal of shaft-mounted wheel points
- Compact for easy handling
- Slimline design for getting into tight areas

STANDARD EQUIPMENT

Sharpening attachment (122399-4),
Gauge (762015-2),
Wheel points (794400-1, 794401-9, 794402-7)

STANDARD EQUIPMENT*

Battery (632007-4),
Charger (113087-2),
Sharpening attachment (122399-4),
Gauge (762015-2),
Wheel points (794400-1, 794401-9, 794402-7)



903D/DW

Accessories:
Pages 93, 94, 99

Model ML900 Incandescent Flashlight

- Provides up to 120 minutes of continuous illumination from a single one hour charge
- Ideal anywhere a strong dependable light source is required
- Focusing switch lever allows either a concentrated or diffused light beam
- Comes with red lens cap for emergency signalling, carrying strap and wire stand
- Weighs only 1.6 lbs. for easy handling
- Battery and charger sold separately
- Part of the 9.6V cordless system

STANDARD EQUIPMENT

Carrying strap (181746-8),
Red lens cap (410613-3),
Bulb (678047-8)



ML900

Accessories:
Pages 93, 94

CORDLESS

Model 6791D/DW* **Cordless Screwdriver,** **Reversible**

- Energy-efficient automatic electric brake stops bit fast when clutch cuts in
- Delivers even and consistent torque for more uniform fastening
- Fine adjust torque selection for a variety of fastening applications
- Well balanced and lightweight (3.1 lbs.) for easy handling
- Conveniently located reversing switch for removing screws

STANDARD EQUIPMENT

Battery (192019-4)

STANDARD EQUIPMENT*

Battery (192019-4),
Charger (113087-4),
Steel tool case (182132-6)

Model 6901D/DW* **Cordless Impact Driver,** **Reversible**

- Removable 9.6 volt battery charger for driving convenience
- Employs an impact system for faster and more powerful fastening
- Built-in fan provides cooler and more energy efficient motor operation
- Well balanced and lightweight (2.9 lbs.) for easy handling
- High impact and corrosion resistant housing for long life

STANDARD EQUIPMENT

Battery (192019-4)

STANDARD EQUIPMENT*

Battery (192019-4),
Charger (113087-4),
Steel tool case (182132-6)



6791D/DW

Accessories:

Pages 93 – 95, 100



6901D/DW

Accessories:

Pages 93 – 95, 100

CORDLESS

Model 5600DW

6-1/4" Cordless Circular Saw

- 10.8VDC one hour fast charge removable battery with automatic cut-off charger
- Cut up to 270 pcs. of 1-3/4" square cedar beam from 1 hr charge
- Well balanced for better control and maneuverability
- Compact and lightweight (7.7 lbs.) for less operator fatigue
- Adjustable cutting depth to 2-1/8" at 90° and 1-3/8" at 45°
- Comes with carbide tipped blade for clean cutting and prolonged blade life
- Overload protector button to reduce motor burnout

STANDARD EQUIPMENT

Battery (632034-I),
Charger (113055-1),
Carbide tipped blade (792365-1),
Socket wrench (782209-3),
Wrench (781011-1),
Rip fence (164095-8)



5600DW

Accessories:
Pages 93, 96, 97, 100

CIRCULAR SAW

Model 4200N


Heavy Duty

4-3/8" Circular Saw □

- Blade on left side for better viewing cutting line
- High power to weight ratio for fast cutting in various materials
- Ball and needle bearing construction for smooth operation and long tool life
- Well balanced and light for easy handling
- Safety lock-off button to reduce accidental starting
- Double insulated for operator safety

STANDARD EQUIPMENT

Combination blade (721104-2),
Rip fence (164095-8),
Socket wrench (782209-3),
Spanner wrench (781011-1)



4200N

Accessories:
Pages 100 – 102, 104

CIRCULAR SAWS

Model 5005BA **Heavy Duty** **5-1/2" Circular Saw,** **With Electric Brake** □

- Blade is on the left for greater visibility
- Lightweight (6.8 lbs.) for increased maneuverability
- Cuts up to 1-3/4" thickness at 90°; 1-3/16" at 45°
- 8,000 RPM for clean and smooth cuts
- Powerful hi-tech motor for easy cutting action
- Shaft lock for fast blade change
- Electric brake for fast stopping of blade
- Lock-off button helps prevent accidental starts

STANDARD EQUIPMENT

Combination blade (792334-2),
Rip fence (164095-8),
Socket wrench (782209-3)

Model 5007NB **Super Duty** **7-1/4" Circular Saw** □

- Heavy duty hi-tech motor for continuous use and maximum production
- Heavy gauge aluminum wraparound base ensures stable support
- Well balanced with handle designed for better control from above or behind the saw
- Shaft lock for easy blade replacement
- Ball and needle bearing construction for smooth running and long tool life
- AC/DC for use with alternative power sources
- Double insulated for operator safety
- Includes special "thin rim" carbide blade (721252-7) for extra value and convenience

STANDARD EQUIPMENT

Carbide tipped blade (721252-7),
Wrench #13 (781203-2)



5005BA

Accessories:
Pages 100 – 102, 104



5007NB

Accessories:
Pages 100 – 102, 104

CIRCULAR SAWS

Model 5007NBA **7-1/4" Circular Saw** □

Super Duty

- Double insulated for operator safety
- Heavy duty hi-tech motor for continuous use and maximum production
- Heavy gauge aluminum wraparound base ensures stable support
- Well balanced with handle designed for better control from above or behind the saw
- Shaft lock for easy blade replacement
- Ball and needle bearing construction for smooth running and long tool life
- Includes special "thin rim" carbide blade (721252-7) for extra value and convenience
- Electric brake for fast stopping of blade

STANDARD EQUIPMENT

Carbide tipped blade (721252-7),
Wrench #13 (781203-2)

Model 5820 **7-1/4" Circular Saw** □

- Double insulated for operator safety
- Compact and lightweight (7.7 lbs.) for easy handling
- Bevel cuts up to 45°
- Powerful 7.5 AMP motor delivers 4,000 RPM for smooth cutting
- Comes with guide rule for straight cuts
- Electric brake for fast stopping of the blade

STANDARD EQUIPMENT

Socket wrench (782209-3),
Combination blade (721245-4),
Guide rule (164095-8),
Offset wrench #9 (781401-8)



5007NBA

Accessories:
Pages 100 – 102, 104



5820

Accessories:
Pages 100 – 102, 104

CIRCULAR SAWS

Model 5008NBA **Super Duty** **8-1/4" Circular Saw,** **With Electric Brake** □

- Double insulated for operator safety
- Heavy duty hi-tech motor for continuous use and maximum production
- Heavy gauge aluminum wraparound base ensures stable support
- Well balanced with handle designed for better control from above or behind the saw
- Shaft lock for easy blade replacement
- Ball and needle bearing construction for smooth running and long tool life
- Includes special "thin rim" carbide blade (792199-2) for extra value and convenience
- Electric brake for fast stopping of blade

STANDARD EQUIPMENT

Carbide tipped blade (792199-2),
Wrench (781203-2)

Model 5201NA **Super Duty** **10-1/4" Circular Saw,** **With Electric Brake**

- 10-1/4" blade cuts 3-3/4" at 90° and 2-1/2" at 45°
- Extra powerful motor for heavy duty applications
- Well balanced and lightweight (18.3 lbs.) for better control and ease of operation
- Precision gearing with ball and needle bearing construction for smooth and efficient power transmission
- Electric brake for fast stopping of blade
- Large rugged steel base for added stability

STANDARD EQUIPMENT

Combination blade (721411-3),
Rip fence (164019-4),
Wrench for flange (781011-1),
Wrench for bolt (781203-2)



5008NBA

Accessories:
Pages 100 – 102, 104



5201NA

Accessories:
Pages 100 – 102, 104

CIRCULAR SAW & HYPOID SAW

Model 5402A **Super Duty** **16-5/16" Circular Saw,** **With Electric Brake**

- One of the largest portable saws on the market
- 16-5/16" blade cuts 6-3/16" at 90° and 4-3/16" at 45°
- Weighs only 30.8 lbs. for better control and easy of operation
- Electric brake for fast stopping of blade
- Extra powerful motor for heavy duty operation; 2,200 RPM
- Precision gearing with ball and needle bearing construction for smooth and efficient power transmission
- Large rugged steel base for added stability

STANDARD EQUIPMENT

Combination blade (721703-0),
Rip fence (164019-4),
Wrench for flange (781011-1),
Wrench for bolt (781203-2)

Model 5077B **Super Duty** **7-1/4" Hypoid Saw,** **With Electric Brake** □

- High torque motor gives superior cutting performance yet weighs 2 lbs. less than competitive "worm-drive" saws
- Smooth and efficient hypoid gears deliver maximum torque
- Requires no oil
- Electric brake for fast stopping of blade
- Adjustable base allows bevel cutting from 0° to 45°
- Oversized knobs and levers
- Accepts round or diamond arbor blades
- Double insulated for operator safety
- Blade on left hand side for easy viewing of cutting line
- All ball and needle bearings for long life and low maintenance
- Blade lock for easy changing of blades


STANDARD EQUIPMENT

Combination blade (792446-1),
Wrench #13 (782016-4),
Guide rule (164095-8)



5402A

Accessories:
Pages 100 – 102, 104



5077B

Accessories:
Pages 100 – 102, 104

TABLE SAWS

Model 2708W **Heavy Duty** **8-1/4" Table Saw**

- Powerful hi-tech motor for a smooth cut
- Lightweight (37.5 lbs.) for easy portability
- See-through blade guard w/anti-kickback device
- Removable switch key helps prevent accidental starts
- Quick and accurate depth and angle setting positive stops at 90° and 45°
- Accepts up to 6" x 1/2" dado set

STANDARD EQUIPMENT

Carbide tipped blade (792199-2),
Rip fence (122250-8),
Miter gauge (122219-2),
Wrench #22 (781011-1),
Wrench #19 (781010-3),
Wrench #10-13 (781202-4),
Hex wrench (783203-8)



2708W


Accessories:
Pages 100 – 104

Model 2711 **Heavy Duty** **10" Table Saw,** **With Electric Brake**

- Heavy duty motor for smooth and fast cutting
- Unique sliding table ensures precise square and miter cuts
- Self-aligning rip fence with a single handle control
- Depth and angle setting controls are conveniently located
- Electric brake for fast stopping of blade

STANDARD EQUIPMENT

Combination blade (792317-2),
Rip fence (122328-7),
Extension wing (331308-4, 331293-1),
Phillips screwdriver (783002-8),
Hex wrench (783203-8),
Spanner wrench #19 (781010-3),
Wrench #13-22 (782015-6)



2711

Accessories:
Pages 100 – 104

SLIDE COMPOUND SAW & MITER SAW

Model LS1011 Heavy Duty **10" Slide Compound Saw** □

- Miter cut, bevel cut and compound miter cut
- Powerful 12A motor for excellent performance
- Cuts up to 2-15/16" x 12" thanks to big 10" blade
- Narrower opening of guide fence for better cutting
- Electric brake for fast stopping of blade
- Shaft lock for easy blade change
- Weighs only 34.7 lbs. for easier portability
- New design safety cover opens as motor head lowered
- Large switch lever

STANDARD EQUIPMENT

Socket wrench (782212-4),
Cross-cut blade (792641-3),
Dust bag (122351-2),
Vise (134620-9),
Triangle (762001-3)



LS1011


Accessories:
Pages 100 – 102, 104

Model LS1020 Heavy Duty **10" Miter Saw** □

- Double insulated for operator safety
- Fast and efficient cutting in wood, plastic or aluminum extrusions
- Positive stops at 9 settings; 15°, 22.5°, 30°, 45° right or left and 0° (90° cuts)
- Features self-aligning center plate on the guide fence
- Quick release vise for fast repeat cut-offs
- Lock-down motor head and carrying strap for easy transportation

STANDARD EQUIPMENT

Combination blade (792317-2),
Socket wrench (782212-4),
Dust bag (122351-2),
Vise (134363-3)



LS1020

Accessories:
Pages 100 – 102, 104

MITER SAWS

Model LS1030

Heavy Duty

10" Miter Saw □

- Double insulated for operator safety
- Powerful motor for excellent performance
- Positive stops at 7 settings; 15°, 30°, 45° right or left and 0° (90° cuts)
- Large cutting capacity cuts 4" x 4" at 90° and 2" x 4" at 45°
- Lightweight (23.3 lbs.) with lock-down motor head for easy transportation
- Shaft lock for easy blade changes

STANDARD EQUIPMENT

Socket wrench (782212-4),
Cross-cut blade (792641-3),
Dust bag (122351-2)



LS1030

Accessories:

Pages 100 – 102, 104

Model LS1440

Heavy Duty

14" Miter Saw □

- Double insulated for operator safety
- Powerful motor for excellent performance
- Positive stops at 9° settings: 15°, 22.5°, 30°, 45°, and right or left and 0° (90° cuts)
- Features self-aligning center plates on the guide fence
- Quick release vise for fast repeat cut-offs
- Cuts 6" wide at 90°, 4-1/2" at 45°

STANDARD EQUIPMENT

Combination blade (721610-7),
Socket wrench (782212-4),
Vise (134413-4),
Dust bag (122330-0)



LS1440

Accessories:


Pages 100 – 102, 104

BAND SAW

Model 2106K

Portable Band Saw

- Big 4-1/2" x 4-1/2" cutting capacity
- Powerful 2-speed motor delivers 260 Ft/Min or 200 Ft/Min for cutting in a variety of materials
- Double bearing blade guides for precision cutting
- Blade tightening lever for fast and easy blade installation
- Accepts standard 44-7/8" x 1/2" blade
- Ball and needle bearing construction for long tool life
- Optional stand available for square cuts



2106K

Accessories:
Pages 113

STANDARD EQUIPMENT


1 Ea. Band saw blade (792559-A),
Triangular rule (762001-3),
Cutting wax (191897-9),
Hex wrench (783209-6),
Steel tool case (182240-3)

HEAT GUN

Model HG1100

Heat Gun

- Variable temperature control 250°F - 1,100°F for a wide variety of applications
- Strips paint and varnish, thaws frozen metal pipes, loosens tile and putty, remelts adhesives, and more
- 2-speed blower setting for 8 CFM or 14 CFM
- Thermocouple control maintains precise temperature
- Ceramic core protects the heating element for longer tool life
- Compact and lightweight for easy handling



HG1100

Accessories:
Pages 113, 114

JIG SAWS

Model JV2000

Jig Saw, Orbital, Variable Speed □

- 4 orbit selections for cutting in steel, wood, plastic, and nonferrous metals
- Variable speed for precise start ups and efficient cutting
- Bevel cuts up to 45° right or left
- Roller guide supports blade for improved cutting
- Accepts universal 1/4" shank and bayonet type blades
- Armature blower keeps sight line clear

STANDARD EQUIPMENT

2 Ea. Blade (792428-3, 792429-1, 792430-6),
Circular guide (123030-5),
Rip fence (164113-2),
Hex wrench (783201-2)

Model 4320

Jig Saw, Variable Speed □

- Variable speed for precise cutting in a wide variety of materials
- Bevel cuts up to 45° right or left
- Compact and lightweight (2.9 lbs.) for easy handling
- Accept 1/4" universal shank blades
- Built in blower keeps line of cut clear


STANDARD EQUIPMENT

2 Ea. Blade (723012-3, 723009-2, 723010-7),
Circular guide (123030-5),
Rip fence (164113-2),
Hex wrench (783201-2),
Rule holder (343381-2)



JV2000

Accessories:
Pages 105, 106



4320

Accessories:
Pages 105, 106

JIG SAWS

Model 4301BV

Super Duty

Jig Saw, Orbital, Variable Speed □

- Orbital blade action with 3 positions for wood and one non-orbital for metals
- Full 1" stroke for fast cutting
- Powerful hi-tech motor for superior performance
- Accepts universal 1/4" shank and bayonet type blades
- Roller guide for improved blade support
- Convenient blower cleans line of cut for accurate cutting
- Double insulated for operator safety
- All ball and needle bearings for long life and low maintenance
- Adjustable base cuts 45° angles left or right

STANDARD EQUIPMENT

2 Ea. Blade (792428-3, 792429-1, 792430-6),
Hex wrench (783201-2),
Steel tool case (823099-6)



4301BV

Accessories:
Pages 105, 106

Model 4302C

Super Duty

Electronic Jig Saw, Orbital, Variable Speed □

- Electronic speed control maintains constant speed regardless of load for maximum production
- Orbital blade action with 3 positions for wood and 1 non-orbital for metals
- 1" stroke with orbital blade action for fast cutting and long blade life
- Variable speed (1,000 - 3,000 SPM) with 6 stage speed settings for precise cutting
- Bevel cuts up to 45° right or left
- Ergonomically designed to offer greater comfort
- Accepts 1/4" and bayonet blade shanks
- Double insulated for operator safety
- All ball and needle bearings for long life and low maintenance

STANDARD EQUIPMENT

2 Ea. Blade (792428-3, 792429-1, 792430-6),
Hex wrench (783201-2),
Steel tool case (181967-2)



4302C

Accessories:
Pages 105, 106

RECIPRO SAWS

Model JR3000WL **Heavy Duty** Recipro Saw, 2-Speed □

- Double insulated for operator safety
- Powerful hi-tech motor for continuous operation
- Long 1-3/16" stroke for faster cutting
- All ball and needle bearings for longer life
- Accepts standard 1/2" shank blades
- Adjustable slide-out shoe for longer blade life
- Blade can be reversed for near flush cutting
- Lightweight for operator comfort

STANDARD EQUIPMENT

1 Ea. Blade (723016-5, 723017-3, 723018-1),
Hex wrench (783202-0),
Steel tool case (823100-7)



JR3000WL

Accessories:
Pages 106 – 108

Model JR3000V **Heavy Duty** Recipro Saw, Variable Speed □

- Double insulated for operator safety
- Variable speed with speed control screw for setting ideal speeds for material cutting
- Powerful hi-tech motor for continuous operation
- Long 1-3/16" stroke for faster cutting
- All ball and needle bearings for longer life
- Accepts standard 1/2" shank blades
- Adjustable slide-out shoe for longer blade life
- Blade can be reversed for near flush cutting
- Lightweight for operator comfort

STANDARD EQUIPMENT

1 Ea. Blade (723016-5, 723017-3, 723018-1),
Hex wrench (783202-0),
Steel tool case (823100-7)



JR3000V

Accessories:
Pages 106 – 108


RECIPRO SAW

Model JR3010 **Heavy Duty** Chain Vise Recipro Saw, Variable Speed □

- Ideal for plumbing, pipe installation or removal work
- Easy to use vise assembly for cutting up to 4" metal pipe
- 7 AMP motor delivers 0 - 2,200 SPM of orbital blade action for efficient cutting
- Overload protector helps prevent motor burn-out
- Simple restart button to resume operation

STANDARD EQUIPMENT

Vise assembly (122403-9),
Hex wrench (783202-0),
1 Ea. Blade (723055-5, 723056-3),
Steel tool case (182200-5)



JR3010

Accessories:
Pages 106 – 108

CHAIN SAW

Model 5012B **Heavy Duty** 11-3/4" Chain Saw □

- 11-3/4" capacity
- Built in overload protector helps prevent motor burnout
- Double insulated for operator safety
- High speed chain (5,500 FPM) for fast cutting
- Manual chain oiler for long chain life

STANDARD EQUIPMENT

Chain (713010-5),
Scabbard (411936-2),
Oil (181117-9),
Nozzle (242012-9),
Wrench (782212-4),
Screwdriver (783002-8),
File (744003-1),
Hook (158024-1)



5012B

Accessories:
Pages 109

CHAIN SAWS

Model 5014NB **Heavy Duty** **13-3/8" Chain Saw** □

- Chain brake for operator safety
- Automatic chain lubrication for long chain life
- Sprocket nose bar for smooth operation
- Double insulated for operator safety
- 13-3/8" cutting capacity

STANDARD EQUIPMENT

Chain (713014-7),
Scabbard (414593-5),
Oil (181117-9),
Nozzle (242012-9),
Wrench (782212-4),
Screwdriver (783001-0),
File (744003-1),
Hook (158024-1)



5014NB


Accessories:
Pages 109

Model 5016NB **Heavy Duty** **14-3/4" Chain Saw** □

- Chain brake for operator safety
- Automatic chain lubrication for long chain life
- Sprocket nose bar for smooth operation
- 14-3/4" cutting capacity
- Double insulated for operator safety

STANDARD EQUIPMENT

Chain (713015-5),
Scabbard (414593-5),
Oil (181117-9),
Hook (158024-1),
File (744003-1),
Wrench (782212-4),
Screwdriver (783001-0)



5016NB

Accessories:
Pages 109

HEDGE TRIMMERS

Model UH4510A **Heavy Duty** **17-3/4" Hedge Trimmer** □

- Cuts 17-3/4" wide and double edge blade
- Trims up to 7/16" diameter stems and 1,800 SPM for fast, clean trimming
- Automatic lock-off switch helps prevent accidental starts
- Large switch lever for ease of operation
- Electric brake for added safety

STANDARD EQUIPMENT

Shear blade (122377-4),
Blade cover (414341-2),
Hook (158024-1)



UH4510A

Accessories:
Pages 109

Model UH6310A **Heavy Duty** **24-3/4" Hedge Trimmer** □

- Extra-long reach and double edge blade
- Trims up to 7/16" diameter stems and 1,800 SPM for fast, clean trimming
- Automatic lock-off switch helps prevent accidental starts
- Large switch lever for easy operation

STANDARD EQUIPMENT

Shear blade (122378-2),
Blade cover (414342-0),
Hook (158024-1)



UH6310A

Accessories:
Pages 109

CONCRETE PLANER

Model PC1100

Concrete Planer □

- Double insulated for operator safety
- For smooth finishes on concrete surfaces or leveling of concrete seams
- Dry cutting diamond wheel for planing without a water feeding system
- Front roller adjusts planing depth
- Dust bag for clean operation
- Lock-on button for continuous operation

STANDARD EQUIPMENT

Diamond wheel (724906-5),
Steel tool case (823070-0),
Dust bag (122193-4),
Lock nut wrench (782401-1),
Screwdriver (783001-0),
Lock nut (224526-0)



PC1100

Accessories:
Pages 110

ANGLE CUTTER

Model 4110B

12" Angle Cutter AC/DC □

- Used to cut steel, concrete and masonry materials
- Superior performance and long life
- Lightweight and well balanced for easy handling
- Pivoting wheel guard allows handle positioning within an 80° range
- Adjustable base for cutting up to 4" for large dimensional material
- Accepts dry cutting diamond blades for cutting concrete
- Double insulated for operator safety

STANDARD EQUIPMENT

1 Ea. Abrasive cut-off wheel (792293-0,
792301-7),
Steel tool case (823102-3),
Socket wrench (782210-8)



4110B

Accessories:
Pages 110

CUT-OFF SAWS


Model 2414 14" Cut-Off Saw AC/DC

Heavy Duty

- A quick release vise for secure stock retention and fast repeated cut-offs
- Cuts up to 4" at 90° and 45°
- AC/DC switch for use with alternative power source
- Precision gearing plus all ball bearing construction for efficient power transmission
- Shaft lock for fast and easy wheel changes

STANDARD EQUIPMENT

1 Ea. Abrasive wheel (724603-3),
Quick release vise (134548-1),
1" Arbor adaptor (257060-5),
Socket wrench (782210-8)



2414

Accessories:
Pages 110, 111

Model 2416S 16" Cut-Off Saw AC/DC

Heavy Duty

- 16" wheel diameter for increased cutting capacity, cuts up to 4-1/2" at 90° and 45°
- A quick release vise holds stock up to 9-3/8" wide
- AC/DC switch for use with alternative power source
- Shaft lock for easy and fast wheel changes
- Precision gearing plus all ball bearing construction for efficient power transmission

STANDARD EQUIPMENT

1 Ea. Abrasive wheel (724701-3),
Socket wrench (782210-8),
Quick release vise (134549-9)



2416S

Accessories:
Pages 110, 111


PVC SAW

Model LS1200

Heavy Duty

12" PVC Saw

- Double insulated for operator safety
- For cutting PVC, ABS and other plastic pipe
- Carrying handle and lock-down device for mobility
- Quick release vise for fast repeat cut-offs and secure stock retention
- Shaft lock for easy blade replacement
- Lock-off button prevents accidental starts



LS1200

STANDARD EQUIPMENT

Blade (792318-0),
Socket wrench (782212-4)

Accessories:

Pages 110, 111

PLANER

Model 1100

Heavy Duty

3-1/4" Planer Kit

- Powerful hi-tech motor for superior performance
- All ball bearing construction for durability
- 16-3/8" overall length for truing and jointing operations with hand planer versatility
- Extra long base for accurate finish
- Wide die cast aluminum sole plate will not mar work surface
- Long front shoe for smooth and precise starting cuts
- Double insulated for operator safety



1100

STANDARD EQUIPMENT

Steel tool case (181178-9),
Blade gauge (123010-1),
Screwdriver (783002-8),
Sharpening holder (123004-6),
Socket wrench (782209-3),
Rip fence (161046-2),
H.S.S. Blades (731001-4)

Accessories:

Pages 111, 112

PLANERS

Model 1805B

Heavy Duty

6-1/8" Planer Kit □

- Our largest hand planer
- Well balanced for easy handling and maneuverability
- Powerful hi-tech motor delivers 15,000 RPM
- 2-blade cutterhead makes 30,000 cuts per minute for smooth, fast finishing
- Large sturdy sole plate for added stability
- Fast and easy blade replacement
- Double insulated for operator safety

STANDARD EQUIPMENT

Bevel guide (123053-3),
Wood tool case (821087-7),
Sharpening holder (123006-2),
Blade gauge (123009-6),
Wrench (782209-3),
Screwdriver (783002-8),
H.S.S. Blades (731010-3)



1805B

Accessories:
Pages 111, 112

Model 1911B

4-3/8" Planer □

- Professional quality planer in a small and compact design
- Powerful motor for smooth planing
- All ball bearing construction for long tool life
- Lock on button for continuous operation
- Simple chamfering cuts using V-groove on front shoe

STANDARD EQUIPMENT

Sharpening holder (123055-9),
Leveler (155270-7),
Socket wrench (782209-3),
H.S.S. Blades (793008-8),
Guide rule (164371-0)



1911B

Accessories:
Pages 111, 112

PLANERS

Model 1900BW

3-1/4" Planer Kit □

- Small but powerful planer for hobbyists and professionals
- High power-to-weight ratio
- All ball bearing construction for long tool life
- Center line balance with front and rear grips positioned for better control; helps to eliminate gouging and uneven cutting
- Lock-on button for continuous operation
- Simple blade setting system
- Double insulated for operator protection

STANDARD EQUIPMENT

Blade gauge (123010-1),
Screwdriver (783002-8),
Sharpening holder (123004-6),
Socket wrench (782209-3),
Guide rule (164371-0),
H.S.S. Blades (731001-4),
Tool case (824174-1)

Model 1923B

3-1/4" Planer □

- Maximum rabbeting depth up to 15/16"
- Small but powerful for use by the home craftsman or professional
- Conveniently located depth adjustment knob doubles as front grip
- Center line balance with D-handle grip for better control and easy operation
- Lock-on button for continuous operation

STANDARD EQUIPMENT

Blade gauge (123010-1),
Screwdriver (783002-8),
Sharpening holder (123004-6),
Socket wrench (782209-3),
Guide rule (164371-0),
H.S.S. Blades (731001-4),
Dressing stone (741802-2)



1900BW

Accessories:
Pages 111, 112



1923B

Accessories:
Pages 111, 112

WOODWORKING MACHINES

Model 2012

12" Planer

- Compact and lightweight for easy transporting to the job site
- Powerful motor for long tool life
- Feed rate of 26.2 ft/min. for fast and efficient planing
- Simple one step blade change system utilizes disposable double edge planer blades
- Support table folds up for easy carrying
- Optional hood set available for attaching to dust collector model 410

STANDARD EQUIPMENT

Socket wrench (782203-5),
Hex wrench (783201-2),
Magnetic holder (762014-4),
Planer blade set (793347-6),
Wrench (781202-4)

Model 2030N

12-1/2" Planer-Jointer, With Electric Brake

- Combination 12-1/2" planer with 6-1/8" long bed jointer
- 26 ft/min or 17 ft/min with the flick of a lever
- 2-blade cutterhead makes 14,000 cuts per minute for a smooth finish
- Adjustable chip deflector
- Lock-off switch button and electric brake
- Simple cutting depth adjustment
- Unit comes assembled and ready to run


STANDARD EQUIPMENT

H.S.S. Blades (793323-0, 731021-8),
Sharpening holder (123006-2),
Socket wrench (782213-2),
Spanner wrench (781202-4),
Hex wrench (783202-0),
Screwdriver (783002-8),
Triangle (762001-3),
Push block (191470-5),
Wooden levelers (441021-7),
Leveler (155193-9)



2012

Accessories:
Pages 114, 115



2030N

Accessories:
Pages 114, 115

WOODWORKING MACHINES

Model 2040 15-5/8" Planer

- 15-5/8" width 7-5/8" thickness planer for high quality on-site planing
- 2-blade cutterhead makes 13,000 cuts per minute
- 29.5 feet per minute feed rate for fast and efficient stock removal
- V-belt drive system transmits power efficiently
- Wear resistant neoprene in-and-out feed rollers help prevent marring of stock
- Ball and needle bearing construction

STANDARD EQUIPMENT


H.S.S. Blades (731024-2),
Socket wrench (782211-6),
Wooden levelers (441021-7),
Phillips screwdriver (783002-8),
Slotted screwdriver (783001-0)

Model 2114C Electronic Band Saw

- 1.8 H.P. electronically controlled motor maintains constant speed regardless of load variations
- 3 speed settings for powerful cutting in wood, plastic and soft metals
- Accepts 1/4" to 1" width saw blades
- Ball bearing blade guide system for accuracy
- Table top tilts 45° to the right and 10° to the left
- Maximum throat clearance of 14"


STANDARD EQUIPMENT

Blade (792353-8),
Hex wrench (783202-0),
Wrench #10 (781003-0),
Wrench #13-17 (781204-0)



2040

Accessories:
Pages 114, 115



2114C

Accessories:
Pages 115

DUST COLLECTOR & BLOWER

Model 410 Dust Collector

- Dust collector system for Makita planers, planer-jointers, and band saws
- A low cost, economical and quiet solution to dust collection needs
- Powerful motor for efficient dust collection
- Portable (weighs only 20.4 lbs.) for easy movement around the shop
- Powerful 307 cubic feet per minute air flow
- 7 cubic feet capacity dust bag

STANDARD EQUIPMENT

Dust bag (166023-9),
8 ft. hose (191711-9)



410

Accessories:
Pages 116

Model 4014NV Blower, Variable Speed □

- Powerful 5.5 AMP motor for efficient performance
- Can be used as a blower or as a vacuum
- Variable speed (0 - 16,000 RPM) allows control of air volume
- Compact and lightweight (3.8 lbs.) for easy operation
- Lock-on button for continuous operation
- Makes quick work of garage and other clean-ups
- Double insulated for operator safety

STANDARD EQUIPMENT

Dust bag (122321-1)



4014NV

Accessories:
Pages 108

VACUUMS

Model XSV-10

10 Gallon Stainless Wet/Dry Vacuum

- 9 gallon wet and 10 gallon dry capacity
- Super quiet 1.7 HP motor
- Stainless steel body for durability and easy maintenance
- Capable of handling mildly corrosive liquids and mixtures
- Heavy duty 3-wheel dolly for easy mobility

STANDARD EQUIPMENT

12" x 1-1/2" Crushproof hose,
Chrome extension wands,
14" Metal master nozzle,
14" Squeeze insert,
14" Brush insert,
Dolly



XSV-10

Model XSV-20

20 Gallon Stainless Wet/Dry Vacuum

- Stainless tank with 20 gallon capacity for wet/dry use
- Automatic water shutoff when tank is full to protect motor
- Super-quiet motor for use in confined areas and offices
- Oversize wheels for easy transportation

STANDARD EQUIPMENT

12" x 1-1/2" Crushproof hose,
Chrome extension wands,
14" Metal master nozzle,
14" Squeeze insert,
14" Brush insert,
Dolly



XSV-20

Accessories:
Pages 108

VACUUMS

Model XEV-08 **8 Gallon Wet/Dry Vacuum**

- Ideal for heavy duty cleaning jobs
- Exhaust port allow use for blower operations
- Rust-resistant enameled steel tank
- Internal float automatically shuts off suction when liquid capacity is reached eliminating risk of overflow
- 4 wheel dolly with swivel casters

STANDARD EQUIPMENT

12" x 1-1/2" Crushproof hose,
Chrome extension wands,
14" Metal master nozzle,
14" Squeeze insert,
14" Brush insert,
Dolly

Model XEV-12 **12 Gallon Wet/Dry Vacuum**

- Super quiet 6.5 Amp two stage by-pass motor develops 1.7 HP for powerful suction
- Rust-resistant enameled steel tank
- Internal float automatically shuts off suction when liquid capacity is reached eliminating risk of overflow
- Heavy duty 3-wheel dolly for mobility

STANDARD EQUIPMENT

12" x 1-1/2" Crushproof hose,
Chrome extension wands,
14" Metal master nozzle,
14" Squeeze insert,
14" Brush insert,
Dolly



XEV-08

Accessories:
Pages 108



XEV-12

Accessories:
Pages 108

VACUUM & SWEEPER

Model XBV-01

Bench Vacuum (Dry Pick-Up Only)

- Designed to reach places a full-size vacuum can't
- Ideal for above-the-floor cleaning operations
- Lightweight (6 lbs.) for easy mobility
- Powerful 1 HP motor
- High impact thermoplastic housing for durability and long life
- Wall mount bracket for easy storage

STANDARD EQUIPMENT

3" x 1-1/4" Hose,
Gulper nozzle,
Wall mount bracket,
Built-in rear wheels,
Paper bag,
Secondary filter



XBV-01

Accessories:
Pages 108

Model XPS-27

27" Push Sweeper

- For use anywhere-indoors or out
- Wide 27" sweeping path for quick cleaning
- Side broom for cleaning along curbs or walls
- Adjustable broom height for cleaning a variety of surfaces
- Large capacity, dent resistant dirt hopper for convenience and durability



XPS-27

FINISHING SANDERS

Model B04510 Finishing Sander □

Heavy Duty

- Double insulated for operator safety
- All ball bearing for long life and high production
- 12,000 OPM for smooth sanding
- Palm grip design for easy handling and comfort
- Flush sanding on three sides
- Handy "swing-out" paper clamps for easy paper changes
- 1/4 sheet capacity for easy access to sandpaper

STANDARD EQUIPMENT

1 Ea. Abrasive paper (#60; 742509-3, #100; 742510-8, #150; 742511-6)



B04510

Accessories:
Pages 117

Model B04530 Finishing Sander □

Heavy Duty

- Double insulated for operator safety
- All ball bearing for long life and high production
- 12,000 OPM for smooth sanding
- Palm grip design for easy handling and comfort
- Handy "swing-out" paper clamps for easy paper changes
- Uses 6" pressure sensitive sandpaper - 5" round, 4" square pads available

STANDARD EQUIPMENT

1 Ea. Sandpaper (#60; 742098-8, #100; 742099-6, #150; 742100-7),
6" Round pad (743032-1)



B04530

Accessories:
Pages 118, 119

FINISHING SANDERS

Model B04550/B04550Z*

Finishing Sander □

Heavy Duty

- Double insulated for operator safety
- All ball bearing for long life
- Powerful motor for maximum production
- Palm grip design for operator comfort
- 14,000 OPM for smooth handling
- B04550 only: efficient dust collector makes cleaner work
- 1/4 sheet capacity for easy access to sandpaper
- Flush sanding on three sides
- Easy-clamp paper holders for fast paper changes

STANDARD EQUIPMENT

1 Ea. Abrasive paper (#60; 742509-3, #100; 742510-8, #150; 742511-6),
Punch plate (163247-8),
Dust bag (166027-1)

STANDARD EQUIPMENT*

1 Ea. Abrasive paper (#100; 742510-8)

Model 9035

Finishing Sander □

- Compact design for one handed operation
- Accepts 1/3 sheet sandpaper
- Lightweight (3 lbs.) for less fatigue
- Powerful motor operates at 10,000 OPM for fast material removal
- All ball bearing construction for smooth operation and long life
- Double insulated for operator safety
- Easy accessible clamps for quick paper changes
- Flush sanding on three sides for versatility

STANDARD EQUIPMENT

2 Ea. Abrasive paper (#60; 742506-9, #100; 742507-7, #150; 742508-5)



B04550



B04550Z

Accessories:
Pages 117, 119



9035

Accessories:
Pages 117

FINISHING SANDERS

Model 9045B

Heavy Duty

Finishing Sander □

- Double insulated for operator safety
- Accepts 1/2 sheet of standard sandpaper
- Powerful hi-tech motor for superior performance and continuous operation
- Lightweight and well balanced for less fatigue and maneuverability
- All ball bearing construction for long life and smooth operation
- 10,000 OPM for fast material removal and smooth finish

STANDARD EQUIPMENT

1 Ea. Abrasive paper (# 150; 742504-3)



9045B

Accessories:
Pages 117

Model 9045N

Heavy Duty

Finishing Sander □

- An effective dust collector system for cleaner operation and reduced paper clogging
- Double insulated for operator safety
- Accepts 1/2 sheet of standard sandpaper
- Powerful hi-tech motor for superior performance and continuous operation
- Lightweight and well balanced for less fatigue and maneuverability
- All ball bearing construction for long life and smooth operation
- 10,000 OPM for fast material removal and smooth finish

STANDARD EQUIPMENT

1 Ea. Abrasive paper (# 150; 742504-3),
Dust bag (151127-0),
Dust bag fastener (411626-7)



9045N

Accessories:
Pages 117

BELT SANDERS

Model 9030

1-1/8" x 21" Belt Sander □

- Compact and lightweight (4 lbs.) for close quarter work with excellent maneuverability
- Ball and needle bearing construction for smooth operation and long tool life
- Narrow belt and exposed front pulley for use in close quarters or on irregular shapes
- High belt speed (3,280 ft./min.) for maximum performance
- Removable, adjustable side handle for easy operation
- 6 belt grits available
- Double insulated for operator safety

STANDARD EQUIPMENT

2 Ea. Abrasive belt (#40; 742301-7, #60; 742302-5, #80; 742303-3, #100; 742304-1, #120; 742305-9)

Model 9900B

Heavy Duty

3" x 21" Belt Sander □

- Double insulated for operator safety
- All ball bearing construction for long life
- Powerful hi-tech motor for maximum production
- Low profile to prevent gouging material
- Replaceable ceramic wear plate to reduce costs
- Extra long cord for easy sanding
- Easy release belt lever for quick belt changes
- Efficient dust collector for reduced sawdust
- Extended belt shoe allows flush sanding

STANDARD EQUIPMENT

1 Ea. Abrasive belt (#100; 742309-1), Dust bag (122296-4)



9030

Accessories:
Pages 117



9900B

Accessories:
Pages 118

BELT SANDERS

Model 9901

3" x 21" Belt Sander □

- Double insulated for operator safety
- Powerful motor delivers a belt speed of 1,246 ft/min for fast stock removal
- Compact, lightweight and well balanced for easy operation
- Easy release belt lever for quick belt changes
- Dust bag for clean operation

STANDARD EQUIPMENT

Dust bag (122329-5),
Sanding belt (742309-1)



9901

Accessories:
Pages 118, 119

Model 9924B/DB

Heavy Duty

3" x 24" Belt Sander □

- Double insulated for operator safety
- All ball and needle bearings for long life
- Extended belt shoe to allow flush sanding
- Replaceable ceramic wear plate to reduce repair
- Extra long cord for operator convenience
- Easy lever control to change belts
- Low profile for balance and less gouging
- Powerful motor for fast stock removal
- 9924DB only: highly efficient dust collector

STANDARD EQUIPMENT

Comes with tool only



9924B



9924DB

Accessories:
Pages 118

BELT SANDER

Model 9401

Heavy Duty

4" x 24" Belt Sander □

- Double insulated for operator safety
- Powerful motor for high production use
- 4" wide belt for rapid material removal
- Low center of gravity for better control
- All ball and needle bearings for long life and smooth operation
- Sands flush to walls with extended shoe
- Convenient front handle for operator comfort
- Replaceable wear plate for lower maintenance

STANDARD EQUIPMENT

1 Ea. Abrasive belt (#100; 742323-7),
Dust bag (122297-2)



9401

Accessories:
Pages 118, 119

WHEEL SANDER

Model 9741

Wheel Sander □

- Double insulated for operator safety
- Powerful motor for fast paint and rust removal
- Unique design for smooth finish
- 4-3/4" sanding width for high production
- Well balanced for less operator fatigue
- Electric brake for safety

STANDARD EQUIPMENT

Slit paper wheel (794380-1),
Steel tool case (182115-6),
2 Ea. Hex wrench (783204-6)



9741

Accessories:
Pages 119

ROUTERS

Model 3606

1 H.P. Router ☐

- Large calibrated depth control ring
- Contoured double handles for comfort and control
- Extremely lightweight for easy handling
- Shaft lock for quick changing of bits with just one wrench
- All ball bearing construction
- 3-1/2" diameter detachable motor for use on commercial router bases

STANDARD EQUIPMENT

Wrench (781008-0),
1/4" Collet (763608-8)



3606

Accessories:
Pages 120 - 126

Model 3620

Heavy Duty

1-1/4 H.P. Plunge Router ☐

- 24,000 RPM for fast and clean routing
- Contoured handle design with built in switch for better control
- 0 - 1-3/8" plunge depth capacity; presetting of three plunge depths
- Rugged polycarbonate housing with a nonmarring base
- Comes complete with plastic tool case for convenient storage of tool and accessories
- Double insulated for operator safety
- High RPM for fast smooth cutting
- Takes 1/4" shank router bits for home and production use

STANDARD EQUIPMENT

1/4" Collet cone (763637-1),
Wrench #8 (781213-9),
Wrench #13 (781006-4),
Wrench #22 (781011-1),
Tool case (824283-6)



3620

Accessories:
Pages 120 - 126

ROUTERS

Model 3601B Heavy Duty 1-3/8 H.P. Router ☐

- Hi-tech motor for a wide range of applications
- High RPM for smooth cutting
- D-handle design for operator control and comfort
- All ball bearing construction for long tool life
- Convenient calibrated depth control ring for easy depth setting
- Double insulated for operator safety
- 1/2" collet capacity for heavy duty routing

STANDARD EQUIPMENT

1/2" Collet cone (763623-2),
1/4" Collet sleeve (763803-0),
Wrench #21 (781208-2),
Wrench #23 (781209-0)

Model 3612BR Super Duty 3 H.P. Plunge Router ☐

- Double insulated for operator safety
- All ball bearing construction for long tool life
- Plunge base with 3 position setting for operator convenience
- Built in chip deflector for operator safety
- Shaft lock for quick and easy changing of bits
- Accepts standard templet guides with adaptor (321492-3) or convenient one piece Makita templet guides
- Accepts 1/2" shank bits for heavy duty production routing

STANDARD EQUIPMENT

1/4" Collet sleeve (763803-0),
Wrench #8 (781213-9),
Wrench #24 (781210-5),
Collet cone (763622-4)



3601B

Shown with
optional Guide

Accessories:
Pages 120 – 126



3612BR

Shown with
optional Guide

Accessories:
Pages 120 – 126

ROUTER

Model 3612B 3 H.P. Plunge Router With a Square Base □

Super Duty

- Comes with a square base
- Double insulated for operator safety
- All ball bearing construction for long tool life
- Plunge base with 3 position setting for operator convenience
- Built in chip deflector for operator safety
- Accepts standard templet guides with adaptor (321492-3) or convenient one piece Makita templet guides
- Accepts 1/2" shank bits for heavy duty production routing

STANDARD EQUIPMENT

1/4" Collet sleeve (763803-0),
Wrench #8 (781213-9),
Wrench #24 (781210-5),
Collet cone (763622-4)



3612B

Shown with
optional Guide

Accessories:
Pages 120 – 126

TRIMMER

Model 3700B 1/2 H.P. Trimmer □

- Hi-tech motor delivers 28,000 RPM for fast and smooth trimming
- Removable guide for conventional routing
- Compact design for easy one handed operation
- Lightweight (3.6 lbs.) for maneuverability and reduced operator fatigue
- Comes complete with wrenches, 1/4" collet and templet guide
- Micro adjustable guide for trimming laminates accurately
- Double insulated for operator safety

STANDARD EQUIPMENT

Wrench #10 (781003-0),
Wrench #17 (781008-0),
1/4" Collet cone (763608-8),
Templet guide (343577-5)



3700B

Accessories:
Pages 120 – 126

TRIMMERS

Model 3702B

1/2 H.P. Trimmer

- Same as 3700B but with tilting base for special applications
- 3.3 AMP hi-tech motor (28,000 RPM) for fast and smooth trimming
- Compact design for easy one handed operation
- Lightweight (3.6 lbs.) for increased maneuverability
- Comes complete with wrenches, 1/4" collet and templet guide

STANDARD EQUIPMENT

Wrench # 10 (781003-0),
Wrench # 17 (781008-0),
1/4" Collet cone (763608-8),
Templet guide (343577-5)



3702B

Accessories:
Pages 120 – 126

Model 3705

Offset Base Laminate Trimmer

- Hi-tech motor (23,000 RPM) for fast trimming and light routing applications
- Unique base design allows trimming in corners and backsplash scribing within 1" of wall
- Simple depth adjustment with one wrench
- Compact design for easy operation
- Weighs only 4 lbs. for increased maneuverability and less operator fatigue
- Externally accessible brushes for easy inspection and replacement
- Double insulated for operator safety

STANDARD EQUIPMENT

Wrench # 10 (781003-0),
Wrench # 17 (781008-0),
Templet guide (321912-7),
Hex wrench #6 (783204-6)



3705

Accessories:
Pages 120 – 126

1/4" DRILL

Model 6501

1/4" Drill □

- High speed (4,500 RPM) for fast drilling
- Powerful motor for continuous operation
- Very small and compact weighing only 2 lbs. for reduced operator fatigue
- Adjustable depth guide for drilling to a pre-determined depth
- Compact pistol grip design for easy handling
- High impact and corrosion resistant housing for long tool life
- Double insulated for operator safety
- All ball and needle bearing

STANDARD EQUIPMENT

Chuck key (763419-1),
Depth guide assembly (191872-5),
Drill chuck (763077-3)



6501

Accessories:
Pages 127

3/8" DRILL

Model 6404

3/8" Drill, Variable Speed, Reversible □

- Powerful motor for many diverse applications and production work
- High speed (0 - 2,100 RPM) for drilling in both wood and sheet metal
- Reversible switch with lock button for removing screws
- Lightweight (3.1 lbs.) and well balanced for ease in handling
- Adjusting knob trigger allows continuous use at desired speed
- All ball bearing construction for durability and long tool life
- Double insulated for operator safety

STANDARD EQUIPMENT

Drill chuck (763085-4),
Chuck key (763423-0)



6404

Accessories:
Pages 127

3/8" DRILLS

Model 6402

3/8" Drill, Variable Speed, Reversible □

- Powerful motor for super duty performance
- Variable speed (0 - 1,200 RPM) for drilling in a variety of materials
- Separate reversing switch for using as a screwdriver
- Lightweight (3.7 lbs.) and well balanced for easy handling
- Variable speed with adjusting knob and lock-on button allows continuous use at desired speed
- Heavy duty industrial drill chuck
- Double insulated for operator safety
- All ball and needle bearing for long life and production usage
- Double gear reduction for extra power

STANDARD EQUIPMENT

Drill chuck (763084-6),
Chuck key (763422-2)



6402

Accessories:
Pages 127

Model 6402X

3/8" Drill, Variable Speed, Reversible □

- Keyless chuck for more convenient bit installation and removal
- Powerful motor for super duty performance
- Lightweight and well balanced for easy handling
- Variable speed with adjustment knob and lock-on button for continuous use at desired speed
- Double gear reduction for extra power

STANDARD EQUIPMENT

Keyless chuck (763087-0)



6402X

Accessories:
Pages 127

3/8" DRILL

Model 6510LVR

Heavy Duty

3/8" Drill, Variable Speed, Reversible □

- Heavy duty high torque motor for production work
- High power-to-weight ration (3.3 lbs.)
- 0 - 1,200 RPM for all drilling applications
- All ball bearing for top performance and long tool life
- Well balanced for better control and easy of operation
- Conveniently located lock-on button
- Separate reversing switch for ease of operation
- Heavy duty industrial 3/8" chuck for accurate drilling

STANDARD EQUIPMENT

Drill chuck (763074-9),
Chuck key (763414-1)



6510LVR

Accessories:
Pages 127

3/8" ANGLE DRILL

Model DA3000R

Heavy Duty

3/8" Angle Drill, Variable Speed, Reversible □

- Double insulated for operator safety
- Ball and needle bearings for long life
- Variable speed with reverse for easy starting and fastening screws
- Paddle switch for easy one hand operation
- Compact design for tight fits and close quarter drilling

STANDARD EQUIPMENT

Drill chuck (763068-4),
Chuck key (763414-1)



DA3000R

Accessories:
Pages 127

UNI-DRILL

Model 6000LR

3/8" Uni-Drill,

Variable Speed, Reversible ☐

- (0 - 1,300 RPM) provides increased torque for larger holes and screws
- Two tools in one; variable speed drill and reversible screwdriver
- Hi-tech motor for extra power
- Lightweight (4.2 lbs.) and well balanced for easy handling and maneuverability
- Double insulated for operator safety
- 3/8" cap chuck for using drill bits or screwdriver bits
- Ball and needle bearings

STANDARD EQUIPMENT

Drill chuck (763048-0),
Chuck key (763414-1),
Side handle (273485-5)



6000LR

Accessories:
Pages 127

1/2" DRILL

Model 6302

Heavy Duty

1/2" Drill,

Variable Speed, Reversible ☐

- Double insulated for operator safety
- Heavy duty 5.2 AMP motor
- Variable speed (0 - 550 RPM) for controlled drilling
- Adjusting knob on trigger allows continuous use at desired speed
- Heavy duty industrial quality drill chuck
- Compact and lightweight (4.4 lbs)
- Conveniently located reversing switch and lock-on button

STANDARD EQUIPMENT

Drill chuck (763078-1),
Chuck key (763420-6),
Side handle (273406-7)



6302

Accessories:
Pages 127

1/2" DRILLS

Model 6013BR

Heavy Duty

1/2" Drill, Reversible □

- Rocker switch for easy one handed reversing
- D-handle rotates 360° for multi-position operation
- 550 RPM with double gear reduction for added torque
- Ball and needle bearing construction for long tool life and smooth operation
- Heavy duty industrial 1/2" drill chuck for positive bit retention and accurate drilling
- Handy chuck key retained in handle to prevent loss
- Double insulated for operator safety

STANDARD EQUIPMENT

Top handle (273404-1),
Drill chuck (763047-2),
Chuck key (763411-7)



6013BR

**Accessories:
Pages 127**

Model 6301LR

Heavy Duty

1/2" Drill, Reversible □

- Hi-tech motor combined with 550 RPM for superior power and torque
- Ball and needle bearing construction for long tool life and smooth operation
- Rocker type reversing switch is easy to operate
- Heavy duty industrial drill chuck for positive bit retention and accurate drilling
- Equipped with large side grip
- Double insulated for operator safety
- Accepts right angle attachment (122177-2) for use in close quarters

STANDARD EQUIPMENT

Side handle (273475-8),
Depth guide (123020-8),
Drill chuck (763047-2),
Chuck key (763411-7)



6301LR

**Accessories:
Pages 127**

1/2" ANGLE DRILLS

Model 6300LR

Heavy Duty

1/2" Angle Drill, Reversible □

- Angle attachment provides either high speed (800 RPM) for drilling small holes, or low speed (350 RPM) for large holes
- Angle attachment rotates 360° to drill in any position for complete versatility
- Ball and needle bearing construction for long tool life and smooth operation
- Heavy duty industrial drill chuck
- Double insulated for operator safety
- Angle attachment may be removed and drill used as a straight 1/2" drill for versatility



6300LR

Accessories:
Pages 127

STANDARD EQUIPMENT

Side handle (273475-8),
Depth guide (123020-8),
Wrench (781008-0),
Angle attachment (122177-2),
Drill chuck (763047-2),
Chuck key (763411-7)

Model DA4511

Super Duty

1/2" Angle Drill, 2-Speed, Reversible

- All ball and needle bearings for long life
- Built-in torque limiter for operator safety
- 2 speeds for better control
- Triple reduction gearing for maximum power
- Rocker reversing switch for one hand reversing
- Powerful hi-tech motor for continuous production
- Lightweight for easy operation
- For close quarter work in corners



DA4511

Accessories:
Pages 127

STANDARD EQUIPMENT

Drill chuck (763062-6),
Chuck key (763411-7),
Steel tool case (181685-2),
Auxiliary handle (273476-6)

DRYWALL SCREWDRIVERS

Model 6800DBV **Drywall Screwdriver,** **Reversible** □

- Lightweight (3.3 lbs.) and well balanced for better control
- Depth-sensitive nose piece is ideal for drywall and other fastening applications
- Easily replaceable driver bits with magnetic bit holder
- Double insulated for operator safety
- Variable speed for operator convenience and easy screw starting
- All ball and needles give longer life and lower maintenance
- 0 - 2,500 RPM for ideal drywall installation

STANDARD EQUIPMENT

1 Ea. Insert bit (784211-2A),
Magnetic bit holder (784801-1),
Nose piece (122211-8)

Model 6801DBV **Drywall Screwdriver,** **Reversible** □

- Lightweight (3.3 lbs.) and well balanced for better control
- Depth-sensitive nose piece is ideal for drywall and other fastening applications
- Easily replaceable driver bits with magnetic bit holder
- Double insulated for operator safety
- Variable speed for operator convenience and easy screw starting
- All ball and needles give longer life and lower maintenance
- 0 - 4,000 RPM for ideal installation

STANDARD EQUIPMENT

1 Ea. Insert bit (784211-2A),
Magnetic bit holder (784801-1),
Nose piece (122211-8)



6800DBV

Accessories:
Pages 128



6801DBV

Accessories:
Pages 128

DRYWALL SCREWDRIVER

Model 6820V **Super Duty** **Drywall Screwdriver,** **Variable Speed, Reversible** □

- Compact and lightweight (3.0 lbs.) for increased maneuverability
- Powerful super duty hi-tech motor for long continuous production work
- Variable speed (0 - 4,000 RPM) for diverse fastening applications
- Easily adjustable depth locator assembly for consistent screw depth settings
- Lock-on button for continuous operation
- Conveniently located reversing switch
- Double insulated for operator safety
- All ball and needle bearings for long life and high production applications
- Low noise fan for operator comfort

STANDARD EQUIPMENT

1 Ea. Insert bit (784211-2A),
Magnetic bit holder (784807-9),
Locator (122358-8)



6820V

Accessories:
Pages 128

SCREWDRIVER

Model 6802BV **Heavy Duty** **Screwdriver,** **Variable Speed, Reversible** □

- Powerful hi-tech motor for production applications
- 0 - 2,500 RPM for self drilling and self tapping screws
- Depth sensitive clutch assembly for consistent screw depth settings
- Ball and needle bearing construction for smooth and efficient power transmission
- Quick and easy changing of bits and nutsetters
- Double insulated for operator safety

STANDARD EQUIPMENT

5/16" Magnetic socket (784804-5),
Nose piece (122213-4)



6802BV

Accessories:
Pages 128

SCREWDRIVER

Model 6805BV

Heavy Duty

Screwdriver,

Variable Speed, Reversible

- Externally adjustable 6 stage torque clutch mechanism for nut running and machine screwdriving
- Adjustable depth sensitive control mechanism for fast driving of self-drilling/self-tapping TEK screws and wood screws to consistent depth settings
- Powerful motor for heavy duty production use
- Reversible for fast removal of screws

STANDARD EQUIPMENT

Front cap (322120-3)



6805BV

Accessories:

Pages 128, 129

IMPACT WRENCHES

Model 6905B **Super Duty** **1/2" Square Drive Impact Wrench, Reversible** □

- Hi-tech motor for superior performance under heavy duty applications
- Lightweight (6 lbs.) for less operator fatigue during extended use
- Well balanced and easy handling in confined work areas
- All ball bearing construction
- Precision machined gears for long life and production usage
- Convenient rocker switch for easy reversing
- Externally accessible brushes for easy inspection and replacement
- Double insulated for operator safety

STANDARD EQUIPMENT

Hex wrench (783202-0)



6905B

Accessories:
Pages 129

Model 6906 **Super Duty** **3/4" Square Drive Impact Wrench, Reversible** □

- Hi-tech motor for heavy duty applications
- Precision gearing plus ball and needle bearing construction for smooth and efficient power transmission
- Rocker type reversing switch for easy one handed forward-reverse operation
- Adjustable (360°) side handle for operator convenience at any angle
- Externally accessible brushes for easy inspection and replacement
- Double insulated for operator safety

STANDARD EQUIPMENT

Steel tool case (823023-9),
Grip assembly (123023-2),
Hex wrench (783202-0)



6906

Accessories:
Pages 129

SHEARS

Model JS1600

Shear □

- Double insulated for operator safety
- Hi-tech motor for continuous use in 16-gauge mild steel and 18-gauge stainless steel
- Built-in thickness gauge for convenience
- Lever switch for comfort and easy use
- Easy replaceable blades with total of 8 cutting edges each
- Lightweight for easy one hand operation
- All ball and needle bearings for long life

STANDARD EQUIPMENT

Wrench (783201-2),
Shear blade set (191384-8A)



JS1600

Accessories:
Pages 130

Model JS3200

Heavy Duty

Shear □

- For heavy duty cutting in up to 10 gauge mild steel and 12 gauge stainless steel
- Cuts with no material loss in the kerf as with nibblers
- Large top handle for positive control
- Blades have 4 cutting edges each
- Built-in allowable cutting thickness gauge
- Ball and needle bearing construction for long tool life
- Highly visible sight line for precise following of patterns

STANDARD EQUIPMENT

Shear blade set (792287-5),
Gauge (762007-1),
Hex wrench (783202-0),
Steel tool case (181797-1)



JS3200

Accessories:
Pages 130

SHEARS

Model JS1660

Straight Shear □

- Double insulated for operator safety
- All ball and needle bearings for longer life
- Hi-tech motor for continuous use in 16-gauge mild steel and 18-gauge stainless steel
- Double blades cut quickly with minimal metal distortion
- Two cutting edges on side blades for lower cost
- Slide switch for one handed operation

STANDARD EQUIPMENT

Side blade set (792533-6),
Hex wrench (783201-2),
Thickness gauge (762013-6),
Center blade (792534-4)



JS1660

Accessories:
Pages 130

Model JS1670

Straight Shear □

- Fast cutting action in up to 20 gauge mild steel and 24 gauge stainless steel and 1/16" inch aluminum
- Minimum outside cutting radius of 1-3/16" for close right or left curve cuts with a smooth edge
- Removes a continuous metal curl with no material distortion
- Compact and lightweight (2.9 lbs.)
- Sliding thumb on/off switch for easy one handed operation
- Double insulated

STANDARD EQUIPMENT

Side blade set (792536-0),
Center blade (792537-8),
Hex wrench (783201-2)



JS1670

Accessories:
Pages 130

NIBBLERS

Model JN1600

Nibbler □

- Double Insulated for operator safety
- Hi-tech motor for continuous work in 16-gauge mild steel and 18-gauge stainless
- Die rotates 360° for cutting corrugated metal
- Lever switch for one handed uses and comfort
- Built-in thickness gauge for convenience
- All ball and needle bearings for longer life

STANDARD EQUIPMENT

Die (725004-8),
Punch (725005-6)



JN1600

Accessories:
Pages 130

Model JN3200

Heavy Duty

Nibbler □

- Double insulated for operator safety
- Hi-tech motor for continuous operation in mild steel up to 10-gauge and up to 12-gauge stainless
- Built-in thickness gauge for convenience
- All ball and needle bearings for longer life
- Easy punch and die replacement for less down time

STANDARD EQUIPMENT

Punch (792291-4),
Die (792292-2),
Hex wrench (783201-2),
Wrench (781019-5),
Steel tool case (181795-5)



JN3200

Accessories:
Pages 130

HAMMER DRILLS

Model HP1030W Heavy Duty 3/8" Hammer Drill, Variable Speed, Reversible □

Double insulated for operator safety
Hi-tech motor for continuous operations
All ball and needle bearings for long life
Variable speed for easy starting holes
Adjustable depth guide for "drop-in" type anchors
Drills or hammer drills with single knob changeover

STANDARD EQUIPMENT


Side handle (273406-7),
Chuck key (763414-1),
Steel tool case (823046-7),
Depth guide rod (321220-6),
Holder (164549-5),
Knob (251851-6),
Drill chuck (763048-0)

Model HP1310 1/2" Hammer Drill, 2-Speed, Var. Speed, Rev. □

Double insulated for operator safety
Drills or hammer drills with easy one hand changeover
2-speed gear change for optimum power when needed
Variable speed for easy starts

STANDARD EQUIPMENT

Side handle (273406-7),
Chuck key (763411-7),
Drill chuck (763047-2),
Depth gauge (321220-6),
Topper holder (164549-5),
Knob (251851-6),
Steel tool case (823133-2)



HP1030W

Accessories:
Pages 131, 136



HP1310

Accessories:
Pages 131


HAMMER DRILL

Model HP2010N Heavy Duty 3/4" Hammer Drill, 2-Speed, Var. Speed, Rev. □

- Double insulated for operator safety
- All ball and needle bearings for long life
- 2-speed gear change for ideal speeds and power
- Variable speed switch for easy starting of holes
- Depth setting rod for "drop-in" type anchors
- Hi-tech motor for continuous use

STANDARD EQUIPMENT

Drill chuck (763047-2),
Chuck key (763411-7),
Steel tool case (181014-9),
Side handle assembly (122232-0)



HP2010N

Accessories:
Pages 131, 136

ROTARY HAMMER

Model HR2000 3/4" Rotary Hammer, Variable Speed, Reversible □

- Double insulated for operator safety
- Compact and lightweight for less fatigue
- Hi-tech motor for continuous operation
- All ball and needle bearing construction for long life
- Torque limiter clutch to protect operator
- Variable speed for easier hole starting
- Accepts "S.D.S. plus" and dual slot bits
- Optional chuck adaptor is available for conventional drilling
- Factory grease packed for lower maintenance
- Swivel side handle for operator comfort

STANDARD EQUIPMENT

Blow-out bulb (765009-6),
Steel tool case (181872-3),
Depth rod (321144-6)



HR2000

Accessories:
Pages 132, 134 - 136

ROTARY HAMMERS

Model HR1821 **Super Duty** **1/16" Rotary Hammer,** **Variable Speed**

All ball and needle bearings for long life
Torque limiter for operator safety
Accepts "S.D.S. plus" and dual slot bits
Quick change bit retainer for easy bit changes
Dual action switch for rotary hammering or rotary only
Variable speed switch for easier starting
Depth rod for setting "drop-in" style anchors

STANDARD EQUIPMENT

Low-out bulb (765009-6),
Hex wrench #5 (783203-8),
Dust collector boot (122359-6),
Depth rod (321144-6),
Lubricant grease (181573-3),
Steel tool case (181875-7)



HR1821

Accessories:
Pages 132, 134 – 136

Model HR2511 **Super Duty** **1/4" Rotary Hammer,** **Variable Speed**

All ball and needle bearings for longer life
Hi-tech motor for heavy duty use
Torque limiter clutch to protect operator
Automatic brush cutoff to advise need for service and to protect motor
Accepts "S.D.S. plus" and dual slot bits
Quick change bit retainer for easy bit changes
Variable speed for easier hole starts
2-position lever for rotary hammering and for rotation only

STANDARD EQUIPMENT

Low-out bulb (765009-6),
Hex wrench #5 (783203-8),
Depth rod (321144-6),
Lubricant grease (181573-3),
Dust collector boot (122360-1),
Steel tool case (181798-9)



HR2511

Accessories:
Pages 132, 134 – 136

ROTARY HAMMERS

Model HR3851 **Super Duty** **1-1/2" Rotary Hammer AC/DC**

- All ball and needle bearings for longer life
- Hi-tech motor for continuous heavy duty work
- "Spline" type drive system for maximum power
- Air cushion design for hard hitting fast drilling
- Torque limiter clutch to protect operator
- Factory grease packed for reduced maintenance
- Automatic brush cutoff to advise maintenance schedule and to protect motor
- Lever change from rotary hammer to hammer only

STANDARD EQUIPMENT

Hex wrench (#4; 783202-0, #5; 783203-8),
Blow-out bulb (765009-6),
Steel tool case (181876-5)



HR3851

Accessories:
Pages 132 - 136

Model HR5000 **Super Duty** **2" Rotary Hammer AC/DC** □

- All ball and needle bearing for longer life
- Hi-tech motor for heavy duty use
- Torque limiter clutch to protect operator
- "Spline" type drive system for maximum power
- Lever change from rotary hammer to hammer only
- Comfortable grip swings 360°

STANDARD EQUIPMENT

Hex wrench (#4 783202-0, #5 783203-8,
#6 783204-6),
Steel tool case (181997-3)



HR5000

Accessories:
Pages 132, 133, 135, 136

DEMOLITION HAMMERS

Model HM1211

Heavy Duty

Demolition Hammer AC/DC

- All ball and needle bearings for longer life
- Air cushion piston for longer tool life
- Automatic brush cutout when periodic servicing is due
- Hi-tech motor for superior performance
- Factory grease packed for lower maintenance
- Easy latch bit retainer for quick bit changes

STANDARD EQUIPMENT

- Hex wrench (#4; 783202-0, #5; 783203-8, #6; 783204-6),
- Steel tool case (181964-8),
- Bull point (751403-8)



HM1211

Accessories:
Pages 133 – 136

Model HM1301

Super Duty

Demolition Hammer AC/DC

- All ball and needle bearing construction for longer life
- Powerful hi-tech motor for continuous use
- Air cushion design for long life low maintenance
- Manual oil reservoir for longer life
- Well designed for maximum hitting power on a production basis

STANDARD EQUIPMENT

- Spanner wrench #23 (781012-9),
- Hex wrench (#5; 783203-8, #6; 783204-6),
- Steel tool case (181805-8),
- Bull point (751407-0),
- Oil supply (181118-7)



HM1301

Accessories:
Pages 133 – 136

POWER SCRAPER

Model HK1810

Power Scraper □

- Double insulated for operator safety
- 5 AMP hi-tech motor (0 - 3,200 BPM) for maximum power
- Air cushion hammering for long tool life
- Quick bit retainer for easy tool changes
- Automatic brush cutout to alert need for maintenance
- Factory grease packed for reduced maintenance
- All ball and needle bearings for longer life

STANDARD EQUIPMENT

1-3/16" Scaling chisel (798265-3),
2" Scaling chisel (798264-5),
Bull point (798266-1),
Steel tool case (181856-1),
Hex wrench #5 (783203-8)



HK1810

Accessories:
Pages 133 - 136

SANDER

Model GV5000

5" Disc Sander □

- Double insulated for operator safety
- Lightweight for easy operation
- Powerful motor for maximum sanding
- Ball and needle bearing construction for long life

STANDARD EQUIPMENT

1 Ea. Abrasive disc #80 (742109-9),
Plastic pad (743025-8),
Side handle (273406-7),
Hex wrench (783203-8)



GV5000

Accessories:
Pages 138, 141 - 143

SANDER

Model 9218SB

Heavy Duty

" Sander □

Double insulated for operator safety
Powerful hi-tech motor turning at 4,000 RPM
for smooth sanding
Lightweight for less fatigue
Ball and needle bearings for long life and
smooth operation

STANDARD EQUIPMENT

Rubber pad (743012-7),
Ea. Abrasive disc
#16, #20, #24, #50, #80),
Lock nut (224517-1),
Spanner wrench (781008-0),
Lock nut wrench (782413-4),
Side handle (273480-5)



9218SB

Accessories:
Pages 138, 141 – 143

POLISHER

Model 9218PB

Heavy Duty

" Polisher □

Double insulated for operator safety
All ball and needle bearings for long life and
smooth operation
Ideal speed for polishing (2,000 RPM)
Lock on button for continuous use
5/8" x 11 standard spindle for greater
accessory availability

STANDARD EQUIPMENT

Wool bonnet (743404-0),
Rubber pad (743012-7),
Lock nut (224517-1),
Spanner wrench (781008-0),
Lock nut wrench (782413-4),
Side handle (273480-5)



9218PB

Accessories:
Pages 141 – 143

SANDER-POLISHERS

Model 9207SPB 7" Sander-Polisher

Heavy Duty

- Double insulated for operator safety
- 2 speeds to allow usage as a sander and a polisher
- Well balanced for easy handling
- All ball bearing construction for long life and smooth operation
- Removable side handle for operation preference
- 5/8" x 11 UNC standard spindle size for easy access to accessories

STANDARD EQUIPMENT

1 Ea. Abrasive disc #50 (742070-0),
Rubber pad (743012-7),
Lock nut (224517-1),
Lock nut wrench (782413-4),
Side handle (273477-4),
Spanner wrench (781008-0)



9207SPB

Accessories:
Pages 138, 141 – 143

Model 9207SPC 7" Electronic Sander-Polisher, Variable Speed

Heavy Duty

- Double insulated for operator safety
- All ball and needle construction for long life
- Electronic speed control maintains constant speed (1,500 - 2,800 RPM) for maximum power and production
- Well balanced for easy operation

STANDARD EQUIPMENT

1 Ea. Abrasive disc #50 (742070-0),
Rubber pad (743012-7),
Lock nut (224517-1),
Lock nut wrench (782413-4),
Side handle (273477-4),
Spanner wrench (781008-0)



9207SPC

Accessories:
Pages 138, 141 – 143

GRINDERS

Model 9514B

7" Disc Grinder ☐

Double insulated for operator safety
High power to weight ratio for increased production
Overload protector to protect motor from burnout
Extra powerful motor for more production
All ball and needle bearings for long life

STANDARD EQUIPMENT

Depressed center wheel (741402-8-1),
Wrench (781007-2),
Lock nut wrench (782401-1),
Side handle (273485-5),
Wheel guard (342554-4),
Grip holder (164329-9),
Inner flange (224229-6),
Lock nut (224503-2)



9514B

Accessories:
Pages 137 – 143

Model 9501BZ/BKW*

7" Disc Grinder AC/DC ☐

Double insulated for operator safety
Hi-tech motor for superior performance
All ball and needle bearings for long life
AC/DC switch for alternate power source
Lightweight for less operator fatigue

STANDARD EQUIPMENT

Ea. Grinding wheel (741402-8),
Wheel guard (342554-4),
Inner flange (224030-9),
Lock nut (224503-2),
Lock nut wrench (782401-1),
Spanner wrench (781007-2),
Side handle (273485-5)

STANDARD EQUIPMENT*

9501BZ's Standard equipment plus
Grinding disc (742039-4),
Rubber pad (743009-6),
Lock nut (224501-6),
Steel tool case (181717-5)



9501BZ / BKW

Accessories:
Pages 137 – 143

GRINDERS

Model 9503BHZ

Heavy Duty

4-1/2" Disc Grinder AC/DC □

- Double insulated for operator safety
- All ball and needle bearings for long life
- High power-to-weight for superior performance
- Shaft lock permits easy wheel changes
- AC/DC switch for use on alternative power source
- Standard wheel mounting (5/8" - 11 UNC) for using various accessories

STANDARD EQUIPMENT

1 Ea. Grinding wheel (741423-0),
Wheel guard (164797-6),
Inner flange (224178-7),
Lock nut (224509-0),
Lock nut wrench (782413-4),
Side handle (273485-5)



9503BHZ

Accessories:
Pages 137 - 143

Model 9505BHZ

Heavy Duty

5" Disc Grinder AC/DC □

- Double insulated for operator safety
- All ball and needle bearings for long life
- Lightweight yet high powered for maximum production
- Shaft lock for easy wheel changes
- AC/DC switch for alternative power sources
- Standard spindle 5/8" - 11 UNC for using various accessories

STANDARD EQUIPMENT

1 Ea. Grinding wheel (741407-8),
Wheel guard (164556-8),
Inner flange (224178-7),
Lock nut (224509-0),
Lock nut wrench (782413-4),
Side handle (273485-5)



9505BHZ

Accessories:
Pages 137 - 143

ANGLE GRINDERS

Model 9005B **Super Duty** 5" Angle Grinder AC/DC □

- Hi-tech motor with light weight for high production work and less fatigue
- Ball bearing construction
- Removable side handle can be installed on either side
- Shaft lock for easy accessory changes
- AC/DC lock-on switch
- Standard 5/8" - 11 UNC spindle
- Double insulated for operator safety

STANDARD EQUIPMENT

- 1 Ea. Grinding wheel (741407-8),
- Wheel guard (164556-8),
- Side handle (273480-5),
- Inner flange (224178-7),
- Lock nut (224509-0),
- Lock nut wrench (782413-4)

Model 9607BL **Super Duty** 7" Angle Grinder AC/DC □

- Double insulated for operator safety
- Super duty motor for continuous use
- 6,000 RPM for high production
- All ball bearing construction for long life
- Removable side handle can be mounted on either side
- AC/DC switch for using alternative power source
- Spindle lock for easy wheel changes
- Standard spindle 5/8" - 11 UNC for using different accessories

STANDARD EQUIPMENT

- 1 Ea. Grinding wheel (741413-3),
- Wheel guard (191214-3),
- Flange (224111-9),
- Lock nut (224512-1),
- Lock nut wrench (782413-4),
- Side handle (273480-5)



9005B

Accessories:
Pages 137 - 143



9607BL

Accessories:
Pages 137 - 143

ANGLE GRINDERS

Model GA7001L **Super Duty** **7" Angle Grinder AC/DC**

- All ball and needle bearings for long life
- Extra heavy duty motor for high production and continuous use
- 6,000 RPM for optimum material removal
- Removable side handle can be mounted on either side
- AC/DC switch for using alternative power source
- Rugged housing for long life
- Lock button for easy wheel changes
- Standard spindle 5/8" - 11 UNC for various accessories

STANDARD EQUIPMENT

1 Ea. Grinding wheel (741413-3),
Wheel guard (164477-4),
Flange (224111-9),
Lock nut (224512-1),
Side handle (273480-5),
Lock nut wrench (782413-4)



GA7001L

Accessories:
Pages 137 - 143

Model 9609B **Super Duty** **9" Angle Grinder AC/DC** □

- Double insulated for operator safety
- Super duty motor for continuous use
- 6,000 RPM for high production
- All ball bearing construction for long life
- Removable side handle can be installed on either side
- AC/DC switch for using alternative power source
- Takes 7" or 9" wheels for operator preference
- Spindle lock for easy wheel changes

STANDARD EQUIPMENT

1 Ea. Grinding wheel (741421-4),
Wheel guard (191215-1),
Flange (224111-9),
Lock nut (224512-1),
Lock nut wrench (782412-6),
Side handle (273480-5)



9609B

Accessories:
Pages 137 - 143

ANGLE SANDERS

Model 9000BL

Super Duty

Angle Sander AC/DC

Super duty motor develops 2-1/2 H.P. for production work
6,000 RPM for fast stock removal
Efficient air flow system reduces motor burnout
Precision gearing with all ball bearing construction for long life and production usage
Convenient spindle lock for easy accessory changes
Rugged housing is non-conductive and corrosion resistant
AC/DC lock-on trigger switch for reduced operator fatigue
Convenient externally accessible brushes
Double insulated for extra safety
Accepts either 9" or 7" wheels with proper guarding

STANDARD EQUIPMENT

Side handle (273480-5)



9000BL

Accessories:
Pages 137 - 143

Model GA7911

Super Duty

Angle Sander AC/DC

All ball and needle bearings for long life
Extra heavy duty motor for high production and continuous use
6,000 RPM for optimum material removal
Takes 7" or 9" wheels with correct guards
Removable side handle can be mounted on either side
AC/DC switch for using alternative power source
Rugged housing for long life
Lock button for easy wheel changes
Standard spindle 5/8" - 11 UNC for various accessories

STANDARD EQUIPMENT

Side handle (273480-5)



GA7911

Accessories:
Pages 137 - 143


GRINDERS

Model 9300 5" Bench Grinder

- 5" wheel size for use of attachments
- 5" bench grinder with capacitor start induction motor
- Comes complete with attachments needed to sharpen saw and planer blade
- Totally enclosed 1.7 AMP precision balanced motor
- Eyeshields are standard equipment and must be used when operating tool

STANDARD EQUIPMENT

Planer blade holder (123019-3),
Saw blade sharpening kit (122174-8),
Offset wrench (782004-1),
Eye shield (132336-0),
Grinding wheels (741004-0, 741033-3)



9300

Accessories:
Pages 143, 144

Model GE0600 1/4" Die Grinder □

- Double insulated for operator safety
- All ball bearing construction for long life
- High speed (25,000 RPM) for maximum production
- 1/4" collet capacity with 1/8" collet available
- 3/4" max wheel size for grinding small places
- Accepts metal cutters and burrs for production work

STANDARD EQUIPMENT

Wheel point (741616-9),
1/4" collet (763625-8),
Wrench #10 (781003-0),
Wrench #17 (781008-0)



GE0600

Accessories:
Pages 143, 144

GRINDER

Model 906H 1/4" Die Grinder

All ball bearing construction for long tool life
Heavy duty (30,000 RPM) for fast and efficient grinding
Sturdy aluminum housing for durability
Slimline design for easy handling
1/4" collet capacity
Metal coupling

STANDARD EQUIPMENT

Wheel point (741616-9),
Wrenches (1 Ea. 781008-0, 781003-0),
1/4" Collet (763625-8)



906H

Accessories:
Pages 143, 144

BLADE SHARPENER

Model 9820-2 Blade Sharpener

Large wheel, 7-7/8", for best sharpening
Quiet motor with best RPM for fine finish
Sharpens blades up to 15-3/4" long
Water feed for cooling blades
Lightweight for easy transportation to work

STANDARD EQUIPMENT

Grinding wheel (741070-7),
Blade holder (123061-4),
Wrench (341391-3),
Belt assembly (122209-5)



9820-2

Accessories:
Pages 143, 144

GENERATORS

Model G2400R Generator

- Low noise level and light weight ease
- Maximum output of 2,400 W
- Provides dual voltage output in a compact unit
- All G series generators include : a water resistant alternator, brushless design, condenser voltage regulator, GFCI safety outlets (120V), and a USDA approved spark arrester mufflers as standard equipment



G2400R

Accessories:
Pages 144

Model G3500R/G3501R Generator

- A combination of a new brushless alternator and a high performance Robin engine creates durable performance power package
- Maximum output of 3,500 W
- G3500R contains an easy starting Recoil Starter
- G3501R provides a more dependable Electric Starter
- Both models offer a stable supply of high-quality electricity for your power tools.



G3500R / G3501R

Accessories:
Pages 144

Model G5501R Generator





- The 5,500 W maximum output is sufficient for any home appliance and most construction equipments
- A brushless excitation system and a condenser voltage regulator yield higher stability, greater durability and easier maintenance
- G5501R is equipped with an easy start Electric Starter as standard equipment



G5501R

Accessories:
Pages 144


CORDLESS ACCESSORIES

Description	Model	Part #
Battery (1 hour fast charge) 	For all 7.2 V tools using removable battery.	632002-4 (7.2VDC)
	Bulk pkg.	632002-4-10
	Bulk pkg.	632007-4-10
	For all 9.6 V tools except 6791D, 6901D	632007-4 (9.6VDC)
Battery (1 hour fast charge) 	5600DW	632034-1 (10.8VDC)
Battery (1 hour fast charge) 	6791D, 6901D	192019-4 (9.6VDC)
1 Hour Fast Charger  	For all 7.2V tools	113086-6 (115VAC to 7.2VDC)
	For all 9.6V tools	113087-4 (115VAC to 9.6VDC)
	5600DW	113055-1 (115VAC to 10.8VDC)
1 Hour Fast Automotive Charger 	For all 7.2V tools	113026-4 (12VDC to 7.2VDC)
	For all 9.6V tools	113076-9 (12VDC to 9.6VDC)
3 Hour Charger 	6720DW	150030-2 (115VAC to 2.4VDC)
	6010SDW 6070DW	155721-0 (115VAC to 7.2VDC)
	6040DW	150087-3 (115VAC to 4.8VDC)
1 Hour Automotive Charger 	6010SDW 6070DW	155722-0 (12VDC to 7.2VDC)


CORDLESS ACCESSORIES

Description		Model		Part #
Tool Holster  * Genuine leather		6002D 6010D 6010SDW	6070DW 6071D 6071DW 6073D	823033-3A * 823033-3E
		6012HD 6092D	6093D 6094D 8400D	823033-3B * 823033-3E
Tool Holster 		6010SDW 6070DW 6071D	6002D 6010D 6710D	823033-3D
Battery Holster 		632002-4 (7.2VDC)	632007-4 (9.6VDC)	823033-3C
Locator 		6891D		410908-4
Phillips Insert Bit (10 per pkg.)	#1	6891D		784212-0A
	#2			784211-2A
	#2			784211-B*
* Reduced Nose	#3			784213-A
Phillips Insert Bit (50 per pkg.)	#1			784212-0B
	#2			784211-2B
Magnetic Bit Holder 				784807-9
Nonmagnetic Bit Holder 				784615-8
Phillips Bit 	#2 1-7/8" long	6094D 6710D 6720D 6891D 6072D 6002D 6010D 6010SDW 6012HD 6901D	6040DW 6070DW 6073D 6071D 6091D 6092D 6093D 6791D DA390D DA3000D	784214-0A
	#3 1-7/8" long			784215-0A
Slotted Bit 	#5F 1-15/16" long			784010-0A
	#7F 1-15/16" long			784011-0A
Square Drill Bit 				784606-0A
Double-ended Phillips Bit (1 per pkg.)	#1 2-5/8" long			784201-5
	#2 1-3/4" long			784202-3
	#2 2-5/8" long			784203-1
	#2 4-3/8" long			784206-5
	#2 5-7/8" long			784207-3


CORDLESS ACCESSORIES

Description	Model	Part #
Double-ended #2 Phillips Bit #2 1-3/4" long (2 per pkg) #2 2-5/8" long 	6002D 6073D 6010D 6071D 6010SDW 6092D 6012HD 6093D 6040DW DA3000D 6070DW DA390D	784202-3-2
		784203-1-2
Double-ended #2 Phillips and slotted bit (1 per pkg) 1-3/4" long 		784614-0
Rubber Pad Assembly 		123001-2
Vax Buffer 		743023-2
Wool Bonnet 		743401-6
Drill Chuck Attachment Set 	6094D 6891D 6710DW 6720D 6901D 6791D	191448-8
Drill Chuck 	DA3000D	763082-0
	6070DW 6010SDW 6010D 6071D 6012HD 6092D 6040DW 6073D 6093D 6002D	763054-5-A*
Drill Chuck and Key Set	8400D	763067-6
Keyless Chuck 	6070DW 6010SDW 6010D 6071D 6012HD 6092D 6040DW 6073D 6093D 6002D DA390D	763083-8
Chuck Key 	8400D DA3000D	763415-9
	6002D 6070DW 6010SDW 6010D 6092D 6012HD 6093D 6071D 6040DW 6073D	763419-1
Hex Wrench 	4300D 4307D 4390D	783201-2
	4190D 5090D 9500D	783202-0




CORDLESS ACCESSORIES

Description	Model	Part #
Spanner Wrench #22 	5600DW	781011-1
Socket Wrench #9 		782209-3
Rip Fence For models 4300D & 4307D use with rule holder #191602-4 		164095-8
Rule Holder 	4300D 4307D	164113-2
Circular Guide Use with rule holder #191602-4 		191602-4
Straight Bit High speed steel. Bit dia.: approx 1/4" Flute length: 7/8" Overall length: 2-3/8" 		123030-5
Drywall Bit For smooth and clean drywall cutouts. Bit dia.: 1/8" Overall length: 2-1/4" 	3700D	793333-7
1/8" Adaptor Use with drywall bit #733196-9 		733196-9
Wrench #10 		322066-3
Wrench #17 		781003-0
Guide Base For straight cuts when chamfering or grooving. 		781008-0
Straight Guide For straight cuts when routing. 		122315-6
Trimmer Guide 		122314-8
Templet Guide 		122313-0
		342984-9




CORDLESS ACCESSORIES

Description	Model	Part #
Circle Cutting Disc 	3700D	122318-0
Sandpaper — 3-5/8" x 9" (10 sheets per package) 	9035D	742506-9 (60 Grit)
		742507-7 (100 Grit)
		742508-5 (150 Grit)
Sandpaper — 3-5/8" x 9" (10 sheets per package) 	9035D	742506-9-5 (60 Grit)
		742525-5-5 (80 Grit)
		742507-7-5 (100 Grit)
		742508-5-5 (150 Grit)
Sandpaper Assortment — 3-5/8" x 9" (ea. 60, 80, 100, 150 Grit)		794406-9 (assortment)
Water Supply (for use with diamond wheel to improve glass cutting.) 	5081D	122247-7
	4190D 5090D	122387-1
3/8" Combination Blade (No. of teeth: 50) (Max. safe speed — 2,240 RPM) 	5090D	721003-8
3/8" Fine Tooth Blade (No. of teeth: 50) (Max. safe speed — 2,240 RPM) 		792299-8
3/8" Carbide Tipped Blade (No. of teeth: 20) (Max. safe speed — 2,240 RPM) 		792611-2
3/8" Diamond Wheel (Max. safe speed: 2,240 RPM) 	Wet or Dry 4190D 5081D 5090D Wet	724950-8D (gen. purpose)
		724950-8C (glass cutting)
1/4" Carbide Tipped Blade (No. of teeth: 30) (Max. safe speed — 4,770 RPM) 	5600DW	792365-1
Rubber Plate (to prevent glass workpiece from being scratched.) 	4190D	423075-6



CORDLESS ACCESSORIES

Description	Model	Part #
Jig Saw Blade #31 Extra fine blade for mild steel, thin plys, formica and masonite. (5 per package) Teeth per inch 24 	4300D 4307D	792221-5
Jig Saw Blade #39 Ideal for general wood cutting. (5 per package) Teeth per inch 12 		792222-3
Jig Saw Blade #36 For scroll cutting in plywood. (5 per package) Teeth per inch 15 		792544-1
Shear Blade Assembly 	UH3000D	122285-9
Shear Blade Assembly 	UM1000D	122292-2
Trimmer Blade (20 per package) 	UM1200D	792374-0
Blade Cover 	UH3000D	410471-7
	UM1000D	410540-4
Nozzle 	4071D	122234-6
Crevice Nozzle 		411891-8
Extension Pipe 		412040-0
Flexible Hose 		191496-7
Paper Filter 		443060-3



CORDLESS ACCESSORIES

Description	Model	Part #
Wheel Point (per package)  1-5/32" 1-3/16" 1-7/32"	903D	794400-1
		794401-9
		794402-7
auge 	903D	762015-2
Chain Blade Sharpening Attachment 		122399-4
Flex Wheel (per package) 3/32" x 5/8"  60 grit	9500D	741438-7P
Recipro Saw Blades  #71 Teeth per inch 24 (per package)	4390D	792540-9
 #72 Teeth per inch 24		792615-4
 #78 Teeth per inch 9		792541-7
 #79 Teeth per inch 9		792616-2
Universal Joint 	6900D	785205-0
Extension Bar 		785201-8
Socket Adaptor (square drive size 3/8")  3/8" 1/2"	6912D	785404-4
		785403-6







CORDLESS ACCESSORIES

Description	Model	Part #
Steel Tool Case 	6002D 6010D 6071D 6073D 6710DW	823087-3
	6012HD 6092D 6093D 6094D 8400D	823085-7
	DA3000D	191715-9
	6891D	181965-6
	DA390D	182217-8
	6791D 6901D	182132-6
Wood Tool Case 	5600DW	181713-3
Plastic Tool Case 	6002D	181495-7
	6010D 6071D	181372-3
	6010DL	181563-6
	6012HD 6092D	824145-8
	6710DW	181428-2
	6900D	824310-9






SAW ACCESSORIES

Description	Blade Diam.	# Teeth	Model	Part #
Combination Saw Blade 	4-3/8"	50	4200N	721104-2
	5-1/2"	24	5005BA	792331-8
	5-1/2"	50	5005BA	792334-2
	7-1/4"	20	5007NB, 5007NBA, 5077B, 5820	721245-4
	7-1/4"	20	5077B	792436-4
	7-1/4"	40	5077B	792446-1
	8-1/4"	30	2708W, 5008NBA	721317-5
	10"	36	2711, 5201NA, LS1020, LS1030, LS1011	792317-2
	10-1/4"	36	5201NA	721411-3
	14"	80	LS1440	721610-7
	16-5/16"	50	5402A	721703-0
Cross-cut Saw Blade 	4-3/8"	60	4200N	721105-0
	5-1/2"	70	5005BA	792333-4
	8-1/4"	50	M242, 5008NBA	721333-7
	10-1/4"	80	5201NA	721410-5
	16-5/16"	100	5402A	721702-2
	10"	50	LS1011, LS1020, LS1030	792641-3


SAW ACCESSORIES

Description	Blade Diam.	# Teeth	Model	Part #
Plywood Saw Blade 	5-1/2"	120	5005BA	792332-6
Tip Saw Blade 	16-5/16"	70	5402A	721701-4
Metal Cutting Saw Blade 	4-3/8"	110	4200N	721108-4
Slitter Saw Blade 	10" 10"	100 100	LS1020, LS1030, LS1011 LS1020, LS1030, LS1011	721404-0 721405-8
Carbide Tipped Saw Blade 	4-3/8" 4-3/8" 5-1/2" 6-1/2" 7-1/4" 7-1/4" 7-1/4" 8-1/4" 8-1/4" 8-1/4" 10" 10" 10" 10" 14" 14" 16-5/16"	4 24 18 16 16 16 40 18 40 40 50 50 70 22 80 100 60	4200N 4200N 5005BA M511 5007NB, 5007NBA, 5077B 5077B, 5820 5007NB, 5007NBA, 5077B, 5820 2708W, 5008NBA 2708W, 5008NBA 2708W, 5008NBA 5201NA, LS1020, LS1030, LS1011 5201NA, LS1020, LS1030, LS1011 5201NA, LS1020, LS1030, LS1011 2711 LS1440 LS1440 5402A	721107-6 721107-6A 792335-0 792437-2 721252-7 792435-6 721251-A 792199-2 792377-4 792377-A 792210-7A 792200-3 792303-3 792424-1 792297-7A 792298-0 721704-8
Diamond Dry Cutting Blade * number of segments. 	4-3/8" 4-1/8" 4-1/8" 4-3/8" 5" 5" 7" 7"	8** 8** 9** 10** 18**	4200N 4200N 4200N 4200N 5005BA 5005BA 5007NB, 5007NBA 5007NB, 5007NBA	724904-B 724901-8A 724901-8B 724901-8C 724905-7A 724905-7B 724907-3B 724907-3A


SAW ACCESSORIES

Description	Model	Part #
Dado Head Set  Max. safe RPM: 4,800 2 Outside Cutters: 6" diameter, 1/8" thick, 5/8" arbor hole. 2 Inside Cutters: 6" diameter, 1/8" thick, 5/8" arbor holes. Inside Cutter: 6" diameter, 1/16" thick, 5/8" arbor hole	2708W	191543-4
Flange For use with dado head set when cutting 5/16", 3/8", 7/16" or 1/2" grooves. 		224263-6
Table Insert Wide slot opening for use with dado head. 		342787-1
Rip Fence 	4200N 5005BA 5007NB 5007NBA 5008NBA 5077B 5820	164095-8
	5007NB 5007NBA 5008NBA	164818-4
	5201NA 5402A	164019-4
Holder Assembly For supporting long stock and repeated cut-off operations 	LS1020	191550-7
	LS1030 LS1011	192118-2
	LS1440	191239-7
Vise Assembly For secure stock retention. 	LS1020	134363-3
	LS1030 LS1011	134620-9
	LS1440	134413-4
Holder Set Increase the overall table size for supporting larger panels. 	2711	191773-7
	2708W	191452-7
Rip Fence 	2708W	122250-8
	2711	122328-7
Miter Gauge 	2708W	122219-2

SAW ACCESSORIES

Description	Model	Part #
Extension Table  Used with table saw and (122251-6)	Left 2708W Right 2708W	122406-3 122405-5
Porta-table  Converts model 2708W into a full size table saw.	Basic Unit Extension Table Outfeed Table 2708W	122700-A 122710-A 122720-A
Table Saw Stand Heavy duty open steel stand for sturdy support and added convenience.	 2708W 2711	122251-6
Extension Wing Increase the overall table size for supporting larger panels. Ruler markings for rip fence.	 2711	331308-4 Front 331293-1 Rear
Dado Head Set  Max. safe RPM: 4,800 Outside Cutters: 6" diameter, 1/8" thick, 5/8" arbor hole. 4 Inside Cutters: 6" diameter, 1/8" thick, 5/8" arbor holes. Inside Cutter: 6" diameter, 1/16" thick, 5/8" arbor holes, 3 rings (257137-6)	2711	191794-9
Ring For use with dado head set when cutting 1/4", 5/16", 3/8", 1/2", 5/8" or 3/4" grooves.		257137-6
Table Insert Provides slot opening for use with dado head.		343396-9


SAW ACCESSORIES

Description	Model	Part #
Socket Wrench 	4200N 5005BA 5820	782209-3
	LS1011 LS1020 LS1030 LS1440	782212-4
Spanner Wrench 	#13 5007NB 5007NBA 5008NBA 5201NA 5402A	781203-2
	#19 2708W 2711	781010-3
	#22 4200N 5077B 5201NA 5402A	781011-1
Offset Wrench 	2711	782015-6
	5077B	782016-4
	5820	781401-8
Hex Wrench 	2114C	783202-0
	2711	783203-8
Phillips Screwdriver 	2711	783002-8
Push Block 	2708W 2711	155508-0
Dust Bag 	LS1030 LS1011	122351-2
	LS1020	122351-2
	LS1440	122330-0

JIG SAW ACCESSORIES



Saw Blades	Part #	Qty. Per Pkg.	Teeth Per Inch	Overall Length
	723012-3	10	24	3-7/32"
	723012-3-2	2	24	3-7/32"
	723009-2	10	14	3-7/32"
	723009-2-2	2	14	3-7/32"
	723010-7	10	9	3-7/32"
	723010-7-2	2	9	3-7/32"
	723011-5	10	9	3-7/32"
	723011-5-2	2	9	3-7/32"
	723008-4	10	24	2-5/16"
	723008-4-2	2	24	2-5/16"
	723023-8	10	8	3-7/32"
	723023-8-2	2	8	3-7/32"
	723024-6	10	8	3-7/32"
	723024-6-2	2	8	3-7/32"
	723025-4	10	8	3-7/32"
	723025-4-2	2	8	3-7/32"
	792211-8	10	9	3-7/32"
	792211-8-2	2	9	3-7/32"
	792214-2	10	14	3-7/32"
	792214-2-2	2	14	3-7/32"
	792396-0	5	12	3-7/32"
	792396-0-2	2	12	3-7/32"
	792395-2	5	15	3-7/32"
	792395-2-2	2	15	3-7/32"
	792428-3	5	24	3-7/32"
	792429-1	5	8	4-1/8"
	792430-6	5	8	4-1/8"
	792529-7	5	9	3-1/8"
	792463-1	5	9	3"
	792464-9	5	6	3-1/8"
	792465-7	5	8	3-1/8"
	792466-5	5	18	2"
	792467-3	5	12	2"
	792468-1	5	6	3-1/8"
	792469-9	5	6	2-3/4"
	792470-4	5	14	1-3/4"
	792471-2	5	12	2-1/2"
	792472-0	5	12	3"
	792473-8	5	24	2"
	792474-6	5	14	2"
	792475-4	5	32	2"
	792476-2	5	9	3"
	792477-0	5	9	2-3/4"
	792478-8	5	24	2"

JIG SAW ACCESSORIES



Description		Model	Part #
Hex Wrench		4300BV 4301BV 4302C 4320 JV2000	783201-2
Rip Fence * For fast ripping to uniform width.			164113-2
Circular Guide *			123030-5
Universal Blade Clamp For use of 1/4" universal blades.		4300BV	132276-2
Rule Holder Assembly		4302C 4320	343381-2
Steel Tool Case		4302C	181967-2
		4301BV	823099-6

* for 4302C, 4320. Use with Rule Holder Assembly (343381-2)



RECIPRO SAW ACCESSORIES

Blades for JR3010	Qty. Per Pkg	Teeth Per Inch	Overall Length	Part #
No. 21 	5	24	120 mm (4-3/4")	792146-3
No. 22 		18	160 mm (6-5/16")	792147-1
No. 23 		9	160 mm (6-5/16")	792148-9
No. 24 		24	160 mm (6-5/16")	792149-7
No. 25 	3	8	150 mm (5-7/8")	792618-8
No. 26 		8	200 mm (7-7/8")	792620-1
3 Piece Variety Pack Includes 1 each: 723018-A 723018-D 723019-C Part #723016-3-A		3 Piece Variety Pack Ultra long life bi-metal. Includes 1 each: 723017-E 723017-B 723017-C Part #723016-3-B		

RECIPRO SAW ACCESSORIES

Saw Blades	Part #	Qty. Per Pkg.	Teeth Per In.	Overall Length
Wood Cutting Blade   	723018-A-5	5	6	6"
	723018-A-2	2	6	6"
	723018-B-5	5	6	12"
	723018-B-1	1	6	12"
	723018-C-5	5	6	6"
	723018-D-5	5	10	6"
	723018-D-2	2	10	6"
Metal Cutting Blade For rapid cutting of metal and fiberglass. Made of high speed steel.	723019-E-5	5	6	6"
	723018-P-5	5	6	6"
	723019-A-5	5	14	6"
	723019-A-2	2	14	6"
	723019-B-5	5	18	4"
	723019-B-2	2	18	4"
	723019-C-5	5	18	6"
	723019-C-2	2	18	6"
	723019-D-5	5	24	6"
	723019-D-2	2	24	6"
Bi-metal Blade Combination of high speed steel teeth welded to a shatter proof flexible backed blade. Ultra long life blade.	723019-G-5	5	14	4"
	723019-G-2	2	14	4"
	723019-H-5	5	18	4"
	723019-J-5	5	36	4"
	723019-K-5	5	24	4"
	723019-K-2	2	24	4"
	723017-A-5	5	10	6"
	723017-A-2	2	10	6"
	723017-B-5	5	14	6"
	723017-B-2	2	14	6"
All illustrations shown are general representations for blades in that category. Actual design of blades may vary slightly.	723017-C-5	5	18	6"
	723017-C-2	2	18	6"
	723017-D-5	5	24	6"
	723017-D-2	2	24	6"
	723017-E-5	5	6	6"
	723017-E-2	2	6	6"
	723017-F-5	5	6	12"
	723017-G-5	5	14	4"
	723017-H-5	5	18	4"
	723017-H-2	2	18	4"
	723017-J-5	5	24	4"
	723017-J-2	2	24	4"
	723017-K-5	5	18	3-1/2"




RECIPRO SAW ACCESSORIES

Description	Model	Part #
Vise Assembly 	JR3010	122403-9
Vise Handle Use this vise handle instead of the standard equipped vise handle (length: 180 mm ; 7-1/16") when cutting in tight place. 	JR3010	272024-8
Hex Wrench #4 	JR3000V JR3000WL JR3010	783202-0
Steel Tool Case 	JR3000V JR3000WL	823100-7
	JR3010	182200-5
Hand Saw For close quarter sawing. Accepts standard reciprocating saw blades. 	—	113080-8
Hand Saw Blade For cutting in nail free wood. (2 per pkg.) 	Hand Saw 113080-8	792409-7


BLOWER & VACUUM ACCESSORIES

Description	Model	Part #
Long Nozzle  For spot cleaning.	4014NV	134182-7
Cartridge Filter 	XEV-08 XEV-12 XSV-20	110001A
Filter Bags 	XBV-01	110000A


CHAIN SAW & HEDGE TRIMMER ACCESSORIES

Description	Model	Part #
	5012B	713010-5
	5014NB	713014-7
	5016NB	713015-5
	5012B 5014NB 5016NB	181117-9
	5012B 5014NB 5016NB	744003-1
 Slotted	5014NB 5016NB	783001-0
 Phillips	5012B	783002-8
	5012B 5014NB 5016NB	191686-2
	5012B	411936-2
	5014NB	414593-5
	5016NB	414593-5
	5012B 5014NB 5016NB	242012-9
	5012B 5014NB 5016NB	782212-4
 (for securing extension cord to the tool cord)	5012B 5014NB 5016NB	158024-1
 (for oil reservoir)	5014NB 5016NB	414106-2
	UH4510A	122377-4
	UH6310A	122378-2
	UH4510A	414341-2
	UH6310A	414342-0



CONCRETE PLANER & ANGLE CUTTER ACCESSORIES

Description	Model	Part #
12" Abrasive Cut-Off Wheel (5 per pkg.) Max. Safe Speed: 5,000 RPM 	4110B	792293-0 masonry
		792301-7 steel
Diamond Wheel (Dry) For masonry and concrete. Size: 10" Arbor: 1" Max. Safe Speed: 4,000 RPM 	4110B	792290-6
Socket Wrench 	4110B	782210-8
Slotted Screwdriver 	PC1100	783001-0
Diamond Wheel (Dry) 	PC1100	724906-5 724907-1A (segmented)
Steel Tool Case 	PC1100	823070-0
	4110B	823102-3
Lock Nut Wrench 	PC1100	782401-1
Lock Nut 	PC1100	224526-0




CUT-OFF & PVC SAW ACCESSORIES

Description	Max. Safe Speed	Model	Part #
Abrasive Cut-Off Wheel For all ferrous materials (steel cast iron) and other hard materials. Reinforced. 1" arbor. (5 pcs. per pkg.) • (25 pcs. per pkg.) 	3,900 RPM	2412N	724504-5
	4,400 RPM	2414	724603-3
	3,380 RPM	2416S	724701-3
	4,400 RPM	2414	• 724603-3-25
Thermoplastic Blade For cutting PVC pipe. 12" Diameter 25 mm Arbor 200 Teeth 	4,380 RPM	LS1200	792318-0










CUT-OFF & PVC SAW ACCESSORIES

Description	Model	Part #
Socket Wrench For changing wheels. 	2412N 2414 2416S	782210-8
	LS1200	782212-4
Quick Release Vise 	2414	134548-1
	2416S	134549-9




PLANER ACCESSORIES

Description		Size	Model	Part #
Planer Blade (2 per pkg.) High-Speed Steel * Tungsten-carbide		3-1/4"	1100 1900BW 1923B	731001-4 * 731201-6
		4-3/8"	1911B	793008-8 * 793009-6
		6-1/8"	1805B	731010-3 * 731204-0
Description			Model	Part #
Double Edged Planer Blade For use with set plate 343433-9 (2 per pkg.) (disposable carbide blade)			1100 1900BW 1923B	793322-2
				
Nozzle Assembly For nonlogging chip deflection in desired direction.			1900BW 1923B	132351-4
				
Dust Bag For effective chip and dust collection.			1900BW 1923B	122230-4
				
Bevel Guide 0 – 45° bevel cuts.			1100 1923B	123032-1
			1805B	123053-3
			1900BW	123060-6

PLANER ACCESSORIES

Description	Model	Part #	
Extension Guide (Use with Guide Rule) 	1900B 1911B 1923B	191725-8	
Guide Rule 	1100	161046-2	
	1900BW 1911B 1923B	164371-0	
Sharpening Holder Assembly For honing dull blades. 	1100 1900BW 1923B	123004-6	
	1805B	123006-2	
	1911B	123055-9	
Leveller 	1911B	155270-7	
Blade Gauge Assembly For fast accurate blade setting. 	1100 1900BW 1923B	123010-1	
	1805B	123009-6	
Dressing Stone For use with sharpening holder. 	1100 1900BW 1911B 1923B	741802-2	
	1805B	741801-4	
Screwdriver (phillips) 	1100 1805B 1900BW 1911B 1923B	783002-8	
Socket Wrench 	1100 1805B 1900BW 1911B 1923B	782209-3	
Tool Case 	Wood	1805B	821087-7
	Plastic	1900BW	824174-1
	Steel	1100	181178-9
	Steel	1923B	182113-0

BAND SAW ACCESSORIES

Description	Blade Type	Teeth per inch	Blades per pkg.	Model	Part #
Band Saw Blade 	Carbon Steel Blade	10 14 18 24	3 3 3 3	2106K	792567-A 792560-A 792559-A 792558-A
	Bi-Metal	10 14 18 24	1 1 1 1	2106K	792557-B 792557-A 792556-A 792555-A
Description				Model	Part #
Portable Band Saw Stand 3/4" pipes can be fitted as legs on job site. 				2106K	122370-8
Cutting Wax 				2106K	191897-9
Triangular Rule 				2106K	762001-3
Hex Wrench 				2106K	783209-6
Steel Tool Case 				2106K	182240-3




HEAT GUN ACCESSORIES

Description	Model	Part #
Wide Angle Slit Nozzle Provides a 1-3/4" x 3/16" air flow. 	HG1100	110751-A
Large Reflector Nozzle 3" wide. Used to deflect air flow around pipes. 		110730-A
Plastic Welding Rods Used to provide filler material for welding operation. 		PVC plastic 110731-A ABS plastic 110742-A






HEAT GUN ACCESSORIES

Description		Model	Part #
3" Surface Nozzle Provides a 3" by 1/4" air flow for heating large surfaces.		HG1100	110702-A
3/8" Reduction Nozzle Provides small area air flow (approx. 3/8")			110706-A
3/8" Reflector Nozzle Small reflector nozzle for use in activating solder sink wire connectors and small shrink tubing.			110746-A
Plastic Welding Nozzle Attached to Item No. 110706-A to provide concentrated air flow to melt the plastic welding rod.			110720-A





WOODWORKING MACHINE ACCESSORIES

Description	Size	Model	Part #
High-Speed Planer Blades Steel (2 per pkg.)	6-1/8"	2030N	731021-8
	12-1/2"	2030N	793323-0
	15-5/8"	2040	731024-2
Tungsten-Carbide Planer Blades (2 per pkg.)	6-1/8"	2030N	731206-6
	12-1/2"	2030N	793324-8
	15-5/8"	2040	731208-2
Double Edge Planer Blade (2 per pkg.)		2012	793347-6
Speed Reduction Sprocket Set Reduces feed rate to: 16.2 ft./min. or 19.7 ft./min. Approx. 45% or 33% reduction.		2040	191440-4
Planer Stand 	2030N 2040		122192-3A
	2012		122383-9



WOODWORKING MACHINE ACCESSORIES

Description	Model	Part #
Band Saw Stand Heavy duty steel stand for sturdy support and added convenience	 2114C	122308-3
Push Block 		155508-0
Rip Fence (With rod, guide bar, hex bolt M8 x 16)	 2114C	122307-5
Band Saw Blade 	1" For wood 1/2" For wood 1/4" For wood 1/2" For plastics 1/2" For non-ferrous metal 2114C	792353-8
		792354-6
		792355-4
		792356-2
		792357-0
Sharpening Holder Assembly 	2030N 2040	123006-2
Dressing Stone 	2030N 2040	741801-4
Screwdrivers 	Slotted 2040	783001-0
	Phillips 2030N 2040	783002-8
Hex Wrench 	2030N 2114C	783202-0
	2012	783201-2
Socket Wrench 	2040	782211-6
	2030N	782213-2
	2012	782203-5
Spanner Wrench 	2030N 2012	781202-4
	2114C	781204-0
	2114C	781003-0
Angle Rule Assembly 	2114C	122219-2
Magnetic Holder 	2012	762014-4


DUST COLLECTOR ACCESSORIES

Description	Model	Part #
Table Saw Hood Use to attach hose to table saw models 2711 and 2708W. 		191793-1
Hood for Planers Fits model 2030N  Fits model 2030 Fits model 2040 Fits model 2012 		191719-3 191720-8 191721-6 192010-2
Dust Collector System for Jointer ① Jointer Hood  ② Adjustable Y-joint ③ Joint hose Fits model 2030, 2030N 	410	191777-9 122342-3 191779-5
Blower Nozzle Assembly Includes blower cover, Part No. 168154-0 		191716-9
Hose * Used to connect jointer to adjustable Y-joint.  * 6.5 ft. 8 ft. 16 ft. 32 ft.		191779-5 191711-9 191712-7 191713-5
Hose Connector For connecting two hoses 		191757-5
Dust Bag 		166023-9
Dust Bag Connector Connects dust bag to the hose 		191789-2
4" Joint Connects 4" dia. hood to the hose 		122336-8



SANDER ACCESSORIES

Description	Size	Qty. Per pkg.	Model	Grit	Part #
Abrasive Paper  	4-1/2" x 11"	10	9045B 9045N	#60 #100 #120 #150 #180	742501-9 742502-7 742503-5 742504-3 742505-1
		5		#60 #80 #100 #150	742501-9-5 742524-7-5 742502-7-5 742504-3-5
		8		Assortment	794407-7
	3-5/8" x 9"	10	9035	#60 #100 #150	742506-9 742507-7 742508-5
		5		#60 #80 #100 #150	742506-9-5 742525-5-5 742507-7-5 742508-5-5
		8		Assortment	794406-9
	4-1/2" x 5-1/2"	10	BO4510 BO4550 BO4550Z	#60 #100 #150	742509-3 742510-8 742511-6
		5		#60 #80 #100 #150	742509-3-5 742523-9-5 742510-8-5 742511-6-5
		8		Assortment	794408-5
Polinet Paper For wood and metal. Sand, polish and remove paint with both sides of polinet. 	4-1/2" x 5-1/2"	10	BO4510 BO4550 BO4550Z	#60 #80 #100 #120	742105-0A 742105-0B 742105-0C 742105-0D
		3		#60 #80 #100 #120	742105-0A-3 742105-0B-3 742105-0C-3 742105-0D-3
Abrasive Belts 	1-1/8" x 21"	10	9030	#40 #60 #80 #100 #120 #150	742301-7 742302-5 742303-3 742304-1 742305-9 742334-2



SANDER ACCESSORIES

Description	Size	Qty. Per Pkg.	Model	Grit	Part #
Abrasive Belts 	3" x 21"	10	9901 9900B	# 40	742306-7
				# 60	742307-5
				# 80	742308-3
				# 100	742309-1
				# 120	742310-6
				# 150	742311-4
	3" x 24"	2	9924B 9924DB	# 40	794119-F-2
				# 60	794119-A-2
				# 80	794119-B-2
				# 100	794119-C-2
				# 120	794119-D-2
				# 150	794119-E-2
3" x 24"	10	9924B 9924DB	# 40	742312-8A	
			# 60	742312-8B	
			# 80	742312-8C	
			# 100	742312-8D	
			# 120	742312-8E	
			# 150	742312-8F	
4" x 24"	2	9401	# 40	794237-A-2	
			# 60	794237-B-2	
			# 80	794237-C-2	
			# 100	794237-D-2	
			# 120	794237-E-2	
			# 150	794237-F-2	
4" x 24"	10	9401	# 40	742320-3	
			# 60	742321-1	
			# 80	742322-9	
			# 100	742323-7	
			# 120	742324-5	
			# 150	742325-3	
4" x 24"	2	9401	# 40	794133-A-2	
			# 60	794133-B-2	
			# 80	794133-C-2	
			# 100	794133-D-2	
			# 120	794133-E-2	
			# 150	794133-F-2	
Description	Size	Model	Grit	Part #	
Pressure Sensitive Sandpaper (10 pcs. per pkg.) 	5" Round Use with part #743031-3	BO4530	# 60	742095-4	
			# 80	742095-8A	
			# 100	742096-2	
			# 120	742096-6A	
			# 150	742097-0	
			# 180	742097-7A	
	6" Round Use with part #743032-1	BO4530	# 60	742098-8	
			# 100	742099-6	
			# 120	742101-5	
			# 150	742100-7	
			# 180	742102-3	
			4" x 4-3/8" Use with part #743030-5	BO4530	# 60
# 100	742518-2				
# 150	742519-0				






SANDER ACCESSORIES

Description	Model	Part #
Clamp Plate 	BO4550	163247-8
1/2" Rubber Pad For use with pressure sensitive sandpaper 		743031-3
	5" round	
	6" round	743032-1
	4" x 4-3/8" Rubber Pad	743030-5
Clamp Stand Mounts sander upside down for easier finishing of small pieces. 	9401	342332-2
Stationary Stand 	9901	122353-8
Clamping Shoe 	9901	122352-0
Wheel 	9741	Slit Paper 794380-1
		Wire Brush 794382-7
		Cotton Buff 794381-9
Nylon Brush Wheel 		#120-80 794384-3
		#120-100 794379-6
		#120-240 794383-5

ROUTER & TRIMMER ACCESSORIES






Straight & Groove Forming Bits	Type	A	D	Part #
Straight - Single Flute 	Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped High Speed Steel	1/4" 3/8" 1/2" 1/2" 1/2" 1/8"	1/4" 1/2" 1/2" 1/2" 1/2" 1/4"	733001-0A 733002-0A 733002-4A 733002-5A 733002-6A 733232-6A
Straight - 2 Flute, 1/4" Shank 	Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped High Speed Steel High Speed Steel High Speed Steel High Speed Steel High Speed Steel	3/16" 1/4" 1/4" 1/4" 5/16" 3/8" 1/2" 5/8" 3/4" 1/4" 5/16" 3/8" 1/2" 5/8" 3/4"	1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4"	733003-2A 733003-4A 733003-6A 733003-8A 733004-0A 733004-2A 733004-4A 733004-6A 733233-0A 733233-4A 733233-8A 733234-2A 733234-6A 733234-8A
Straight - 2 Flute, 1/2" Shank 	Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped	3/8" 1/2" 1/2" 1/2" 1/2" 3/4" 7/8" 1"	1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	733005-4A 733005-6A 733005-8A 733005-9A 733006-4A 733006-6A 733006-8A
Hinge Mortising - 2 Flute 	Carbide Tipped High Speed Steel	1/2" 1/2"	1/4" 1/4"	733006-9A 733235-0A
Veining - Single Flute 	Solid Carbide Solid Carbide High Speed Steel High Speed Steel	1/8" 3/16" 1/8" 3/16"	1/4" 1/4" 1/4" 1/4"	733007-6A 733007-8A 733237-6A 733237-8A
Round Noze 	Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped	1/4" 3/8" 1/2" 5/8" 3/4"	1/4" 1/4" 1/4" 1/4" 1/4"	733008-2A 733008-4A 733008-6A 733008-8A 733009-0A
Core Box 	High Speed Steel High Speed Steel High Speed Steel	1/4" 3/8" 1/2"	1/4" 1/4" 1/4"	733238-2A 733238-4A 733238-6A

ROUTER & TRIMMER ACCESSORIES





Straight & Groove Forming Bits	Type	D	F	Part #	
Vee Grooving 	Carbide Tipped	1/4"	3/8"	733009-2A	
	Carbide Tipped	1/4"	5/8"	733009-4A	
	High Speed Steel	1/4"	1/2"	733239-2A	
	High Speed Steel	1/4"	1-9/32"	733239-4A	
4° Dove Tail 		A	D	Part #	
	Carbide Tipped	1/2"	1/4"	733009-6A	
	High Speed Steel	1/2"	1/4"	733239-6A	
Tagger Tooth 	Carbide Tipped	3/8"	1/2"	733007-0A	
	Carbide Tipped	1/2"	1/2"	733007-2A	
Panel Pilot 	Carbide Tipped	1/4"	1/4"	733030-2A	
	Carbide Tipped	3/8"	3/8"	733030-4A	
	Carbide Tipped	1/2"	1/2"	733030-6A	
	High Speed Steel	1/4"	1/4"	733236-0A	
Point Cutting Quarter Round 	High Speed Steel	A	D	F	733243-6A
		3/16"	1/4"	1/2"	
Point Cutting Ogee 	High Speed Steel	A	D	F	733243-8A
		9/32"	1/4"	1-1/8"	
Edge Forming Bits	Type	A	D	Part #	
Corner Rounding 	C.T. B.B. Pilot	3/16"	1/4"	733120-0A	
	C.T. B.B. Pilot	1/4"	1/4"	733120-2A	
	C.T. B.B. Pilot	5/16"	1/4"	733120-4A	
	C.T. B.B. Pilot	3/8"	1/4"	733120-6A	
	C.T. B.B. Pilot	1/2"	1/4"	733120-8A	
	C.T. B.B. Pilot	3/8"	1/2"	733121-0A	
	C.T. B.B. Pilot	1/2"	1/2"	733121-2A	
	H.S.S. Solid Pilot	1/4"	1/4"	733240-2A	
	H.S.S. Solid Pilot	3/8"	1/4"	733240-6A	
	H.S.S. Solid Pilot	1/2"	1/4"	733240-8A	

REPLACEMENT
BEARING -
NO. 733132-4A



ROUTER & TRIMMER ACCESSORIES

Edge Forming Bits	Type	A	D	Part #
Beading REPLACEMENT BEARING - No. 733132-2A 	C.T. B.B. Pilot C.T. B.B. Pilot C.T. B.B. Pilot C.T. B.B. Pilot C.T. B.B. Pilot H.S.S. Solid Pilot H.S.S. Solid Pilot H.S.S. Solid Pilot	3/16" 1/4" 5/16" 3/8" 1/2" 1/8" 1/4" 3/8"	1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4"	733121-4A 733121-6A 733121-8A 733122-0A 733122-2A 733241-2A 733241-6A 733242-0A
Cove REPLACEMENT BEARING - NO. 733132-2A 	C.T. B.B. Pilot C.T. B.B. Pilot C.T. B.B. Pilot H.S.S. Solid Pilot H.S.S. Solid Pilot H.S.S. Solid Pilot	1/4" 3/8" 1/2" 1/4" 3/8" 1/2"	1/4" 1/4" 1/4" 1/4" 1/4" 1/4"	733122-6A 733122-8A 733123-0A 733242-6A 733242-8A 733243-0A
45° Chamfering REPLACEMENT BEARING - NO. 733132-4A 	C.T. B.B. Pilot H.S.S. Solid Pilot	1/2" 9/16"	1/4" 1/4"	733124-4A 733244-4A
Rabbeting REPLACEMENT BEARING - NO. 733132-4A 	C.T. B.B. Pilot H.S.S. Solid Pilot H.S.S. Solid Pilot	3/8" 1/4" 3/8"	1/4" 1/4" 1/4"	733124-2A 733244-0A 733244-2A
Roman Ogee REPLACEMENT BEARING - NO. 733132-2A 	C.T. B.B. Pilot C.T. B.B. Pilot H.S.S. Solid Pilot H.S.S. Solid Pilot	5/32" 1/4" 5/32" 1/4"	1/4" 1/4" 1/4" 1/4"	733123-2A 733123-4A 733243-2A 733243-4A




ROUTER & TRIMMER ACCESSORIES

Laminate Trimming Bits	Type	B	D	Part #	
Flush Trimmer - Self-Piloting 	Solid Carbide	1/4"	1/4"	733128-0A	
22° Bevel Trimmer - Self-Piloting 	Solid Carbide	1/4"	1/4"	733128-2A	
Flute Flush Trimmer 3/8" REPLACEMENT BEARING - P.O. 733132-2A 1/2" REPLACEMENT BEARING - P.O. 733132-4A 	Carbide Tipped Carbide Tipped Carbide Tipped Carbide Tipped	3/8" 1/2" 1/2" 1/2"	1" 1/2" 1" 1"	1/4" 1/4" 1/4" 1/2"	733128-8A 733128-9A 733129-0A 733129-1A
Combination Flush/22° Bevel Trimmer 	Carbide Tipped	7/16"	1/2"	1/4"	733128-6A
Flute Flush Trimmer Assembly Self-Piloting REPLACEMENT BEARING - P.O. 733132-6A 	Assembly With Solid Carbide Cutter	3/8"	1/4"		733129-2A
Flute 22° Bevel Trimmer Assembly Self-piloting REPLACEMENT BEARING - P.O. 733132-6A 	Assembly With Solid Carbide Cutter	3/8"	1/4"		733129-4A
Router Bit Accessories		A	B	C	Part #
Flute Flush Replacement Cutter - Solid Carbide OR ASSEMBLY P.O. 733129-2A 		3/8"	1/4"	5/8"	733129-6A
Flute 22° Replacement Cutter - Solid Carbide OR ASSEMBLY P.O. 733129-4A 		3/8"	1/4"	7/8"	733129-8A


ROUTER & TRIMMER ACCESSORIES

Router Bit Accessories		A	B	D	Part #
1/4" REPLACEMENT ARBOR Includes arbor, washer, bearing and nut. FOR ASSEMBLIES NO. 733129-2A, 733129-4A					
Ball Bearing Pilot 		A 3/8" O.D. 1/2" O.D. 5/8" O.D.		B 1/8" I.D. 3/16" I.D. 1/4" I.D.	733131-2A 733132-2A 733132-4A 733132-6A
Description	Size	Model		Part #	
Collet Cone 	1/2"	3601B		763623-2	
	1/2"	3612B 3612BR		763622-4	
	1/4"	3620		763637-1	
	1/4"	3606 3700B 3702B 3705		763608-8	
Collet Sleeve 	1/4" I.D., 1/2" O.D.	3601B 3612B 3612BR		763803-0	
Templet Guide 	A	B	C	3601B	323448-2
	5/16"	3/8"	5/16"		323449-0
	7/16"	1/2"	5/16"		323018-7
	9/16"	5/8"	5/16"		323449-5A
	9/16"	5/8"	9/16"		323449-5B
	5/16"	25/64"	3/8"	3700B 3702B	343577-5
	5/16"	25/64"	5/16"	3705	321912-7
	19/64"	3/8"	29/64"	3606 3612B 3612BR 3620	164379-4
	23/64"	7/16"	33/64"		164775-6
	7/16"	1/2"	33/64"		164776-4
	9/16"	5/8"	33/64"		164835-4
	45/64"	25/32"	33/64"		164393-0
	15/16"	1-1/16"	33/64"		164470-8
	63/64"	1-9/64"	19/32"		163080-8
	1-1/16"	1-3/16"	33/64"		164471-6
	1-29/64"	1-37/64"	29/64"		164472-4


ROUTER & TRIMMER ACCESSORIES

Description	Size	Model	Part #
2 Piece Templet Guide and Lock Nut 	A57/64" B1" C7/16" Must be used with templet guide lock nut (252627-4) and templet guide adaptor (321492-3)	3606 3612B 3612BR 3620	321812-1
Templet Guide Adaptor  	A1-3/16" B1-3/8" C9/32" D— A1-13/32" B1-3/16" C1-13/32" D5/16"	3606 3612B 3612BR 3620 3601B	321492-3 321493-1
Description	Model	Part #	
Trimmer Shoe  	3700B 3702B 3705	155263-4 122248-5	
Guide Holder 	3705 3612B 3612BR	122281-7 132306-9	
Trimmer Guide 	3612B 3612BR	123022-4	
Trimmer Guide 	3601B 3606 3620 3705 3702B	122343-1 122385-5 163162-6 122389-7	




ROUTER & TRIMMER ACCESSORIES

Description	Model	Part #
Straight Guide 	3612B 3612BR 3705	342428-9 341947-2
Straight Guide 	3601B 3606 3620 3700B 3702B	123029-0 123058-3 164834-6 123008-8
Plastic Tool Case 	3620	824283-6
Hex Wrench 	#6	3705 783204-6
Spanner Wrench 	#8 #10 #13 #17 #21 #22 #23 #24	3612B 3612BR 3620 3700B 3702B 3705 3606 3700B 3702B 3705 3601B 3620 3601B 3612B 3612BR
Trimmer Base 	3702B	122390-2

DRILL ACCESSORIES

Description	Spindle Size	For Model	Part #
Drill Chuck 	1/2"-20 UNC	6013BR 6300LR 6301LR DP4700	763047-2
		6302	763078-1
	5/8"-16 UNC	DA4511	763062-6
	3/8"-24 UNC	6000R 6000LR	763048-0
	3/8"-24 UNC	6402	763084-6
		6402X	763087-0**
		6404	763085-4*
		6510LVR	763074-9
		6501	763077-3
	Arbor attached	DA3000R	763068-4
Chuck Key 		6013BR 6300LR 6301LR DA4511 DP4700	763411-7
		6000R 6000LR 6510LVR DA3000R	763414-1
		6501	763419-1
		6302	763420-6
		6402	763422-2
		6404	763423-0
Drill Stand 		DP4700	122190-0
Right Angle Attachment  		6013BR 6300LR 6301LR	122177-2
Wrench for Angle Attachment   	Hex Wrench		783211-9
	#17 Spanner Wrench	6013BR 6300LR	781023-4
	#43 Spanner Wrench	6301LR	781024-2
Depth Guide Assembly 	6300LR 6301LR		123020-8
	6013BR		122236-2
Steel Tool Case 	6000R 6000LR		823026-3
	DA4511		181685-2

SCREWDRIVER ACCESSORIES

Description		Model	Part #
Nose Piece Assembly	 3-5/8" long	6800DBV 6801DBV 6802BV	122211-8
Magnetic Bit Holder			784801-1
Nonmagnetic Bit Holder			784807-9
Phillips Insert Bit (10 per pkg.)	 #1 #2 ★ #2 #3	6800DBV 6801DBV 6802BV 6820V	784212-0A 784211-2A 784211-B 784213-A
★ Reduced Nose			
Phillips Insert Bit (50 per pkg.)	 #1 #2		784212-0B 784211-2B
Nose Piece Assembly	 1/4" 5/16" 3/8"	6802BV	122214-2 122213-4 122212-6
Magnetic Socket	 1/4" 5/16" 3/8" 7/16"	6802BV 6805BV 6805BV	784803-7 784804-5 784802-9 784805-3
Locator		6820V	122358-8 122394-4*
* Longer nose for use with bit holder #784801-1			
Front Cap	 1/4" 5/16" 3/8" 7/16"	6805BV	322120-3 322124-5 322125-3 322119-8 322126-1



SCREWDRIVER ACCESSORIES

Description	Model	Part #
Phillips Bit  #2 1-7/8" long #3 1-7/8" long	6805BV	784214-0A 784215-0A
Slotted Bit  #5F 1-15/16" long #7F 1-15/16" long		784010-0A 784011-0A
Square Drill Bit 	6805BV	784606-0A
Steel Tool Case 		181853-7

IMPACT WRENCH ACCESSORIES




Description	Model	Part #
Steel Tool Case 	6906	823023-9
Universal Joint For use in a limited space where the tool cannot be held in line with the axis of the bolt or nut. 	6905B	785205-0
	6906	785208-4
Extension Bar For work in narrow places where the socket will not reach. 	6905B	785201-8
	6906	785202-6
Hex Wrench 	6905B 6906	783202-0

SHEAR & NIBBLER ACCESSORIES

Description	Model	Part #
Shear Blade Set Two per set in blister package. 	JS1600	191384-8A
	JS3200	792287-5
Side Blade Set Two per set. 	JS1660	792533-6
	JS1670	792536-0
Center Blade 	JS1660	792534-4
	JS1670	792537-8
Punch  JN3200 JN1600	JN1600	725005-6
	JN3200	792291-4
Die  JN3200 JN1600	JN1600	725004-8
	JN3200	792292-2
Thickness Gauge (0.2, 0.3, 0.4 mm) 	JS1660	762013-6
	JS3200	762007-1
Wrench #50 	JN3200	781019-5
Hex Wrench 	JN1600 JN3200 JS1600 JS1660 JS1670	783201-2
	JS3200	783202-0

HAMMER DRILL ACCESSORIES


Description	Drill Diameter	Shank Dia.	Overall Length	Part #	For Model
Heavy Duty Masonry Drill Bits 	3/16"	3/16"	4"	711120-A	For percussion type hammer drills
	1/4"	1/4"	4"	711121-A	
	1/4"	1/4"	6"	711122-A	
	5/16"	1/4"	6"	711123-A	
	3/8"	1/4"	6"	711124-A	
	1/2"	3/8"	6"	711125-A	
	5/8"	3/8"	6"	711126-A	
	3/4"	3/8"	6"	711127-A	
	1/4"	1/4"	13"	711128-A	
	3/8"	1/4"	13"	711129-A	
	1/2"	3/8"	13"	711130-A	
	5/8"	3/8"	13"	711131-A	
	3/4"	3/8"	13"	711132-A	

Description			Model	Part #
Depth Guide 	A – Knob B – Pole C – Holder		HP1030W	251851-6
			HP1310	321220-6
				164549-5
Drill Chuck 			HP1030W	763048-0
			HP2010N HP1310	763047-2
Chuck Key 			HP1030W	763414-1
			HP2010N HP1310	763411-7
Drill Stand 			HP1030W HP1310 HP2010N	122190-0
Steel Tool Case 			HP1030W	823046-7
			HP1310	823133-2
Steel Tool Case 			HP2010N	181014-9
Wheel Point 			HP1310	741601-2


HAMMER ACCESSORIES

Description	Diam.	Overall Length	Model	Part #	
"S.D.S. Plus" Tungsten Carbide Tipped Bit "S.D.S. Plus" Bits also fit without adaptor in competitive models: AEG PH 210; B & D 5016-09; Bosch 11207, 11210 VS, 11211 VS; Hilti TE 17/22; Hitachi VRT-22-A, DH28V, DH50; Kango 327; Phillips 555, 715; Ryobi ED-211. 	3/16"	4-1/2"	HR1821 HR2000 HR2511	791180-A	
	3/16"	6"		791182-A	
	1/4"	4-1/2"		791181-A	
	1/4"	6-1/4"		791183-A	
	5/16"	6-1/4"		791184-A	
	3/8"	6-1/4"		791185-A	
	3/8"	12-1/2"		791194-A	
	7/16"	6-1/4"		791186-A	
	1/2"	6-1/2"		791187-A	
	1/2"	12-1/2"		791195-A	
	9/16"	6-1/2"		791188-A	
	5/8"	9-1/4"		791189-A	
	5/8"	12-1/2"		791196-A	
	11/16"	9-1/2"		791190-A	
	3/4"	9-1/2"		HR2000	791191-A
	3/4"	12-1/2"	HR2511	791197-A	
	7/8"	9-1/2"	HR2511	791192-A	
	1"	10"		791193-A	
	Spline Shank Carbide Bit  Spline Shank Carbide Bits also fit: AEG PH 350-350D, PH 2400, PH 38 & PHD 38; B & D 5041-42-43-44 (MACHO); Bosch 11202-03-04-05-09, Metabo RH-66, RH-99, RH-99X; Milwaukee 5343, 5344, 5347, 5348, Phillips 747-2. * P.C.O. Bit For termite treatment and deep holes.	5/8"	15"	HR3851 HR5000	791120-8
		11/16"			791121-6
		3/4"			791122-4
7/8"		791124-0			
1"		791125-8			
1-1/8"		791126-6			
1-1/4"		791127-4			
1-3/8"		791128-2			
1-1/2"		791129-0			
5/8"		20-5/8"	791130-5		
11/16"			791131-3		
3/4"			791132-1		
7/8"			791134-7		
1"			791135-5		
1-1/8"			791136-3		
1-1/4"			791137-1		
1-3/8"			791138-9		
1-1/2"			791139-7		
1/2"		22" (Usable length)	791211-5*		
5/8"			791212-3*		
3/4"			791213-1*		
Carbide Tipped Core Bit  For use with Core Bit Adaptor.	1-9/16"	—	HR3851 HR5000		798151-8
	1-3/4"				752020-7
	2-1/8"				752021-5
	3-1/8"				752022-3
	4-1/8"				752023-1
	4-5/8"				752024-9

HAMMER ACCESSORIES

Description	Size	Model	Part #
Bull Point 	8-3/4"	HK1810	798266-1
	12-5/8" 17-3/4" 23-5/8"	HM1211	751403-8 751404-6 798270-0
	16-1/8"	HM1301	751407-0
	12" 18"	HR3851 HR5000	798146-1 798147-9
Cold Chisel 	1" x 12-5/8" 1" x 17-3/4" 1" x 23-5/8"	HM1211	751204-4 751205-2 798269-5
	1-3/8" x 16-1/8"	HM1301	751207-8
	1" x 12" 1" x 18"	HR3851 HR5000	798139-8 798140-3
Scaling Chisel 	1-3/16" x 5-7/8" 2" x 5-7/8"	HK1810	798265-3 798264-5
	2-3/4" x 12-5/8"	HM1211	751209-4
	4" x 12-1/4"	HM1301	751211-7
	2" x 12"	HR3851 HR5000	798141-1
Grooving Chisel 	5/16" x 6-11/16" 1/2" x 6-11/16" 3/4" x 6-11/16"	HK1810	798277-6 798276-8 798297-0
	7/8" x 11-7/8" 1-1/16" x 11-7/8"	HR3851 HR5000	798142-9 798143-7
Ground Rod Driver 	3/4" x 6-11/16"	HR3851 HR5000	798132-2
Core Bit Adaptor 	Adaptor Set (includes center point & rod below)	HR3851 HR5000	798138-0
	Center Point		752027-3
	Rod		256815-5


HAMMER ACCESSORIES

Description		Size	Model	Part #
A-Taper Adaptor 			HR3851	798135-6
Chuck Adaptor  HR2000: "Drilling only" can be obtained with this adaptor			HR1821	321832-5
			HR2000	122331-8
			HR2511	321637-3
Drill Chuck 	3/8"	HR1821	763056-1	
	1/2"	HR2000	763047-2	
		HR2511	763055-3	
Chuck Key 			HR1821	763403-6
			HR2000	763406-0
			HR2511	763411-7
Clay Spade 	4-3/4" x 17-3/4"	HM1211	751603-0	
	4-3/4" x 19-5/8"	HM1301	751604-8	
Rammer 	5-1/2" dia.	HM1211	798224-7	
	7-7/8" dia.	HM1301	751702-8	
Bushing Tool 			HM1211	798222-1
Bushing Assembly 			HM1301	751703-3A
				751703-6A
Scraper Assembly 			HK1810	122349-9

HAMMER ACCESSORIES

Description	Model	Part #
Drift Pin 	HR3851	765010-1
Blow-out Bulb 	HM1211 HR1821 HR2000 HR2511 HR3851 HR5000	765009-6
Hammer Grease 	HK1810 HM1211 HR1821 HR2000 HR2511 HR3851 HR5000	181490-7
Oil Supply 100 cc. 	HM1301	181118-7
Bit Grease 3.5 oz. Used to lubricate the end of drill bit shanks. 	HR1821 HR2000 HR2511	181573-3
Safety Goggles 	All models	191686-2
Dust Collector 	HR1821	122359-6
	HR2511	122360-1
Wrench #23 	HM1301	781012-9


HAMMER ACCESSORIES

Description	Model	Part #
Lock Nut Wrench 	HM1211 HR2511 HR3851 HR5000	782407-9
Lock Nut Wrench #28 	HK1810 HR1821	782402-9
Hex Wrench 	#4	HM1211 HR3851 HR5000 783202-0
	#5	HK1810 HM1211 HM1301 HR1821 HR2000 HR2511 HR3851 HR5000 783203-8
	#6	HM1211 HM1301 HR5000 783204-6
Steel Tool Case 	HK1810	181856-1
	HM1211	181964-8
	HM1301	181805-8
	HR1821	181875-7
	HR2000	181872-3
	HR2511	181798-9
	HR3851	181876-5
	HR5000	181997-3
	HP2010N HP1030W	181014-9 823046-7

GRINDER ACCESSORIES

Description	Size	Grit	Qty Per Pkg.	Model	Part #
Depressed Center Wheel 	4"x3/16"x5/8"	24	5	9501BKW 9501BZ 9514B	741402-8
	4"x3/16"x5/8"	24	1		741402-8-1
	4"x1/4"x5/8"	24	5		741402-9AP
	4"x1/4"x5/8"	24	1		741402-9-1
	4"x3/16"x5/8"	36	5		741405-2P
	4"x3/16"x5/8"	36	1		741405-2-1
	4-1/2"x1/4"x7/8"	24	5	9503BHZ	741423-0
		24	1		741423-0-1
		36	5		741424-8
		36	1		741424-8-1
	5"x1/4"x7/8"	24	1	9005B 9505BHZ	741407-8 (Bulk) 741407-8-1 (Pkg'ed)
	7"x1/4"x7/8"	24	1	9000BL 9607BL GA7001L GA7911	741413-3
	9"x1/4"x7/8"	24	1	9000BL 9609B GA7911	741421-4
Makita Zirconate 	7"x1/4"x7/8"	24	5	9000BL 9607BL GA7001L GA7911	741313-7A
Best Edge 	7"x1/8"x7/8"	24	5	9000BL 9607BL GA7001L GA7911	741313-6A
Flex Wheel 	4"x1/8"x5/8"	AC46	10	9501BKW 9501BZ 9514B	741404-0BP
		AC60	10		741404-0CP
		GC60	5		741438-7P
		AC80	10		741404-0DP
		AC120	10		741404-0FP
	7"x1/8"x7/8"	AC36	10	9000BL 9607BL GA7001L GA7911	741445-0
		AC46			741441-8
		AC60			741442-6
		AC80			741443-4
		AC120			741444-2
Cut-off Wheel 	4"x3/32"x5/8" 4"x5/64"x5/8"	C36 A46	10 10	9501BKW 9501BZ	724104-1-10 724107-5-10
Abrasive Disc 	4" Diameter	24	3	9501BKW 9501BZ 9514B	742036-0-3
		24	5		742036-A-5
		30	3		742037-8-3
		36	5		742037-A-5
		50	3		742038-6-3
		50	5		742038-A-5
		80	3		742039-4-3
		80	5		742039-A-5
		100	3		742087-3-3
		100	5		742087-A-5
		120	3		742040-9-3
		120	5		742040-A-5

GRINDER ACCESSORIES

Description	Size	Grit	Q'ty Per Pkg	Model	Part #
Abrasive Disc 	4-1/2" Diameter	24	5	9503BHZ	794104-5-5
		30			794105-3-5
		50			794106-1-5
		80			794107-9-5
		120			794108-7-5
	5" Diameter	24 36 50 80 120	5	9005B 9505BHZ	742072-A-5 742073-A-5 742074-A-5 742075-A-5 742076-A-5
5" Abrasive Disc 	7" Diameter	16	5	9000BL 9607BL 9609B 9207SPC GA7001L GA7911 9207SPB 9218SB	742067-A-5
		24			742069-A-5
		36			742089-A-5
		50			742070-A-5
		80			742071-A-5
		120			742091-A-5
Multi-Disc 	4"x 9/16"x5/8"	40	1	9501BKW 9501BZ	742038-0A
		60			742038-0B
		80			742033-0C
		100			742033-0D
		40			794332-2A
	4-1/2"x11/16"x7/8"	60 80 100	1	9503BHZ	794332-2B 794332-2C 794332-2D
Crimped Wire Cup Brush 	5"x11/16"x7/8"	40	1	9005B 9505BHZ	794331-4A
		60			794331-4B
		80			794331-4C
		100			794331-4D
		3" Diameter M10 x 1.25	1	9501BKW 9514B 9501BZ	743201-4
	3" Diameter 5/8"-11 Arbor		1	9005B 9503BHZ 9505BHZ	743205-6
Crimped Wire Cup Brush 	4" Diameter 5/8"-11 Arbor		1	9000BL 9607BL 9609B GA7001L GA7911	743207-2
	6" Diameter 5/8"-11 Arbor		1	9000BL 9607BL 9609B GA7001L GA7911	743206-B


GRINDER ACCESSORIES

Description	Diam.	Arbor	Model	Part #
Knot-Type Wire Cup Brush 	2-3/4"	M10 x 1.25	9501BKW 9501BZ 9514B	743201-5A
	2-3/4"	M10 x 1.25	9501BKW 9501BZ 9514B	743204-A
	4"	5/8" - 11 Arbor	9005B 9503BHZ 9505BHZ	743208-0A
	6"	5/8" - 11 Arbor	9000BL 9607BL 9609B GA7001L GA7911	743206-A
Wire Bevel Brush 	3-3/8"	M10 x 1.25	9501BKW 9501BZ 9514B	743203-0
Stringer Bead Twist Wire Brush Wheel 	4"	M10 x 1.25	9501BKW 9501BZ 9514B	743203-5A
	4"	M10 x 1.25	9501BKW 9501BZ 9514B	743204-B
Full Cable Twist Wire Brush Wheel 	4"	M10 x 1.25	9501BKW 9501BZ 9514B	743203-4B
Knotted Twist Wire Brush Wheel 	4"	M10 x 1.25	9501BKW 9501BZ 9514B	743203-4C
4" Grinder-Brush Kit 	4"	M10 x 1.25	9501BKW 9501BZ 9514B	743200-0A
Kit Includes: 743201-4), 743201-5A), 743203-5A), 743203-4B)				


GRINDER ACCESSORIES

Description	Diam.	# of Segment	Model	Part #
Diamond Blade 	4-1/8"	—	9501BKW	724904-B
	4-1/8"	8	9501BZ	724901-8A
	4-3/8"	9		724901-8C
	4-1/8"	8	9501BKW 9501BZ	724901-8B
	5"	10	9505BH	724905-7A
	5"	—	9005B	724905-7B
Description			Model	Part #
Wheel Guard			9501BKW 9501BZ 9514B	342554-4
4"			9503BHZ	164797-6
5"			9005B 9505BHZ	164556-8
7", 9"			GA7001L	164477-4 For 7"
			9000BL 9607BL GA7911	191214-3 For 7"
			9000BL 9609B GA7911	191215-1 For 9"
Wheel Guard			9501BZ	122363-5 For use with cut-off wheels
Inner Flange Use with depressed center wheel and multi disc			9501BKW 9501BZ	224030-9
			9514B	224229-6
			9005B 9503BHZ 9505BHZ	224178-7
			9000BL 9607BL 9609B GA7001L GA7911	224111-9





GRINDER ACCESSORIES

Description	Model	Part #
Inner Flange Use with diamond wheel. 	9501BKW 9501BZ	224146-0
	9005B 9505BH	224054-5
Inner Flange 	9501BKW 9501BZ	224262-8 Use with cut-off wheels
Lock Nut Use with grinding wheel and diamond wheel 	9501BKW 9501BZ 9514B	224503-2
	9005B 9503BHZ 9505BHZ GA5000	224509-0
	9000BL 9607BL 9609B GA7001L GA7911	224512-1
Lock Nut Use with rubber pad and sanding disc 	9501BKW 9501BZ 9514B	224501-6
	9000BL 9005B 9503BHZ 9505BHZ GA7001L GA7911 9218PB 9218SB 9207SPB 9207SPC	224517-1
Lock Nut	9501BKW 9501BZ	224536-7 use with cut-off wheels
	9501BKW 9514B	743009-6
Rubber Pad	9005B 9505BHZ	743015-1
	GV5000	743025-8*
Plastic Pad	9503BHZ 9000BL 9218PB 9218SB 9207SPB 9207SPC 9607BL 9609B GA7001L GA7911	743036-3 743012-7


GRINDER ACCESSORIES

Description	Model	Part #
Plastic Pad use with flex wheel 	9000BL 9607BL 9609B GA7001L GA7911 9501BKW	743027-4 743009-1A
7" Wool Bonnet use with rubber pad (part #743012-7) and lock nut (part #224517-1) 	9207SPB 9207SPC 9218PB	743404-0
Steel Tool Case 	9501BZ 9501BKW 9503BHZ 9505BHZ	181717-5
Side Handle 	9501BZ 9501BKW 9505BHZ 9503BHZ 9514B	273485-5
Hex Wrench 	GV5000	783203-8
Lock Nut Wrench  	9501BKW 9501BZ 9514B	782401-1
	9005B 9503BHZ 9218PB 9218SB 9207SPB 9207SPC 9505BHZ 9607BL	782413-4
	9000BL 9609B GA7911	782412-6 longer handle for use with 9" wheels
Spanner Wrench  	9501BKW 9501BZ 9514B	781007-2
	9218SB 9218PB 9207SPB 9207SPC	781008-0

GRINDER ACCESSORIES

Description	Model	Part #
Spade Handle For more comfortable flat grinding 	9000BL 9607BL 9609B	123057-5
Safety Goggles 	All Tools	191686-2
7" Grinding Wheel  60 (Coarse) 100 (Medium) 6000 (Fine)	9820-2	741074-9 741070-7 741071-5
Grinding Wheel  5" x 1/2" x 1/2" 60 Grit 5" x 1/8" x 1/2" 80 Grit	9300	741004-0 741033-3
Eye Shield To protect operator's eyes from metal chips. Includes left and right sides. 		132336-0
Saw Blade Sharpening Kit 	9300	122174-8
Planer Blade Holder Set 		123019-3
Tool Rest 		311071-5
Rule Assembly 	9820-2	122209-5
Blade Holder 	9820-2	123061-4A



GRINDER ACCESSORIES

Description	Model	Part #
Guide Assembly Tool rest for knife and scissors. 	9820-2	132386-5
Collet 	1/4"	763625-8
	1/8"	763626-6
Wheel Point 1/4" shank 	906H GE0600	741616-9
		741617-7
Dressing Stone 		741809-8
Wrench 	906H GE0600	781003-0
		781008-0
Offset Wrench 	9300	782004-1




GENERATOR ACCESSORIES

Description	Model	Part #
Lifting Hook	G2400R G3500R G3501R G5501R	110003A
Tow wheel kit and Handle	G2400R G3500R G3501R G5501R	110004A

GENERAL PRODUCT ACCESSORIES

Magnetic Ratchets		Part #	
8-Piece Ratchet Set 	STANDARD — Includes ratchet handle: 1/8", 3/16", 1/4" 5/16", slotted driver bits and #1, #2, #3, phillips driver bits.	113057-3A	
14-Piece Ratchet Set 	STANDARD — Includes ratchet handle: 1/8", 3/16", 1/4" slotted driver bits; #1, #2, #3 phillips driver bits; 1/4", 9/32", 5/16", 3/8", 7/16", 1/2" hex sockets and adaptor for sockets.	113058-1A	
	METRIC — Includes ratchet handle: 3, 4.5, 6 mm slotted driver bits; #1, #2, #3 phillips driver bits; 5.5, 7, 8, 10, 11, 13 mm hex sockets and 1/4" square drive adaptor for sockets.	113058-1C	
25-Piece Ratchet Set • designed for easy tightening and loosening with just a twist of the wrist • ratchet is magnetic for easy installation of bit or socket • pistol grip design fits the hand for comfort and power • direction reversing switch is conveniently located for easy one handed operation • ratchet mechanism is all metal for durability 	STANDARD — Includes ratchet handle: 1/8", 3/16", 1/4", 5/16" slotted driver bits; #0, #1, #2, #3 phillips driver bits; 7/64" 1/8", 9/64", 5/32", 3/16", 1/4" ball point tips*; 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" hex sockets and adaptor for sockets. * ball point tips are for allen screws.	113093-9A	
	METRIC — Includes ratchet handle: 3, 4.5, 6, 8 mm slotted driver bits; #0, #1, #2, #3 phillips driver bits; 2, 2.5, 3, 4, 5, 6 mm ball point tips; 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm hex sockets and 1/4" square drive adaptor for sockets.	113093-9C	
Description	Part #	Description	Part #
Safety goggles 	191686-2	Phillips Screwdriver 	783002-8
		Slotted Screwdriver 	783001-0

GENERAL PRODUCT ACCESSORIES

Steel Tool Case	Part #	Steel Tool Case	Part #
DIMENSIONS (W x L x H) 16" x 5-1/2" x 7-5/8" 	823026-6	DIMENSIONS (W x L x H) 14" x 6-3/4" x 4-1/2" 	823026-6F
DIMENSIONS (W x L x H) 18" x 8-1/4" x 4" 	823026-6B	DIMENSIONS (W x L x H) 15-1/2" x 11-3/4" x 10-1/8" 	823026-6D

AUTHORIZED & FACTORY SERVICE CENTERS

ALABAMA

M & M Electric Motor Service

674 S. McDonough St.
Montgomery, AL 36104
(205) 264-8485

Power Tool Service

1113 4th Ave., South
Birmingham, AL 35223
(205) 323-4311

Southern Power Tool

3956 Government Blvd.
Mobile, AL 36693
(205) 666-3623

Tool Service

4214 Oakwood Ave., N.W.
Huntsville, AL 35810
(205) 539-5604

ALASKA

A/C D/C Electrical Repair

1006 Crazy Horse Dr.
Juneau, AK 99801
(907) 789-3504

Alaska Tool & Equip. Service

3207 Arctic Blvd.,
Anchorage, AK 99503
(907) 562-6151

Fairbanks Aero Service, Inc.

2nd Hanger — Phillips Field
P.O. Box 60590
Fairbanks, AK 99706
(907) 479-6666

ARIZONA

Arizona Industrial Tool Service

346 S. Marina, Prescott, AZ 86303
(602) 778-3311

Makita U.S.A., Inc.

3707 E. Broadway, Suite 6
Phoenix, AZ 85040
(602) 437-2850

Mechanic's Tool Service, Inc.

3232 E. Pennsylvania,
Tucson, AZ 85714
(602) 889-8484

ARKANSAS

C & C Machinery Inc.

East 2nd & Verona
Russellville, AR 72801
(501) 968-7144

Custom Controls

9203 Hilard Springs
Little Rock, AR 72209
(501) 562-7643

Electric Tool Service

1419 W. 10th St.
Little Rock, AR 72202
(501) 374-8180

CALIFORNIA

Abbott's Saw Service

110 Luchessa
Gilroy, CA 95020
(408) 847-0472

California Electric Service, Inc.

1090 Bryant St.,
San Francisco, CA 94103
(415) 431-8494

California Electric Service, Inc.

1139 E. 12th St.,
Oakland, CA 94606
(415) 834-1050

California Electric Service, Inc.

783 The Alameda,
San Jose, CA 95126
(408) 295-1723

California Electric Service, Inc.

1821 Q St.,
Sacramento, CA 95814
(916) 443-5711

California Electric Service, Inc.

1170-G Burnett Ave.,
Concord, CA 94520
(415) 827-1011

California Electric Service, Inc.

832 S. Alvarado St.
Los Angeles, CA 90057
(213) 388-9651

California Electric Service, Inc.

2594 E. Colorado Blvd.
Pasadena, CA 91107
(818) 792-3194

California Electric Service, Inc.

2025 S. Main St.,
Santa Ana, CA 92707
(714) 641-0529

California Electric Service, Inc.

9794 Sierra Ave.,
Fontana, CA 92335
(714) 355-2500

California Electric Service, Inc.

3430 El Cajon Blvd.
San Diego, CA 92104
(619) 283-6488

California Electric Service, Inc.

11284 Los Alamitos
Los Alamitos, CA 90720
(213) 597-4301

California Electric Service, Inc.

14753 Oxnard Blvd.
Van Nuys, CA 91411
(818) 997-8855

California Electric Service, Inc.

612 S. Shoppers Lane,
Covina, CA 91723
(818) 915-4935

California Electric Service, Inc.

2314 S. Westwood Blvd.
West Los Angeles, CA 90064
(213) 475-2532

California Electric Service, Inc.

1211 E. Orangethorpe Ave.
Fullerton, CA 92631
(714) 870-0900

Cisco Air Systems

1211 C Street
Sacramento, CA 95814
(916) 444-2525

Dremel Service Center

4631 E. Sunny Dunes
Palm Springs, CA 92264
(619) 327-3003

Electric Euro-Service

830 Salvio St.
Bord, CA 95820
(916) 687-1442

Electric Tool & Motor

Wall St., #1,
Bridging, CA 96002
(916) 222-1131

Electric Tool Repair

300 Park St.
Bakersfield, CA 95501
(805) 442-4267

Edy & Son Fix-it All

E. Main
Bakersfield, CA 95945
(805) 273-6321

General Electrical Tool Repair

Martin Ave.
Bakersfield, CA 95050
(805) 727-4454

V Tool

3000 Empire Industrial Ct., #D
Bakersfield, CA 95401
(805) 528-1111

M., Inc.

188 Sixth Street, #C
Bakersfield, CA 91730
(805) 987-8958

Tool Repair

Sacramento Dr., A
Luis Obispo, CA 93401
(805) 544-7152

Makita U.S.A., Inc.

100-C Northam St.
Bakersfield, CA 90638
(805) 522-8088

Old Warm

Bldg.
Bakersfield, CA 94538
(805) 657-9881

N. Clovis Ave.,

110
Bakersfield, CA 93727
(805) 252-5166

Opportunity Dr.,

A
Bakersfield, CA 95838
(805) 648-1444

S. Arrowhead #A-1

Bakersfield, CA 92408
(805) 885-1289

Clairemont

Bldg.
Bakersfield, CA 92111
(805) 278-4471

Palou Ave.

Bakersfield, CA 94124
(805) 695-2700

2-B Tustin Village Way

Bakersfield, CA 92680
(805) 667-5066

5 Satcoy St.,

05
Bakersfield, CA 91406
(805) 782-2440

ins Electric

1000 Waugh Ln.
Bakersfield, CA 95482
(805) 463-1800

Tool Co.

E. Olympic Blvd.
Bakersfield, CA 90023
(805) 264-7006

H Electric

San Juan Rd.
Bakersfield, CA 95076
(805) 724-1191

Simi Tool Repair

1236 E. Los Angeles Ave, Unit D
Simi Valley, CA 93065
(805) 584-8138

Stanislaus Electric Motor

504 River Rd.
Modesto, CA 95351
(209) 523-8269

Universal Tool Service

21804 S. Vermont
Torrance, CA 90502
(213) 328-6472

COLORADO**A-Z Power Equipment**

1540 Riverside Ave.
Fort Collins, CO 80524
(303) 482-9913

Appliance Services

3924 So. Broadway
Englewood, CO 80110
(303) 781-1227

Appliance Services

4262 Lowell Blvd.
Denver, CO 80211
(303) 458-1109

Bartell Tool Service

1448 West Cedar Ave.
Denver, CO 80223
(303) 777-5463

Berquist Electric

26 S. Stough,
Montrose, CO 81401
(303) 249-9059

C.A.T.S. Enterprises

780 Sawmill Road
Durango, CO 81301
(303) 247-5338

Central Colorado Tool

525 W. Colorado Ave.
Colorado Springs, CO 80905
(719) 635-8615

D & D Repair

217 E. 3rd St.,
Loveland, CO 80537
(303) 669-2240

Greeley Electric Motor Repair

2509 1/2 8th Ave.,
Greeley, CO 80631
(303) 352-1961

Makita U.S.A., Inc.

11839 E. 51st Ave.
Denver, CO 80239
(303) 371-2850

Mobile Electronics

7770 E. Iliff,
Denver, CO 80231
(303) 755-5800

Moore's Service

309 9th St.
Glenwood Springs, CO 80601
(303) 945-2929

Perfection Tool Repair

17025 S. Golden Rd.,
Golden, CO 80401
(303) 279-0133

Tool Clinic

4100 Hwy 6
Avon, CO 81620
(303) 949-6282

Tool Doctor, Inc.

3360-N North El Paso
Colorado Springs, CO 80907
(719) 520-1088

Tool Hospital, Inc.

907 B East Fillmore
Colorado Springs, CO 80907
(719) 632-8832

V & L Appliance

809 North Ave.
Grand Junction, CO 81501
(303) 243-3360

Waynes Motor Repair Inc.

134 S. Main St.,
Brighton, CO 80601
(303) 659-7481

CONNECTICUT**Makita U.S.A., Inc.**

97 Hammer Mill Rd.
Rocky Hill, CT 06067
(203) 257-9293

FLORIDA**Contractors Industrial Tool & Supply Co., Inc.**

3958 West Pensacola St.
Tallahassee, FL 32304
(904) 575-9642

Duval Equipment Company, Inc.

2136 W. Beaver St.
Jacksonville, FL 32309
(904) 353-5535

M & W Electric Motor Service

1250 Barrancas Ave.
Pensacola, FL 32501
(904) 433-0400

Makita U.S.A., Inc.

3184 N. Andrews Ave.
Extension Pompano
Beach, FL 33064
(305) 492-1144

5425 Beaumont Center

Bldg., Suite 902
Tampa, FL 33634
(813) 886-8292

1717 Fairbanks Ave.

Winter Park, FL 32789
(407) 629-1477

Okalossa Electric Motor Service

4 Chicago Ave., S.E.
Ft. Walton Beach, FL 32548
(904) 244-5555

Power Tool Repair

9950 Orange River Blvd.
Ft. Myers, FL 33905
(813) 694-6058

GEORGIA**Makita U.S.A., Inc.**

2861-G Bankers Industrial Dr.
Atlanta, GA 30360
(404) 441-2525

HAWAII**J & J Lucas Repair Shop**

1682 Kilauea Ave.
Hilo, HI 96720
(808) 935-4751

Kona Rent All

74-5603 Pawai St.
Kailua-Kona, HI 96740
(808) 329-1644

Makita U.S.A., Inc.

1111 Dillingham Blvd.,
E-1B
Honolulu, HI 96817
(808) 847-6555

Maui Power Tool Service, Inc.

251 H2 Laio St.
Kahului, Maui, HI 96732
(808) 877-3440

Toolmaster Hawaii, Inc.

3038 Aukele St.
Lihue, Kauai, HI 96766
(808) 246-1122

IDAHO**K.C. Supply Co.**

5103 Irving St.,
Boise, ID 83706
(208) 375-1133

Rossiter Electric Motor

Sales & Service
1501 S. Capital
Idaho Falls, ID 83401
(203) 529-3665

ILLINOIS

Makita U.S.A., Inc.
1450 Feehanville Dr.
Mt. Prospect, IL 60056
(708) 297-3100

INDIANA

Dunlap Tool Repair
721 Graywood Ave.
Elkhart, IN 46516
(219) 295-0296

Makita U.S.A., Inc.
6330 E. 75th St., Suite 154
Indianapolis, IN 46250
(317) 842-3286

M.S.I. Tool Repair Inc.
5105 Industrial Rd.
Fort Wayne, IN 46825
(219) 484-8566

Tri-State Repair Service
1327 N. Fares Ave.
Evansville, IN 47711
(812) 464-9341

IOWA

Botine Electric, Inc.
1207 North Lake Ave.
Storm Lake, IA 50588
(712) 732-2332

Five Cities Tool Service
921 S. Rolf St.
Davenport, IA 52802
(319) 322-7068

Harv's Electric
122 Main St.
Sanborn, IA 51248
(712) 729-3821

Iowa Pneumatic Repair
7420 University
Des Moines, IA 50311
(515) 274-3726

KANSAS

Air Capital Power Tool Repair
3727 E. Douglas
Wichita, KS 67213
(316) 945-8665

C & A Auto Electric
1404 Industrial St.,
Hugoton, KS 67951
(316) 544-4347

Emporia Electric
135 Mechanic,
Emporia, KS 66801
(316) 342-2965

Mid Kansas Tool Repair
314 West Cloud
Salina, KS 67401
(913) 825-6287

Naab Electric
West Highway 50, / P.O. Box 1112
Garden City, KS 67846
(316) 276-8101

Small Tool Repair
320 E. 8th St.
Hays, KS 67601
(913) 625-7366

Richmond Electric
911 Maple,
Wichita, KS 67213
(316) 264-2344

KENTUCKY

City Electric Motor Supply
631 Kennedy Dr.,
Lexington, KY 40511
(606) 254-5581

Makita U.S.A., Inc.
4108 Preston Highway
Louisville, KY 40213
(502) 366-1007

Warden Electric
901 Arcadia Circle
Murray, KY 42071
(502) 753-2016

Warden Electric
604 N. 7th St.
Paducah, KY 42001
(502) 443-4622

LOUISIANA

American Armature Works
2040 Texas Ave.
Shreveport, LA 71103
(318) 222-0746

Makita U.S.A., Inc.
1508 Edwards Ave.,
Suite DD
Harahan, LA 70123
(504) 733-4138

Quichita Electric
212 Haynes
West Monroe, LA 71291
(318) 323-2525

MAINE

Hogan Tire, Inc.
RFD4, Box 1
Houlton, ME 04730
(207) 532-2211

L/A Electric Motors
81 East Ave.
Lewiston, ME 04240
(207) 783-7356

MARYLAND

Makita U.S.A., Inc.
7466 New Ridge Rd., #23
Hanover, MD 21076
(301) 684-2211

MASSACHUSETTS
Makita U.S.A., Inc.
105 Forbers Blvd
Mansfield, MA 02048
(508) 339-5300

MICHIGAN

Gezon Tool Service
322 Rumsey S.W.
Grand Rapids, MI 49503
(616) 451-2725

La Fave Saw & Tool
1745 N. Outer Dr.
Saginaw, MI 48601
(517) 753-3496

Makita U.S.A., Inc.
10021 Telegraph Rd.
Redford, MI 48239
(313) 535-0020

MINNESOTA

Makita U.S.A., Inc.
6427 Penn Ave., South
Richfield, MN 55423
(612) 869-5199

MISSISSIPPI

Burford Electric Service, Inc.
Hey 69 South & Cooper Ave.
Columbus, MS 39704
(601) 328-5679

Power Tool Repair & Parts Service
1225 Nelle St.
Tupelo, MS 38802
(601) 842-0977

Precision Sharpening & Tool Service
808 Larson St.
Jackson, MS 39202
(601) 355-1631

MISSOURI

Makita U.S.A., Inc.
121 E. Tenth St.
North Kansas City, MO 64116
(816) 421-1606

9000 Watson Rd.
Crestwood, MO 63126
(314) 843-5775

Middle Earth Air & Electric
1661 St. Louis St.,
Springfield, MO 65802
(417) 831-0954

MONTANA

Allens Electric Tool Repair
431 St. Johns Ave.
Billings, MT 59101
(406) 248-3865

Brewer Repair Service
3555 Baldwin Rd.,
Stevensville, MT 59870
(406) 777-2837

Cascade Electric, Co., Inc.
903 10th Ave., N
P.O. Box 2909
Great Falls, MT 59401
(406) 453-3285

Harry's Small Appliance
2314 W. Sussex,
Missoula, MT 59801
(406) 728-5162

Helena Motor Repair
1513 National Ave.
Helena, MT 59601
(406) 442-1232

Home Tool Repair
526 2nd St.,
Whitefish, MT 59937
(406) 862-3561

Lee's Electric Tool Repair
Highway 2 East
Glasgow, MT 59230
(406) 228-4943

Mangen's Electric Inc.
1620 Main St.
Miles City, MT 59301
(406) 232-3682

NEBRASKA

All Makes Tool Service
8941 H St.
Omaha, NE 68127
(402) 592-1230

Flour Electric Services
4356 S. 90th
Omaha, NE 68127
(402) 331-6863

Hatten Electric Service
130 South Hastings
Hastings, NE 68901
(402) 463-4596

Interstate Oxygen
901 South Broadway
Scottsbluff, NE 69361
(308) 635-1333

K-C Electric Motor
902 E. "B", P.O. Box 466
Mc Cook, NE 69001
(308) 345-1223

Knapp Electric, Inc.
1900 East 4th St.,
/ Hwy. 30 East
North Platte, NE 69101
(308) 532-4840

Lee Electric Motor Service
RR1 Box 87A, West Hwy 20
Gordon, NE 69343
(308) 282-2122

Lincoln Tool Center
3535 N. 40th St.
Lincoln, NE 68504
(402) 464-1157

Northwest Electric Inc.
207 E. 11th St.
P.O. Box 572
Columbus, NE 68601
(402) 564-9437

Northwest Electric Inc.
1712 Central Ave.
Kearney, NE 68847
(308) 234-3771

Northwest Electric Inc.
609 Omaha Ave.
Norfolk, NE 68701
(402) 371-3192

Jacker Electric
09 Cuming St.,
maha, NE 68102
(2) 341-2264

ol Hospital, Inc.
30 S. 85th St.,
maha, NE 68127
(2) 592-5220

EVADA
bo/C & C Rental
01 E. 5th St.
erson City, NV 89701
(2) 882-8257

umstock Electric Motor
5 Eureka Ave.
ho, NV 89512
(2) 323-5982

akita U.S.A., Inc.
01 S. Decatur Blvd., No. 3
naissance West Shopping Center
s Vegas, NV 89103

ol Service, Inc.
29 Industrial Rd.
s Vegas, NV 89109
(2) 734-9161

W HAMPSHIRE
ymond Electric Service
x. 125 RDFD #1
eter, NH 03833
(3) 642-3208

W JERSEY
ctrick Motor Repairs
N. Main St.
arton, NJ 07885
(1) 361-5114

akita U.S.A., Inc.
Herrod Blvd.
Brunswick Ind. Park
nton, NJ 08810
(9) 655-1212

W MEXICO
mo Tool Service
9-D N. White Sands
mogordo, NM 88310
(5) 437-6480

Tool Repair
Florida S.E.
uquerque, NM 87108
(5) 255-2304

M Motor Repair
Norris
avis, NM 88101
(5) 763-3088

akita U.S.A., Inc.
1 Candelaria N.E.
uquerque, NM 87107
(5) 881-4619

quez Industrial
1 San Juan Blvd.
mington, NM 87401
(5) 326-4516

age Brothers Electric Inc.
E. 2nd.
well, NM 88202-0038
(5) 622-3070

co Electric, Inc.
5 4th St., N.E.
uquerque, NM 37107
(5) 345-2426

y's Power Tool
N. Mesquite St.
Cruces, NM 88001
(5) 526-3144

YORK
T Tool and Equipment
E. Jericho Turnpike
ington Station, NY 11746
(2) 271-2141

ny Burner Control
olvin Ave.
ny, NY 12206
(5) 459-8856

**B & D Electric Motor and
Pump Repairs**
2412 Boston Post Rd.
Larchmont, NY 10538
(914) 834-4841

Hulbert Electric
78 Travis Ave.
Binghamton, NY 13904
(607) 724-3968

Makita U.S.A., Inc.
160 Holtz Rd.
Cheektowaga, NY 14225
(716) 634-1941

Mald Tool
21 Abenroth Ave.
Port Chester, NY 10573
(914) 937-1771

Mohawk Comm., Inc.
1 Newell Ln.,
Chadwick, NY 13319
(315) 737-7328

Richards Tool & Motor Repair
County Rd. #39
South Hampton, NY 11968
(516) 283-5130

Salino Electric Motors
630 Elmira Rd.
Ithaca, NY 14850
(607) 273-0537

Tennant Electric Motor Service
142 Maple St.
Potsdam, NY 13676
(315) 265-5740

The Tool House, Inc.
3000 Coney Island Ave.
Brooklyn, NY 11235
(718) 743-6336

NORTH CAROLINA
**Industrial Maintenance
Overflow Corp.**
Highway 25 South
Fletcher, NC 38732
(704) 684-2000

Makita U.S.A., Inc.
3501-G S. Tryon St.
Charlotte, NC 28217
(704) 527-0611

Specialty Tool Service
2420 Atlantic Ave.
Releigh, NC 27601
(919) 833-5903

NORTH DAKOTA
Becker Electric
222 S. 16Th
Bismarck, ND 58502
(701) 223-7630

Craigs Small Engine Repair
508 E. 2nd St.
Williston, ND 58801
(701) 774-0798

Fix-It-Shop
112 2nd Ave. East,
Dickinson, ND 58601
(701) 225-0766

Jerry's Electrical Repair
539 2nd St. S.W.,
Jamestown, ND 58401
(701) 252-8806

P & C Electric Motor Repair
2031 3rd St.,
NW, / P.O. Box 219
Minot, ND 58701
(701) 839-5618

OHIO
Authorized Tool Service
676 Orchard Ln.
Alpha (Dayton), OH 45301
(513) 429-5593

Electric Tool & Equipment
3156 Upton Ave.
Toledo, OH 43613
(419) 474-5673

M & R Electric Motor Service
1516 E. 5th St.
Dayton, OH 45403
(513) 222-6282

Makita U.S.A., Inc.
6379 Pearl Rd.
Parma Heights, OH 44130
(216) 843-7555

2300 E. Kemper Rd., Suite 11
Sharonville, OH 45241
(513) 771-0788

887 S. Hamilton Rd.
Whitehall, OH 43213
(614) 237-8871

Michigan Saw & Cutter
5559 Alexis Rd.
Sylvania, OH 43560
(419) 241-5418

OKLAHOMA
Appliance Service Center
1712-14E 15th St.
Tulsa, OK 74101
(918) 744-1305

Makita U.S.A., Inc.
2122 W. Reno
Oklahoma City, OK 73107
(405) 232-8110

OREGON
BBK Tool
13775 S.E. McLoughlin
Milwaukie, OR 97222
(503) 654-8628

Charles H. Day Co., Inc.
602 S.E. 11th
Portland, OR 97214
(503) 232-1659

Dave's Tool Repair
2392-5 S. Highway 97
Redmond, OR 97756
(503) 549-0510

Jim's Tool Service
515 Wilson St.
Eugene, OR 97402
(505) 344-1243

Makita U.S.A., Inc.
828 N.W. 19th Ave.
Portland, OR 97209
(503) 222-1823

Oregon Appliance Service
2137 E. Burnside St.,
Portland, OR 97214
(503) 235-6681

Oregon Appliance Service
1491 W. 6th Ave.,
Eugene, OR 97402
(503) 484-0601

Power Tool Service
543 South West 6th St.
Corvallis, OR 97333
(503) 753-0906

Precision Power Tool Repair
2919 N. Pacific Hwy.,
Medford, OR 97501
(503) 770-5541

PENNSYLVANIA
C & E Pneumatic Service
West Chestnut St. Ext.
Hanover, PA 17331
(717) 632-5200

Dorword's Electric Motor Repair
4711 Main St.
Slatington, PA 18080
(215) 767-8148

Makita U.S.A., Inc.
364 Wilmington West
Chester Pike
Glen Mills, PA 19342
(215) 459-4122

7513 McKnight Rd.
Pittsburgh, PA 15237
(412) 366-6363

PUERTO RICO**B & M Electric Tool**

Calle 49, Bloque 51 No. 27
Sierra Bayamon
Bayamon, PR 00619
(809) 787-2287

Vulcan Tools of Puerto Rico

P.O. Box 10923
Caparra Heights, PR 00922
(809) 782-6098

Union Caribe Trading Co.

G.P.O. Box 957
San Juan, PR 00936
(809) 751-7235

RHODE ISLAND**Electric Motor Service**

3070 Post Rd., Box 7348
Warwick, RI 02886
(401) 737-2534

SOUTH CAROLINA**Coastal Electric****Rewinding Co., Inc.**

718 N. 8th St.,
Myrtle Beach, SC 29577
(803) 448-3586

SOUTH DAKOTA**Ace Appliance Repair**

218 N. Main
Aberdeen, SD 57401
(605) 225-0732

Electric Motor Repair

927 E. 8th St.,
Sioux Falls, SD 57103
(605) 336-3020

NESCA Supply

621 S. Burr / P.O. Box 935
Mitchell, SD 57301
(605) 996-3888

Newkirks Tool Repair

1602 East St. Patrick
Rapid City, SD 57701
(605) 343-9797

Newkirks Tool Repair

1724 West Main St.
Rapid City, SD 57702
(605) 342-5678

Ray's Electric Motor

3904 S. Willow,
Sioux Falls, SD 57105
(605) 334-1193

Wheeldon's Repair

111 Railroad St. / P.O. Box 385
Brookings, SD 57006
(605) 692-6094

TENNESSEE**Express Tool Services, Inc.**

1004 E. Brooks Rd.
Memphis, TN 38116
(901) 332-1353

F & D Tool Service

4121 Ringgold Rd.
Chattanooga, TN 37412
(615) 698-6454

Makita U.S.A., Inc.

800 Third Ave., South
Nashville, TN 37210
(615) 242-2327

Shop Equipment

4821 N. Broadway,
Knoxville, TN 37918
(615) 688-3574

Smith Power Tool Service

908 South Highland Ave.
Jackson, TN 38301
(901) 427-4012

TEXAS**BC's Repair Center**

112 N. 4th,
Killeen, TX 76541
(817) 634-2960

Builders Tool Service

1201 South Ross
Amarillo, TX 79102
(806) 376-7637

City Electric Motor Service, Inc.

1480 N.W. 19th St.
Paris, TX 75460
(214) 784-7671

Corpus Christi Power Tool and Repair

3701 Agnes
Corpus Christi, TX 78405
(512) 883-1117

Gene White Electric

1833 North University
Lubbock, TX 79415
(806) 765-8402

Makita U.S.A., Inc.

1611 N. 1-35, Suite 112
Carrollton, TX 75006
(214) 242-1228

10775 Kempwood Dr.,
Suite 4

Houston, TX 77043

(713) 690-6800

5602 Randolph Blvd.,
Suite 2

San Antonio, TX 78233

(512) 650-5733

McCord Pump & Supply

3711 Brazos
Odessa, TX 79764
(915) 362-4611

Mr. Fix It

111 South Dean
Marfa, TX 79843
(915) 729-4822

Mr. Fix It

310 E. Holland
Alpine, TX 79830
(915) 837-7295

Payton Place Electric

1323 West Tyler
Harlingen, TX 78550
(512) 425-4091

Ray's Electric Motor Service

922 Bowie
Texarkana, TX 75501
(214) 792-7031

Sierra Machinery Inc.

939 Hawkins
El Paso, TX 79915
(915) 772-0613

Texoma Tool Repair Co.

309 E. Houston St.
Sherman, TX 75090
(214) 892-1510

Triple T Tool Center

1530 Lomaland
El Paso, TX 79935
(915) 595-3280

UTAH**Makita U.S.A., Inc.**

360 W. Lawndale Dr.,
2500 South
Salt Lake City, UT 84115
(801) 487-1285

VERMONT**EZ Way Rental Center**

115 County St.,
Bennington, VT 05201
(802) 442-8393

VIRGINIA**GLS Tool Clinic**

210 Old 33
Harrisonburg, VA 22801
(703) 434-6151

Makita U.S.A., Inc.

230 Clearfield Ave.
TRC Center—Suite 123
Virginia Beach, VA 23462
(804) 552-0124

VIRGIN ISLANDS - ST. THOMAS**Robert G. Moron**

P.O. Box 944
Charlotte Amalie,
St. Thomas, VI 00901
(809) 774-2923

WASHINGTON**Charleston Electric Motors, Inc.**

901 N. Wycoff,
Bremerton, WA 98310
(206) 377-3400

Makita U.S.A., Inc.

22653 83rd Ave. South
Kent, WA 98032
(206) 395-8055

Power Tool Service

12121 N.E. Northrup, #108
Bellevue, WA 98005
(206) 453-8015

Pro Tool

1832 Ellis St.
Bellingham, WA 98225
(509) 733-7343

Tap Power Tool Service

1401 52nd Ave., East
Fife, WA 98424
(206) 922-5787

Tool Pros

10334 Lake City Way, N.E.
Seattle, WA 98125
(206) 525-6448

Tool Repair Company

W. 419 A Entiat
Kennewick, WA 99336
(509) 586-6145

WEST VIRGINIA**Air-Tech Service, Inc.**

Route #3 Box 9B
Beckley, WV 25801
(304) 253-6799

Lawter Electric

202 Adams Ave.
Huntington, WV 25701
(304) 522-8297

WISCONSIN**Makita U.S.A., Inc.**

2245 S. 108th St.
Lincoln Plaza Shopping Ctr.
West Allis, WI 53227
(414) 541-4776

WYOMING**Childress Electric, Inc.**

1219 E. Daley / P.O. Box 366
Rawlins, WY 82301
(307) 324-3831

Clay's Electrical Services

807 E. 5th,
Powell, WY 82435
(307) 754-7252

Engine Care Center

340 N. Lincoln
Casper, WY 82601
(307) 265-7765

J.C. Electric

198 County Rd.
Evanston, WY 82930
(307) 789-4650

Wingert Electric Inc.

217 N. 2nd E.
Riverton, WY 82501
(307) 856-3844